

Report of Analysis

Client:	GFE LLC	Date Collected:	04/17/25
Project:	454 Sheridan Blvd, Inwood NY	Date Received:	04/18/25
Client Sample ID:	SV1DL	SDG No.:	Q1844
Lab Sample ID:	Q1844-01DL	Matrix:	Air
Analytical Method:	TO-15	Test:	VOCMS Group2
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042408.D	40		04/21/25 16:51	VL042125

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-01-4	Vinyl Chloride	0.56	1.43	UD	1.43	3.07	ug/m3
75-34-3	1,1-Dichloroethane	5.20	21.1	UD	21.1	81.0	ug/m3
156-59-2	cis-1,2-Dichloroethene	5.30	21.0	JD	14.3	79.3	ug/m3
71-55-6	1,1,1-Trichloroethane	0.38	2.07	UD	2.07	6.55	ug/m3
79-01-6	Trichloroethene	60.6	326	D	3.65	6.45	ug/m3
127-18-4	Tetrachloroethene	3200	21700	ED	4.07	8.14	ug/m3
SURROGATES							
460-00-4	1-Bromo-4-Fluorobenzene	10.7			65 - 135	107%	SPK: 10
INTERNAL STANDARDS							
74-97-5	Bromochloromethane	122000		2.79			
540-36-3	1,4-Difluorobenzene	334000		3.962			
3114-55-4	Chlorobenzene-d5	283000		8.885			

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements