

Report of Analysis

Client:	Weston Solutions, Inc.		Date Collected:	04/21/25	
Project:	RFP 911		Date Received:	04/23/25	
Client Sample ID:	P001-SS029-01		SDG No.:	Q1860	
Lab Sample ID:	Q1860-35		Matrix:	SOIL	
Analytical Method:	SW8082A		% Solid:	80.6	Decanted:
Sample Wt/Vol:	30.02	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PP071537.D	1	04/25/25 08:20	04/28/25 10:59	PB167737

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	4.90	U	4.90	21.1	ug/kg
11104-28-2	Aroclor-1221	5.00	U	5.00	21.1	ug/kg
11141-16-5	Aroclor-1232	4.60	U	4.60	21.1	ug/kg
53469-21-9	Aroclor-1242	5.00	U	5.00	21.1	ug/kg
12672-29-6	Aroclor-1248	317		7.30	21.1	ug/kg
11097-69-1	Aroclor-1254	781	E	4.00	21.1	ug/kg
37324-23-5	Aroclor-1262	6.20	U	6.20	21.1	ug/kg
11100-14-4	Aroclor-1268	4.50	U	4.50	21.1	ug/kg
11096-82-5	Aroclor-1260	532	E	4.00	21.1	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	30.2	*	32 - 144	151%	SPK: 20
2051-24-3	Decachlorobiphenyl	32.8		32 - 175	164%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Weston Solutions, Inc.		Date Collected:	04/21/25	
Project:	RFP 911		Date Received:	04/23/25	
Client Sample ID:	P001-SS029-01DL		SDG No.:	Q1860	
Lab Sample ID:	Q1860-35DL		Matrix:	SOIL	
Analytical Method:	SW8082A		% Solid:	80.6	Decanted:
Sample Wt/Vol:	30.02	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PP071604.D	5	04/25/25 08:20	04/29/25 11:56	PB167737

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	24.5	UD	24.5	105	ug/kg
11104-28-2	Aroclor-1221	25.0	UD	25.0	105	ug/kg
11141-16-5	Aroclor-1232	23.1	UD	23.1	105	ug/kg
53469-21-9	Aroclor-1242	24.9	UD	24.9	105	ug/kg
12672-29-6	Aroclor-1248	294	D	36.7	105	ug/kg
11097-69-1	Aroclor-1254	665	D	19.9	105	ug/kg
37324-23-5	Aroclor-1262	31.1	UD	31.1	105	ug/kg
11100-14-4	Aroclor-1268	22.3	UD	22.3	105	ug/kg
11096-82-5	Aroclor-1260	504	D	20.0	105	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	26.7		32 - 144	134%	SPK: 20
2051-24-3	Decachlorobiphenyl	33.0		32 - 175	165%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Weston Solutions, Inc.		Date Collected:	04/21/25	
Project:	RFP 911		Date Received:	04/23/25	
Client Sample ID:	P001-SS030-01		SDG No.:	Q1860	
Lab Sample ID:	Q1860-36		Matrix:	SOIL	
Analytical Method:	SW8082A		% Solid:	83.7	Decanted:
Sample Wt/Vol:	30.06	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO110745.D	1	04/25/25 08:20	04/25/25 19:39	PB167737

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	4.70	U	4.70	20.3	ug/kg
11104-28-2	Aroclor-1221	4.80	U	4.80	20.3	ug/kg
11141-16-5	Aroclor-1232	4.40	U	4.40	20.3	ug/kg
53469-21-9	Aroclor-1242	4.80	U	4.80	20.3	ug/kg
12672-29-6	Aroclor-1248	2100	E	7.10	20.3	ug/kg
11097-69-1	Aroclor-1254	3300	E	3.80	20.3	ug/kg
37324-23-5	Aroclor-1262	6.00	U	6.00	20.3	ug/kg
11100-14-4	Aroclor-1268	4.30	U	4.30	20.3	ug/kg
11096-82-5	Aroclor-1260	3500	E	3.90	20.3	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	14.7		32 - 144	74%	SPK: 20
2051-24-3	Decachlorobiphenyl	24.3		32 - 175	121%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Weston Solutions, Inc.		Date Collected:	04/21/25	
Project:	RFP 911		Date Received:	04/23/25	
Client Sample ID:	P001-SS030-01DL		SDG No.:	Q1860	
Lab Sample ID:	Q1860-36DL		Matrix:	SOIL	
Analytical Method:	SW8082A		% Solid:	83.7	Decanted:
Sample Wt/Vol:	30.06	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO110797.D	20	04/25/25 08:20	04/28/25 13:24	PB167737

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	94.2	UD	94.2	405	ug/kg
11104-28-2	Aroclor-1221	96.1	UD	96.1	405	ug/kg
11141-16-5	Aroclor-1232	88.7	UD	88.7	405	ug/kg
53469-21-9	Aroclor-1242	95.6	UD	95.6	405	ug/kg
12672-29-6	Aroclor-1248	2800	D	141	405	ug/kg
11097-69-1	Aroclor-1254	4100	D	76.5	405	ug/kg
37324-23-5	Aroclor-1262	120	UD	120	405	ug/kg
11100-14-4	Aroclor-1268	85.8	UD	85.8	405	ug/kg
11096-82-5	Aroclor-1260	3900	D	77.0	405	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	16.8		32 - 144	84%	SPK: 20
2051-24-3	Decachlorobiphenyl	24.4		32 - 175	122%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Weston Solutions, Inc.		Date Collected:	04/21/25	
Project:	RFP 911		Date Received:	04/23/25	
Client Sample ID:	P001-SS031-01		SDG No.:	Q1860	
Lab Sample ID:	Q1860-37		Matrix:	SOIL	
Analytical Method:	SW8082A		% Solid:	88.9	Decanted:
Sample Wt/Vol:	30.09	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO110746.D	1	04/25/25 08:20	04/25/25 19:58	PB167737

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	4.40	U	4.40	19.1	ug/kg
11104-28-2	Aroclor-1221	4.50	U	4.50	19.1	ug/kg
11141-16-5	Aroclor-1232	4.20	U	4.20	19.1	ug/kg
53469-21-9	Aroclor-1242	4.50	U	4.50	19.1	ug/kg
12672-29-6	Aroclor-1248	6.60	U	6.60	19.1	ug/kg
11097-69-1	Aroclor-1254	7700	E	3.60	19.1	ug/kg
37324-23-5	Aroclor-1262	5.60	U	5.60	19.1	ug/kg
11100-14-4	Aroclor-1268	4.00	U	4.00	19.1	ug/kg
11096-82-5	Aroclor-1260	3.60	U	3.60	19.1	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	18.9		32 - 144	94%	SPK: 20
2051-24-3	Decachlorobiphenyl	27.3		32 - 175	137%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Weston Solutions, Inc.		Date Collected:	04/21/25	
Project:	RFP 911		Date Received:	04/23/25	
Client Sample ID:	P001-SS031-01DL		SDG No.:	Q1860	
Lab Sample ID:	Q1860-37DL		Matrix:	SOIL	
Analytical Method:	SW8082A		% Solid:	88.9	Decanted:
Sample Wt/Vol:	30.09	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO110838.D	20	04/25/25 08:20	04/29/25 05:16	PB167737

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	88.6	UD	88.6	381	ug/kg
11104-28-2	Aroclor-1221	90.4	UD	90.4	381	ug/kg
11141-16-5	Aroclor-1232	83.4	UD	83.4	381	ug/kg
53469-21-9	Aroclor-1242	89.9	UD	89.9	381	ug/kg
12672-29-6	Aroclor-1248	133	UD	133	381	ug/kg
11097-69-1	Aroclor-1254	9100	ED	72.0	381	ug/kg
37324-23-5	Aroclor-1262	113	UD	113	381	ug/kg
11100-14-4	Aroclor-1268	80.7	UD	80.7	381	ug/kg
11096-82-5	Aroclor-1260	72.4	UD	72.4	381	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	24.8		32 - 144	124%	SPK: 20
2051-24-3	Decachlorobiphenyl	56.6	*	32 - 175	283%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Weston Solutions, Inc.		Date Collected:	04/21/25	
Project:	RFP 911		Date Received:	04/23/25	
Client Sample ID:	P001-SS031-01DL2		SDG No.:	Q1860	
Lab Sample ID:	Q1860-37DL2		Matrix:	SOIL	
Analytical Method:	SW8082A		% Solid:	88.9	Decanted:
Sample Wt/Vol:	30.09	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO110839.D	100	04/25/25 08:20	04/29/25 05:34	PB167737

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	443	UD	443	1900	ug/kg
11104-28-2	Aroclor-1221	452	UD	452	1900	ug/kg
11141-16-5	Aroclor-1232	417	UD	417	1900	ug/kg
53469-21-9	Aroclor-1242	450	UD	450	1900	ug/kg
12672-29-6	Aroclor-1248	664	UD	664	1900	ug/kg
11097-69-1	Aroclor-1254	9100	D	360	1900	ug/kg
37324-23-5	Aroclor-1262	563	UD	563	1900	ug/kg
11100-14-4	Aroclor-1268	404	UD	404	1900	ug/kg
11096-82-5	Aroclor-1260	362	UD	362	1900	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	0	*	32 - 144	0%	SPK: 20
2051-24-3	Decachlorobiphenyl	0	*	32 - 175	0%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Weston Solutions, Inc.		Date Collected:	04/21/25	
Project:	RFP 911		Date Received:	04/23/25	
Client Sample ID:	P001-SS032-01		SDG No.:	Q1860	
Lab Sample ID:	Q1860-38		Matrix:	SOIL	
Analytical Method:	SW8082A		% Solid:	87	Decanted:
Sample Wt/Vol:	30.02	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO110747.D	1	04/25/25 08:20	04/25/25 20:16	PB167737

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	4.50	U	4.50	19.5	ug/kg
11104-28-2	Aroclor-1221	4.60	U	4.60	19.5	ug/kg
11141-16-5	Aroclor-1232	4.30	U	4.30	19.5	ug/kg
53469-21-9	Aroclor-1242	4.60	U	4.60	19.5	ug/kg
12672-29-6	Aroclor-1248	2100	E	6.80	19.5	ug/kg
11097-69-1	Aroclor-1254	5300	E	3.70	19.5	ug/kg
37324-23-5	Aroclor-1262	5.80	U	5.80	19.5	ug/kg
11100-14-4	Aroclor-1268	4.10	U	4.10	19.5	ug/kg
11096-82-5	Aroclor-1260	3.70	U	3.70	19.5	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	20.9		32 - 144	104%	SPK: 20
2051-24-3	Decachlorobiphenyl	28.0		32 - 175	140%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Weston Solutions, Inc.		Date Collected:	04/21/25	
Project:	RFP 911		Date Received:	04/23/25	
Client Sample ID:	P001-SS032-01DL		SDG No.:	Q1860	
Lab Sample ID:	Q1860-38DL		Matrix:	SOIL	
Analytical Method:	SW8082A		% Solid:	87	Decanted:
Sample Wt/Vol:	30.02	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO110805.D	10	04/25/25 08:20	04/28/25 16:41	PB167737

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	45.4	UD	45.4	195	ug/kg
11104-28-2	Aroclor-1221	46.3	UD	46.3	195	ug/kg
11141-16-5	Aroclor-1232	42.7	UD	42.7	195	ug/kg
53469-21-9	Aroclor-1242	46.1	UD	46.1	195	ug/kg
12672-29-6	Aroclor-1248	1900	D	68.0	195	ug/kg
11097-69-1	Aroclor-1254	4000	ED	36.9	195	ug/kg
37324-23-5	Aroclor-1262	57.7	UD	57.7	195	ug/kg
11100-14-4	Aroclor-1268	41.4	UD	41.4	195	ug/kg
11096-82-5	Aroclor-1260	37.1	UD	37.1	195	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	17.8		32 - 144	89%	SPK: 20
2051-24-3	Decachlorobiphenyl	32.1		32 - 175	160%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Weston Solutions, Inc.		Date Collected:	04/21/25	
Project:	RFP 911		Date Received:	04/23/25	
Client Sample ID:	P001-SS032-01DL2		SDG No.:	Q1860	
Lab Sample ID:	Q1860-38DL2		Matrix:	SOIL	
Analytical Method:	SW8082A		% Solid:	87	Decanted:
Sample Wt/Vol:	30.02	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO110806.D	50	04/25/25 08:20	04/28/25 16:59	PB167737

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	227	UD	227	976	ug/kg
11104-28-2	Aroclor-1221	231	UD	231	976	ug/kg
11141-16-5	Aroclor-1232	214	UD	214	976	ug/kg
53469-21-9	Aroclor-1242	230	UD	230	976	ug/kg
12672-29-6	Aroclor-1248	2400	D	340	976	ug/kg
11097-69-1	Aroclor-1254	4200	D	184	976	ug/kg
37324-23-5	Aroclor-1262	288	UD	288	976	ug/kg
11100-14-4	Aroclor-1268	207	UD	207	976	ug/kg
11096-82-5	Aroclor-1260	186	UD	186	976	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	0	*	32 - 144	0%	SPK: 20
2051-24-3	Decachlorobiphenyl	0	*	32 - 175	0%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Weston Solutions, Inc.		Date Collected:	04/21/25	
Project:	RFP 911		Date Received:	04/23/25	
Client Sample ID:	P001-SS033-01		SDG No.:	Q1860	
Lab Sample ID:	Q1860-39		Matrix:	SOIL	
Analytical Method:	SW8082A		% Solid:	87.7	Decanted:
Sample Wt/Vol:	30.05	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO110748.D	1	04/25/25 08:20	04/25/25 20:34	PB167737

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	4.50	U	4.50	19.4	ug/kg
11104-28-2	Aroclor-1221	4.60	U	4.60	19.4	ug/kg
11141-16-5	Aroclor-1232	4.20	U	4.20	19.4	ug/kg
53469-21-9	Aroclor-1242	4.60	U	4.60	19.4	ug/kg
12672-29-6	Aroclor-1248	3900	E	6.70	19.4	ug/kg
11097-69-1	Aroclor-1254	3600	E	3.70	19.4	ug/kg
37324-23-5	Aroclor-1262	5.70	U	5.70	19.4	ug/kg
11100-14-4	Aroclor-1268	4.10	U	4.10	19.4	ug/kg
11096-82-5	Aroclor-1260	3.70	U	3.70	19.4	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	19.1		32 - 144	95%	SPK: 20
2051-24-3	Decachlorobiphenyl	30.5		32 - 175	153%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Weston Solutions, Inc.		Date Collected:	04/21/25	
Project:	RFP 911		Date Received:	04/23/25	
Client Sample ID:	P001-SS033-01DL		SDG No.:	Q1860	
Lab Sample ID:	Q1860-39DL		Matrix:	SOIL	
Analytical Method:	SW8082A		% Solid:	87.7	Decanted:
Sample Wt/Vol:	30.05	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO110807.D	20	04/25/25 08:20	04/28/25 17:17	PB167737

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	89.9	UD	89.9	387	ug/kg
11104-28-2	Aroclor-1221	91.8	UD	91.8	387	ug/kg
11141-16-5	Aroclor-1232	84.7	UD	84.7	387	ug/kg
53469-21-9	Aroclor-1242	91.3	UD	91.3	387	ug/kg
12672-29-6	Aroclor-1248	4900	D	135	387	ug/kg
11097-69-1	Aroclor-1254	4000	D	73.1	387	ug/kg
37324-23-5	Aroclor-1262	114	UD	114	387	ug/kg
11100-14-4	Aroclor-1268	82.0	UD	82.0	387	ug/kg
11096-82-5	Aroclor-1260	73.5	UD	73.5	387	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	22.0		32 - 144	110%	SPK: 20
2051-24-3	Decachlorobiphenyl	36.2	*	32 - 175	181%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Weston Solutions, Inc.		Date Collected:	04/21/25	
Project:	RFP 911		Date Received:	04/23/25	
Client Sample ID:	P001-SS034-01		SDG No.:	Q1860	
Lab Sample ID:	Q1860-40		Matrix:	SOIL	
Analytical Method:	SW8082A		% Solid:	87.9	Decanted:
Sample Wt/Vol:	30.04	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO110749.D	1	04/25/25 08:20	04/25/25 20:53	PB167737

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	4.50	U	4.50	19.3	ug/kg
11104-28-2	Aroclor-1221	4.60	U	4.60	19.3	ug/kg
11141-16-5	Aroclor-1232	4.20	U	4.20	19.3	ug/kg
53469-21-9	Aroclor-1242	4.60	U	4.60	19.3	ug/kg
12672-29-6	Aroclor-1248	1700	E	6.70	19.3	ug/kg
11097-69-1	Aroclor-1254	2700	E	3.60	19.3	ug/kg
37324-23-5	Aroclor-1262	5.70	U	5.70	19.3	ug/kg
11100-14-4	Aroclor-1268	4.10	U	4.10	19.3	ug/kg
11096-82-5	Aroclor-1260	3.70	U	3.70	19.3	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	13.7		32 - 144	69%	SPK: 20
2051-24-3	Decachlorobiphenyl	26.8		32 - 175	134%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Weston Solutions, Inc.		Date Collected:	04/21/25	
Project:	RFP 911		Date Received:	04/23/25	
Client Sample ID:	P001-SS034-01DL		SDG No.:	Q1860	
Lab Sample ID:	Q1860-40DL		Matrix:	SOIL	
Analytical Method:	SW8082A		% Solid:	87.9	Decanted:
Sample Wt/Vol:	30.04	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO110808.D	20	04/25/25 08:20	04/28/25 17:36	PB167737

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	89.8	UD	89.8	386	ug/kg
11104-28-2	Aroclor-1221	91.6	UD	91.6	386	ug/kg
11141-16-5	Aroclor-1232	84.5	UD	84.5	386	ug/kg
53469-21-9	Aroclor-1242	91.1	UD	91.1	386	ug/kg
12672-29-6	Aroclor-1248	2600	D	135	386	ug/kg
11097-69-1	Aroclor-1254	3600	D	72.9	386	ug/kg
37324-23-5	Aroclor-1262	114	UD	114	386	ug/kg
11100-14-4	Aroclor-1268	81.8	UD	81.8	386	ug/kg
11096-82-5	Aroclor-1260	73.4	UD	73.4	386	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	21.6		32 - 144	108%	SPK: 20
2051-24-3	Decachlorobiphenyl	50.8	*	32 - 175	254%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Weston Solutions, Inc.		Date Collected:	04/21/25	
Project:	RFP 911		Date Received:	04/23/25	
Client Sample ID:	P001-SS035-01		SDG No.:	Q1860	
Lab Sample ID:	Q1860-41		Matrix:	SOIL	
Analytical Method:	SW8082A		% Solid:	94	Decanted:
Sample Wt/Vol:	30.01	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO110758.D	1	04/25/25 08:20	04/26/25 01:34	PB167737

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	4.20	U	4.20	18.1	ug/kg
11104-28-2	Aroclor-1221	4.30	U	4.30	18.1	ug/kg
11141-16-5	Aroclor-1232	4.00	U	4.00	18.1	ug/kg
53469-21-9	Aroclor-1242	4.30	U	4.30	18.1	ug/kg
12672-29-6	Aroclor-1248	2500	E	6.30	18.1	ug/kg
11097-69-1	Aroclor-1254	3900	E	3.40	18.1	ug/kg
37324-23-5	Aroclor-1262	5.30	U	5.30	18.1	ug/kg
11100-14-4	Aroclor-1268	3.80	U	3.80	18.1	ug/kg
11096-82-5	Aroclor-1260	3.40	U	3.40	18.1	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	21.9		32 - 144	109%	SPK: 20
2051-24-3	Decachlorobiphenyl	36.2	*	32 - 175	181%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Weston Solutions, Inc.		Date Collected:	04/21/25	
Project:	RFP 911		Date Received:	04/23/25	
Client Sample ID:	P001-SS035-01DL		SDG No.:	Q1860	
Lab Sample ID:	Q1860-41DL		Matrix:	SOIL	
Analytical Method:	SW8082A		% Solid:	94	Decanted:
Sample Wt/Vol:	30.01	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO110809.D	10	04/25/25 08:20	04/28/25 17:53	PB167737

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	42.0	UD	42.0	181	ug/kg
11104-28-2	Aroclor-1221	42.9	UD	42.9	181	ug/kg
11141-16-5	Aroclor-1232	39.6	UD	39.6	181	ug/kg
53469-21-9	Aroclor-1242	42.6	UD	42.6	181	ug/kg
12672-29-6	Aroclor-1248	2900	D	63.0	181	ug/kg
11097-69-1	Aroclor-1254	4100	ED	34.1	181	ug/kg
37324-23-5	Aroclor-1262	53.4	UD	53.4	181	ug/kg
11100-14-4	Aroclor-1268	38.3	UD	38.3	181	ug/kg
11096-82-5	Aroclor-1260	34.4	UD	34.4	181	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	23.2		32 - 144	116%	SPK: 20
2051-24-3	Decachlorobiphenyl	45.8	*	32 - 175	229%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	04/21/25
Project:	RFP 911	Date Received:	04/23/25
Client Sample ID:	P001-SS035-01DL2	SDG No.:	Q1860
Lab Sample ID:	Q1860-41DL2	Matrix:	SOIL
Analytical Method:	SW8082A	% Solid:	94
Sample Wt/Vol:	30.01 Units: g	Final Vol:	10000 uL
Soil Aliquot Vol:	uL	Test:	PCB
Extraction Type:		Injection Volume :	
GPC Factor :	1.0	PH :	
Prep Method :	SW3541B		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO110810.D	50	04/25/25 08:20	04/28/25 18:12	PB167737

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	210	UD	210	904	ug/kg
11104-28-2	Aroclor-1221	214	UD	214	904	ug/kg
11141-16-5	Aroclor-1232	198	UD	198	904	ug/kg
53469-21-9	Aroclor-1242	213	UD	213	904	ug/kg
12672-29-6	Aroclor-1248	3200	D	315	904	ug/kg
11097-69-1	Aroclor-1254	4200	DP	171	904	ug/kg
37324-23-5	Aroclor-1262	267	UD	267	904	ug/kg
11100-14-4	Aroclor-1268	191	UD	191	904	ug/kg
11096-82-5	Aroclor-1260	172	UD	172	904	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	0	*	32 - 144	0%	SPK: 20
2051-24-3	Decachlorobiphenyl	0	*	32 - 175	0%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Weston Solutions, Inc.		Date Collected:	04/21/25	
Project:	RFP 911		Date Received:	04/23/25	
Client Sample ID:	P001-SS036-01		SDG No.:	Q1860	
Lab Sample ID:	Q1860-42		Matrix:	SOIL	
Analytical Method:	SW8082A		% Solid:	94.4	Decanted:
Sample Wt/Vol:	30.07	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PP071539.D	1	04/25/25 08:20	04/28/25 11:32	PB167737

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	4.20	U	4.20	18.0	ug/kg
11104-28-2	Aroclor-1221	4.30	U	4.30	18.0	ug/kg
11141-16-5	Aroclor-1232	3.90	U	3.90	18.0	ug/kg
53469-21-9	Aroclor-1242	4.20	U	4.20	18.0	ug/kg
12672-29-6	Aroclor-1248	6.30	U	6.30	18.0	ug/kg
11097-69-1	Aroclor-1254	19.6	P	3.40	18.0	ug/kg
37324-23-5	Aroclor-1262	5.30	U	5.30	18.0	ug/kg
11100-14-4	Aroclor-1268	3.80	U	3.80	18.0	ug/kg
11096-82-5	Aroclor-1260	3.40	U	3.40	18.0	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	18.2		32 - 144	91%	SPK: 20
2051-24-3	Decachlorobiphenyl	16.4		32 - 175	82%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

LAB CHRONICLE

OrderID:	Q1860	OrderDate:	4/23/2025 10:15:04 AM
Client:	Weston Solutions, Inc.	Project:	RFP 911
Contact:	Smita Sumbaly	Location:	L51

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q1860-01	P001-SS001-01	SOIL	PCB	8082A	04/16/25	04/24/25	04/24/25	04/23/25
Q1860-04	P001-SS002-01	SOIL	PCB	8082A	04/16/25	04/24/25	04/24/25	04/23/25
Q1860-05	P001-SS002-02	SOIL	PCB	8082A	04/16/25	04/24/25	04/24/25	04/23/25
Q1860-06	P001-SS003-01	SOIL	PCB	8082A	04/16/25	04/24/25	04/24/25	04/23/25
Q1860-07	P001-SS004-01	SOIL	PCB	8082A	04/16/25	04/24/25	04/24/25	04/23/25
Q1860-08	P001-SS005-01	SOIL	PCB	8082A	04/16/25	04/24/25	04/24/25	04/23/25
Q1860-09	P001-SS006-01	SOIL	PCB	8082A	04/16/25	04/24/25	04/30/25	04/23/25
Q1860-09DL	P001-SS006-01DL	SOIL	PCB	8082A	04/16/25	04/24/25	04/30/25	04/23/25
Q1860-10	P001-SS007-01	SOIL	PCB	8082A	04/16/25	04/24/25	04/24/25	04/23/25
Q1860-10DL	P001-SS007-01DL	SOIL	PCB	8082A	04/16/25	04/24/25	04/24/25	04/23/25
Q1860-11	P001-SS008-01	SOIL	PCB	8082A	04/16/25	04/24/25	04/24/25	04/23/25
Q1860-11DL	P001-SS008-01DL	SOIL			04/16/25			04/23/25

LAB CHRONICLE

			PCB	8082A	04/24/25	04/24/25	
Q1860-12	P001-SS009-01	SOIL			04/17/25		04/23/25
			PCB	8082A	04/24/25	04/24/25	
Q1860-12DL	P001-SS009-01DL	SOIL			04/17/25		04/23/25
			PCB	8082A	04/24/25	04/25/25	
Q1860-13	P001-SS010-01	SOIL			04/17/25		04/23/25
			PCB	8082A	04/24/25	04/25/25	
Q1860-14	P001-SS011-01	SOIL			04/17/25		04/23/25
			PCB	8082A	04/24/25	04/24/25	
Q1860-15	P001-SS012-01	SOIL			04/17/25		04/23/25
			PCB	8082A	04/24/25	04/24/25	
Q1860-15DL	P001-SS012-01DL	SOIL			04/17/25		04/23/25
			PCB	8082A	04/24/25	04/25/25	
Q1860-16	P001-SS013-01	SOIL			04/17/25		04/23/25
			PCB	8082A	04/24/25	04/24/25	
Q1860-16DL	P001-SS013-01DL	SOIL			04/17/25		04/23/25
			PCB	8082A	04/24/25	04/25/25	
Q1860-17	P001-SS014-01	SOIL			04/17/25		04/23/25
			PCB	8082A	04/24/25	04/24/25	
Q1860-18	P001-SS015-01	SOIL			04/17/25		04/23/25
			PCB	8082A	04/24/25	04/24/25	
Q1860-19	P001-SS016-01	SOIL			04/17/25		04/23/25
			PCB	8082A	04/25/25	04/25/25	
Q1860-19DL	P001-SS016-01DL	SOIL			04/17/25		04/23/25
			PCB	8082A	04/25/25	04/28/25	
Q1860-22	P001-SS017-01	SOIL			04/17/25		04/23/25
			PCB	8082A	04/24/25	04/28/25	
Q1860-22DL	P001-SS017-01DL	SOIL			04/17/25		04/23/25
			PCB	8082A	04/24/25	04/29/25	

LAB CHRONICLE

Q1860-23	P001-SS017-02	SOIL			04/17/25			04/23/25
			PCB	8082A		04/24/25	04/28/25	
Q1860-23DL	P001-SS017-02DL	SOIL			04/17/25			04/23/25
			PCB	8082A		04/24/25	04/29/25	
Q1860-24	P001-SS018-01	SOIL			04/21/25			04/23/25
			PCB	8082A		04/24/25	04/28/25	
Q1860-25	P001-SS019-01	SOIL			04/21/25			04/23/25
			PCB	8082A		04/24/25	04/28/25	
Q1860-25DL	P001-SS019-01DL	SOIL			04/21/25			04/23/25
			PCB	8082A		04/24/25	04/29/25	
Q1860-26	P001-SS020-01	SOIL			04/21/25			04/23/25
			PCB	8082A		04/25/25	04/25/25	
Q1860-26DL	P001-SS020-01DL	SOIL			04/21/25			04/23/25
			PCB	8082A		04/25/25	04/28/25	
Q1860-27	P001-SS021-01	SOIL			04/21/25			04/23/25
			PCB	8082A		04/25/25	04/25/25	
Q1860-27DL	P001-SS021-01DL	SOIL			04/21/25			04/23/25
			PCB	8082A		04/25/25	04/28/25	
Q1860-28	P001-SS022-01	SOIL			04/21/25			04/23/25
			PCB	8082A		04/25/25	04/25/25	
Q1860-29	P001-SS023-01	SOIL			04/21/25			04/23/25
			PCB	8082A		04/25/25	04/25/25	
Q1860-29DL	P001-SS023-01DL	SOIL			04/21/25			04/23/25
			PCB	8082A		04/25/25	04/28/25	
Q1860-30	P001-SS024-01	SOIL			04/21/25			04/23/25
			PCB	8082A		04/25/25	04/25/25	
Q1860-31	P001-SS025-01	SOIL			04/21/25			04/23/25
			PCB	8082A		04/25/25	04/25/25	
Q1860-31DL	P001-SS025-01DL	SOIL			04/21/25			04/23/25

LAB CHRONICLE

PCB 8082A 04/25/25 04/28/25

PCB 8082A 04/25/25 04/25/25

PCB 8082A 04/25/25 04/28/25

PCB 8082A 04/25/25 04/28/25

PCB 8082A 04/25/25 04/25/25

PCB 8082A 04/25/25 04/29/25

PCB 8082A 04/25/25 04/28/25

PCB 8082A 04/25/25 04/29/25

PCB 8082A 04/25/25 04/25/25

PCB 8082A 04/25/25 04/28/25

PCB 8082A 04/25/25 04/25/25

PCB 8082A 04/25/25 04/29/25

PCB 8082A 04/25/25 04/29/25

PCB 8082A 04/25/25 04/25/25

04/21/25 04/23/25

04/21/25 04/23/25

04/21/25 04/23/25

04/21/25 04/23/25

04/21/25 04/23/25

04/21/25 04/23/25

04/21/25 04/23/25

04/21/25 04/23/25

04/21/25 04/23/25

04/21/25 04/23/25

04/21/25 04/23/25

04/21/25 04/23/25

04/21/25 04/23/25

04/21/25 04/23/25

04/21/25 04/23/25

04/21/25 04/23/25

04/21/25 04/23/25

04/21/25 04/23/25

04/21/25 04/23/25

LAB CHRONICLE

			PCB	8082A	04/25/25	04/28/25	
Q1860-38DL	P001-SS032-01DL2	SOIL			04/21/25		04/23/25
2							
			PCB	8082A	04/25/25	04/28/25	
Q1860-39	P001-SS033-01	SOIL			04/21/25		04/23/25
			PCB	8082A	04/25/25	04/25/25	
Q1860-39DL	P001-SS033-01DL	SOIL			04/21/25		04/23/25
			PCB	8082A	04/25/25	04/28/25	
Q1860-40	P001-SS034-01	SOIL			04/21/25		04/23/25
			PCB	8082A	04/25/25	04/25/25	
Q1860-40DL	P001-SS034-01DL	SOIL			04/21/25		04/23/25
			PCB	8082A	04/25/25	04/28/25	
Q1860-41	P001-SS035-01	SOIL			04/21/25		04/23/25
			PCB	8082A	04/25/25	04/26/25	
Q1860-41DL	P001-SS035-01DL	SOIL			04/21/25		04/23/25
			PCB	8082A	04/25/25	04/28/25	
Q1860-41DL	P001-SS035-01DL2	SOIL			04/21/25		04/23/25
2							
			PCB	8082A	04/25/25	04/28/25	
Q1860-42	P001-SS036-01	SOIL			04/21/25		04/23/25
			PCB	8082A	04/25/25	04/28/25	



SHIPPING DOCUMENTS

USEPA

DateShipped: 4/22/2025

CarrierName: FedEx

AirbillNo: 880713748116

CHAIN OF CUSTODY RECORD

Site #: 02FP

Contact Name Josh Frizzell

(470) 277-4600

Q1860

No: 2-042225-0004-0037-01

TAT 5 Days

Lab: Alliance Technical Group, LLC - Non CLP


Lab Phone: 908-728-3144

Lab #	Sample #	Location	Analyses	Matrix	Sample Date	Sample Time	Numb Cont	Container	Preservative	Lab QC
	P001-SS001-01	FHG West	TAL PCBs (TAT 5 Days)	Soil	4/16/2025	11:15	2	8 oz glass	4 C	Y
	P001-SS002-01	FHG West	TAL PCBs (TAT 5 Days)	Soil	4/16/2025	11:30	1	8 oz glass	4 C	N
	P001-SS002-02	FHG West	TAL PCBs (TAT 5 Days)	Soil	4/16/2025	11:30	1	8 oz glass	4 C	N
	P001-SS003-01	FHG West	TAL PCBs (TAT 5 Days)	Soil	4/16/2025	11:45	1	8 oz glass	4 C	N
	P001-SS004-01	FHG West	TAL PCBs (TAT 5 Days)	Soil	4/16/2025	11:50	1	8 oz glass	4 C	N
	P001-SS005-01	FHG West	TAL PCBs (TAT 5 Days)	Soil	4/16/2025	12:00	1	8 oz glass	4 C	N
	P001-SS006-01	FHG West	TAL PCBs (TAT 5 Days)	Soil	4/16/2025	16:10	1	8 oz glass	4 C	N
	P001-SS007-01	FHG West	TAL PCBs (TAT 5 Days)	Soil	4/16/2025	16:15	1	8 oz glass	4 C	N
	P001-SS008-01	FHG West	TAL PCBs (TAT 5 Days)	Soil	4/16/2025	16:30	1	8 oz glass	4 C	N
	P001-SS009-01	FHG West	TAL PCBs (TAT 5 Days)	Soil	4/17/2025	12:45	1	8 oz glass	4 C	N
	P001-SS010-01	FHG West	TAL PCBs (TAT 5 Days)	Soil	4/17/2025	12:50	1	8 oz glass	4 C	N
	P001-SS011-01	FHG West	TAL PCBs (TAT 5 Days)	Soil	4/17/2025	15:35	1	8 oz glass	4 C	N
	P001-SS012-01	FHG West	TAL PCBs (TAT 5 Days)	Soil	4/17/2025	15:40	1	8 oz glass	4 C	N
	P001-SS013-01	FHG West	TAL PCBs (TAT 5 Days)	Soil	4/17/2025	15:45	1	8 oz glass	4 C	N
	P001-SS014-01	FHG West	TAL PCBs (TAT 5 Days)	Soil	4/17/2025	15:50	1	8 oz glass	4 C	N
	P001-SS015-01	FHG West	TAL PCBs (TAT 5 Days)	Soil	4/17/2025	15:55	1	8 oz glass	4 C	N
	P001-SS016-01	FHG West	TAL PCBs (TAT 5 Days)	Soil	4/17/2025	16:05	2	8 oz glass	4 C	Y
	P001-SS017-01	FHG West	TAL PCBs (TAT 5 Days)	Soil	4/17/2025	16:15	1	8 oz glass	4 C	N

Special Instructions: Please email results to S.Sumbaly@WestonSolutions.com and Josh.Frizzell@WestonSolutions.com. TAT 5 days.

RFP #911

SAMPLES TRANSFERRED FROM
CHAIN OF CUSTODY #

Items/Reason	Relinquished by (Signature and Organization)	Date/Time	Received by (Signature and Organization)	Date/Time	Sample Condition Upon Receipt
All Samples All Analyses	 Weston	4-22-25 10900		0935 4-23-25	IR Gun #1 Temp 3.2°C Custody Seal intact Temp blank present

USEPA

DateShipped: 4/22/2025

CarrierName: FedEx

AirbillNo: 880713748116

CHAIN OF CUSTODY RECORD

Site #: 02FP

Contact Name Josh Frizzell

(470) 277-4600

No: 2-042225-0004-0037-01

TAT 5 Days

Lab: Alliance Technical Group, LLC - Non
CLP



Lab Phone: 908-728-3144

Lab #	Sample #	Location	Analyses	Matrix	Sample Date	Sample Time	Numb Cont	Container	Preservative	Lab QC
	P001-SS017-02	FHG West	TAL PCBs (TAT 5 Days)	Soil	4/17/2025	16:15	1	8 oz glass	4 C	N
	P001-SS018-01	FHG West	TAL PCBs (TAT 5 Days)	Soil	4/21/2025	08:00	1	8 oz glass	4 C	N.
	P001-SS019-01	FHG West	TAL PCBs (TAT 5 Days)	Soil	4/21/2025	08:15	1	8 oz glass	4 C	N
	P001-SS020-01	FHG West	TAL PCBs (TAT 5 Days)	Soil	4/21/2025	08:17	1	8 oz glass	4 C	N
	P001-SS021-01	FHG West	TAL PCBs (TAT 5 Days)	Soil	4/21/2025	08:20	1	8 oz glass	4 C	N
	P001-SS022-01	FHG West	TAL PCBs (TAT 5 Days)	Soil	4/21/2025	08:25	1	8 oz glass	4 C	N.
	P001-SS023-01	FHG West	TAL PCBs (TAT 5 Days)	Soil	4/21/2025	08:30	1	8 oz glass	4 C	N.
	P001-SS024-01	FHG West	TAL PCBs (TAT 5 Days)	Soil	4/21/2025	08:40	1	8 oz glass	4 C	N
	P001-SS025-01	FHG West	TAL PCBs (TAT 5 Days)	Soil	4/21/2025	08:45	1	8 oz glass	4 C	N.
	P001-SS026-01	FHG West	TAL PCBs (TAT 5 Days)	Soil	4/21/2025	08:50	1	8 oz glass	4 C	N
	P001-SS027-01	FHG West	TAL PCBs (TAT 5 Days)	Soil	4/21/2025	09:00	1	8 oz glass	4 C	N
	P001-SS028-01	FHG West	TAL PCBs (TAT 5 Days)	Soil	4/21/2025	09:08	1	8 oz glass	4 C	N
	P001-SS029-01	FHG West	TAL PCBs (TAT 5 Days)	Soil	4/21/2025	09:06	1	8 oz glass	4 C	N
	P001-SS030-01	FHG West	TAL PCBs (TAT 5 Days)	Soil	4/21/2025	09:30	1	8 oz glass	4 C	N
	P001-SS031-01	FHG West	TAL PCBs (TAT 5 Days)	Soil	4/21/2025	09:50	1	8 oz glass	4 C	N.
	P001-SS032-01	FHG West	TAL PCBs (TAT 5 Days)	Soil	4/21/2025	10:00	1	8 oz glass	4 C	N
	P001-SS033-01	FHG West	TAL PCBs (TAT 5 Days)	Soil	4/21/2025	10:05	1	8 oz glass	4 C	N
	P001-SS034-01	FHG West	TAL PCBs (TAT 5 Days)	Soil	4/21/2025	10:10	1	8 oz glass	4 C	N

Special Instructions: Please email results to S.Sumbaly@WestonSolutions.com and Josh.Frizzell@WestonSolutions.com. TAT 5 days.

RFP # 911

SAMPLES TRANSFERRED FROM
CHAIN OF CUSTODY #

Items/Reason	Relinquished by (Signature and Organization)	Date/Time	Received by (Signature and Organization)	Date/Time	Sample Condition Upon Receipt
Act samples Ail Analy ses	 Weston	4-22-25 / 0900		0935 4-23-25	IR Gun #1 Temp 3.2C Custody Seal intact Temp blank present

No: 2-042225-0004-0037-01

TAT 5 Days


Lab: Alliance Technical Group, LLC - Non-CLP

Lab Phone: 908-728-3144

~~JOE~~
~~4-22-2025~~

SAMPLES TRANSFERRED FROM
CHAIN OF CUSTODY #

REF # 911

Items/Reason	Relinquished by (Signature and Organization)	Date/Time	Received by (Signature and Organization)	Date/Time	Sample Condition Upon Receipt
All Samples All Analyses	 Weston	4-22-25 0900		0935 4-23-25	IR Gun #1 Temp 3.2C Custody seal intact Temp blank present

Laboratory Certification

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488