

Date Collected:

Date Received:

SDG No.:

Matrix:

% Solid:

Final Vol:

Injection Volume:

Test:

04/21/25

04/23/25

Q1860

**SOIL** 

83.7

10000

PCB

Decanted:

иL



## **Report of Analysis**

Client: Weston Solutions, Inc.

Project: RFP 911

Client Sample ID: P001-SS030-01DL

Lab Sample ID: Q1860-36DL

Analytical Method: SW8082A

Sample Wt/Vol: 30.06 Units: g

Soil Aliquot Vol: uL

Extraction Type:

GPC Factor: 1.0 PH:

Prep Method: SW3541B

 File ID/Qc Batch:
 Dilution:
 Prep Date
 Date Analyzed
 Prep Batch ID

 PO110797.D
 20
 04/25/25 08:20
 04/28/25 13:24
 PB167737

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	94.2	UD	94.2	405	ug/kg
11104-28-2	Aroclor-1221	96.1	UD	96.1	405	ug/kg
11141-16-5	Aroclor-1232	88.7	UD	88.7	405	ug/kg
53469-21-9	Aroclor-1242	95.6	UD	95.6	405	ug/kg
12672-29-6	Aroclor-1248	2800	D	141	405	ug/kg
11097-69-1	Aroclor-1254	4100	D	76.5	405	ug/kg
37324-23-5	Aroclor-1262	120	UD	120	405	ug/kg
11100-14-4	Aroclor-1268	85.8	UD	85.8	405	ug/kg
11096-82-5	Aroclor-1260	3900	D	77.0	405	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	16.8		32 - 144	84%	SPK: 20
2051-24-3	Decachlorobiphenyl	24.4		32 - 175	122%	SPK: 20

## Comments:

U = Not Detected

LOO = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit