

Report of Analysis

| | | | | | |
|--------------------|------------------------|----------|--------------------|----------|-----------|
| Client: | Weston Solutions, Inc. | | Date Collected: | 04/21/25 | |
| Project: | RFP 911 | | Date Received: | 04/23/25 | |
| Client Sample ID: | P001-SS035-01DL2 | | SDG No.: | Q1860 | |
| Lab Sample ID: | Q1860-41DL2 | | Matrix: | SOIL | |
| Analytical Method: | SW8082A | | % Solid: | 94 | Decanted: |
| Sample Wt/Vol: | 30.01 | Units: g | Final Vol: | 10000 | uL |
| Soil Aliquot Vol: | | uL | Test: | PCB | |
| Extraction Type: | | | Injection Volume : | | |
| GPC Factor : | 1.0 | PH : | | | |
| Prep Method : | SW3541B | | | | |

| | | | | |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed | Prep Batch ID |
| PO110810.D | 50 | 04/25/25 08:20 | 04/28/25 18:12 | PB167737 |

| CAS Number | Parameter | Conc. | Qualifier | MDL | LOQ / CRQL | Units(Dry Weight) |
|-------------------|----------------------|-------|-----------|----------|------------|-------------------|
| TARGETS | | | | | | |
| 12674-11-2 | Aroclor-1016 | 210 | UD | 210 | 904 | ug/kg |
| 11104-28-2 | Aroclor-1221 | 214 | UD | 214 | 904 | ug/kg |
| 11141-16-5 | Aroclor-1232 | 198 | UD | 198 | 904 | ug/kg |
| 53469-21-9 | Aroclor-1242 | 213 | UD | 213 | 904 | ug/kg |
| 12672-29-6 | Aroclor-1248 | 3200 | D | 315 | 904 | ug/kg |
| 11097-69-1 | Aroclor-1254 | 4200 | DP | 171 | 904 | ug/kg |
| 37324-23-5 | Aroclor-1262 | 267 | UD | 267 | 904 | ug/kg |
| 11100-14-4 | Aroclor-1268 | 191 | UD | 191 | 904 | ug/kg |
| 11096-82-5 | Aroclor-1260 | 172 | UD | 172 | 904 | ug/kg |
| SURROGATES | | | | | | |
| 877-09-8 | Tetrachloro-m-xylene | 0 | * | 32 - 144 | 0% | SPK: 20 |
| 2051-24-3 | Decachlorobiphenyl | 0 | * | 32 - 175 | 0% | SPK: 20 |

Comments:

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 P = Indicates >25% difference for detected concentrations between the two GC columns
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.
 () = Laboratory InHouse Limit