

Date Collected:

Date Received:

SDG No.:

Matrix:

% Solid:

Final Vol:

Injection Volume:

Test:

04/17/25

04/23/25

Q1860

**SOIL** 

82.6

10000

**PCB** 

Decanted:

иL



## **Report of Analysis**

Client: Weston Solutions, Inc.

Project: RFP 911

Client Sample ID: P001-SS017-02DL

Lab Sample ID: Q1860-23DL

Analytical Method: SW8082A

Sample Wt/Vol: 30.04 Units: g

Soil Aliquot Vol: uL

Extraction Type:

GPC Factor: 1.0 PH:

Prep Method: SW3541B

 File ID/Qc Batch:
 Dilution:
 Prep Date
 Date Analyzed
 Prep Batch ID

 PO110827.D
 5
 04/24/25 08:32
 04/29/25 00:31
 PB167721

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	23.9	UD	23.9	103	ug/kg
11104-28-2	Aroclor-1221	24.4	UD	24.4	103	ug/kg
11141-16-5	Aroclor-1232	22.5	UD	22.5	103	ug/kg
53469-21-9	Aroclor-1242	24.2	UD	24.2	103	ug/kg
12672-29-6	Aroclor-1248	878	D	35.8	103	ug/kg
11097-69-1	Aroclor-1254	525	D	19.4	103	ug/kg
37324-23-5	Aroclor-1262	30.3	UD	30.3	103	ug/kg
11100-14-4	Aroclor-1268	21.8	UD	21.8	103	ug/kg
11096-82-5	Aroclor-1260	19.5	UD	19.5	103	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	17.9		32 - 144	90%	SPK: 20
2051-24-3	Decachlorobiphenyl	17.9		32 - 175	90%	SPK: 20

## Comments:

U = Not Detected

LOO = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit