

Date Collected:

Date Received:

SDG No.:

Matrix:

% Solid:

Final Vol:

Injection Volume:

Test:

04/16/25

04/23/25

Q1860

SOIL

86.7

10000

PCB

Decanted:

uL

87%

81%

SPK: 20

SPK: 20



Report of Analysis

Client: Weston Solutions, Inc.

Project: RFP 911

Client Sample ID: P001-SS001-01MS

Lab Sample ID: Q1860-02MS

Analytical Method: SW8082A

Sample Wt/Vol: 30.04 Units: g

Soil Aliquot Vol: uL

Extraction Type:

PH: GPC Factor: 1.0

Parameter

Tetrachloro-m-xylene

Decachlorobiphenyl

Prep Method: SW3541B

File ID/Qc Batch: Dilution: Prep Date Date Analyzed Prep Batch ID PP071431.D 04/24/25 08:32 04/24/25 13:47 PB167721

Conc.

17.4

16.2

Qualifier MDL Units(Dry Weight) **CAS Number** LOQ / CRQL **TARGETS** Aroclor-1016 185 4.50 19.6 12674-11-2 ug/kg 11104-28-2 Aroclor-1221 4.60 U 4.60 19.6 ug/kg Aroclor-1232 4.30 U 4.30 11141-16-5 19.6 ug/kg 53469-21-9 Aroclor-1242 4.60 U 4.60 19.6 ug/kg 12672-29-6 Aroclor-1248 6.80 U 6.80 19.6 ug/kg 11097-69-1 Aroclor-1254 3.70 U 3.70 19.6 ug/kg Aroclor-1262 U 37324-23-5 5.80 5.80 19.6 ug/kg 11100-14-4 Aroclor-1268 4.10 U 4.10 19.6 ug/kg Aroclor-1260 11096-82-5 197 3.70 19.6 ug/kg

Comments:

U = Not Detected

SURROGATES 877-09-8

2051-24-3

LOO = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

32 - 144

32 - 175

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit