

Report of Analysis

Client:	Alliance Technical Group, LLC - Newark		Date Collected:	04/21/25
Project:	NJ Waste Water PT		Date Received:	04/23/25
Client Sample ID:	38072-010925DL3		SDG No.:	Q1870
Lab Sample ID:	Q1870-01DL3		Matrix:	Water
Analytical Method:	SW8270ESIM		% Solid:	0
Sample Wt/Vol:	1000	Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:		uL	Test:	SVOCMS Group5
Extraction Type :		Decanted : N	Level :	LOW
Injection Volume :		GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BN036946.D	500	04/24/25 12:05	04/30/25 14:40	PB167728

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
208-96-8	Acenaphthylene	170	D	19.0	50.0	ug/L
SURROGATES						
7297-45-2	2-Methylnaphthalene-d10	0	*	20 - 139	0%	SPK: 0.4
93951-69-0	Fluoranthene-d10	0	*	30 - 150	0%	SPK: 0.4
4165-60-0	Nitrobenzene-d5	0	*	27 - 154	0%	SPK: 0.4
321-60-8	2-Fluorobiphenyl	0	*	25 - 149	0%	SPK: 0.4
1718-51-0	Terphenyl-d14	0	*	54 - 175	0%	SPK: 0.4
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	1350		7.633		
1146-65-2	Naphthalene-d8	3360		10.415		
15067-26-2	Acenaphthene-d10	1980		14.277		
1517-22-2	Phenanthrene-d10	4000		17.021		
1719-03-5	Chrysene-d12	3820		21.215		
1520-96-3	Perylene-d12	4220		23.424		

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products