

## Report of Analysis

Client:	Alliance Technical Group, LLC - Newark		Date Collected:	05/02/25	
Project:	NJ Soil PT		Date Received:	05/02/25	
Client Sample ID:	SB2-4-5MSD		SDG No.:	Q1872	
Lab Sample ID:	Q1956-04MSD		Matrix:	SOIL	
Analytical Method:	8015D DRO		% Solid:	93.5	Decanted:
Sample Wt/Vol:	30.04	Units: g	Final Vol:	1	mL
Soil Aliquot Vol:		uL	Test:	Diesel Range Organics	
Extraction Type:			Injection Volume :		
GPC Factor :		PH :			
Prep Method :	SW3541				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
FG015829.D	1	05/13/25 10:05	05/13/25 18:50	PB167975

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
<b>TARGETS</b>						
DRO	DRO	7820		181	1780	ug/kg
<b>SURROGATES</b>						
16416-32-3	Tetracosane-d50	11.9		37 - 130	60%	SPK: 20

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit