

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071725\
 Data File : BF143144.D
 Acq On : 17 Jul 2025 13:03
 Operator : RC/JU
 Sample : SSTDICCC040
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SSTDICCC040

Quant Time: Jul 17 15:03:28 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jul 17 14:54:43 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.963	152	167098	20.000	ng	0.00
21) Naphthalene-d8	8.245	136	641413	20.000	ng	0.00
39) Acenaphthene-d10	9.998	164	331881	20.000	ng	0.00
64) Phenanthrene-d10	11.486	188	542726	20.000	ng	0.00
76) Chrysene-d12	14.121	240	296414	20.000	ng	0.00
86) Perylene-d12	15.621	264	323574	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.587	112	823062	77.946	ng	0.00
7) Phenol-d6	6.587	99	1038821	78.160	ng	0.00
23) Nitrobenzene-d5	7.522	82	1023138	79.512	ng	0.00
42) 2,4,6-Tribromophenol	10.786	330	279373	81.485	ng	0.00
45) 2-Fluorobiphenyl	9.322	172	1802398	74.274	ng	0.00
79) Terphenyl-d14	13.068	244	1554923	78.063	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	2.822	88	200396	40.108	ng	100
3) Pyridine	3.587	79	511417	39.435	ng	100
4) n-Nitrosodimethylamine	3.534	42	270676	40.426	ng	100
6) Aniline	6.622	93	736668	39.770	ng	100
8) 2-Chlorophenol	6.745	128	437914	39.565	ng	100
9) Benzaldehyde	6.516	77	482238	48.387	ng	100
10) Phenol	6.598	94	597136	41.241	ng	100
11) bis(2-Chloroethyl)ether	6.692	93	435450	39.279	ng	100
12) 1,3-Dichlorobenzene	6.904	146	468194	38.939	ng	100
13) 1,4-Dichlorobenzene	6.981	146	474015	39.147	ng	100
14) 1,2-Dichlorobenzene	7.134	146	448808	38.970	ng	100
15) Benzyl Alcohol	7.098	79	406107	40.017	ng	100
16) 2,2'-oxybis(1-Chloropr...	7.234	45	808980	39.337	ng	100
17) 2-Methylphenol	7.204	107	366495	39.381	ng	100
18) Hexachloroethane	7.481	117	165263	39.425	ng	100
19) n-Nitroso-di-n-propyla...	7.375	70	329619	38.656	ng	100
20) 3+4-Methylphenols	7.357	107	448100	39.685	ng	100
22) Acetophenone	7.369	105	583796	38.444	ng	100
24) Nitrobenzene	7.545	77	481500	40.136	ng	100
25) Isophorone	7.781	82	888017	39.093	ng	100
26) 2-Nitrophenol	7.857	139	220354	42.323	ng	100
27) 2,4-Dimethylphenol	7.886	122	416128	39.210	ng	100
28) bis(2-Chloroethoxy)met...	7.986	93	529258	38.860	ng	100
29) 2,4-Dichlorophenol	8.098	162	353866	39.537	ng	100
30) 1,2,4-Trichlorobenzene	8.186	180	376590	38.947	ng	100
31) Naphthalene	8.269	128	1224033	38.749	ng	100
32) Benzoic acid	7.992	122	221775	38.306	ng	100
33) 4-Chloroaniline	8.310	127	500402	38.796	ng	100
34) Hexachlorobutadiene	8.386	225	231609	39.211	ng	100
35) Caprolactam	8.681	113	111733	41.312	ng	100
36) 4-Chloro-3-methylphenol	8.781	107	385507	39.628	ng	100
37) 2-Methylnaphthalene	8.957	142	744295	38.720	ng	100
38) 1-Methylnaphthalene	9.057	142	768508	38.825	ng	100
40) 1,2,4,5-Tetrachloroben...	9.122	216	365234	38.118	ng	100
41) Hexachlorocyclopentadiene	9.116	237	247480	39.695	ng	100
43) 2,4,6-Trichlorophenol	9.228	196	255115	38.471	ng	100

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071725\
 Data File : BF143144.D
 Acq On : 17 Jul 2025 13:03
 Operator : RC/JU
 Sample : SSTDICCC040
 Misc :
 ALS Vial : 7 Sample Multiplier: 1


Instrument :
 BNA_F
 ClientSampleId :
 SSTDICCC040

Quant Time: Jul 17 15:03:28 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jul 17 14:54:43 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	9.269	196	268615	40.494	ng	100
46) 1,1'-Biphenyl	9.422	154	988537	38.177	ng	100
47) 2-Chloronaphthalene	9.445	162	731879	38.200	ng	100
48) 2-Nitroaniline	9.533	65	249908	41.594	ng	100
49) Acenaphthylene	9.863	152	1234789	38.458	ng	100
50) Dimethylphthalate	9.716	163	848828	39.238	ng	100
51) 2,6-Dinitrotoluene	9.775	165	184242	41.866	ng	100
52) Acenaphthene	10.033	154	727386	38.330	ng	100
53) 3-Nitroaniline	9.945	138	210179	40.832	ng	100
54) 2,4-Dinitrophenol	10.045	184	69157	38.449	ng	100
55) Dibenzofuran	10.204	168	1083678	38.462	ng	100
56) 4-Nitrophenol	10.086	139	163009	42.408	ng	100
57) 2,4-Dinitrotoluene	10.175	165	235101	42.581	ng	100
58) Fluorene	10.551	166	804336	38.037	ng	100
59) 2,3,4,6-Tetrachlorophenol	10.322	232	220872	40.196	ng	100
60) Diethylphthalate	10.416	149	842184	39.387	ng	100
61) 4-Chlorophenyl-phenyle...	10.539	204	406477	38.604	ng	100
62) 4-Nitroaniline	10.557	138	185530	42.055	ng	100
63) Azobenzene	10.698	77	876387	39.326	ng	100
65) 4,6-Dinitro-2-methylph...	10.586	198	105533	38.322	ng	100
66) n-Nitrosodiphenylamine	10.657	169	731532	38.278	ng	100
67) 4-Bromophenyl-phenylether	11.027	248	247764	38.307	ng	100
68) Hexachlorobenzene	11.098	284	259758	38.424	ng	100
69) Atrazine	11.174	200	212970	40.421	ng	100
70) Pentachlorophenol	11.286	266	161013	40.500	ng	100
71) Phenanthrene	11.510	178	1107412	38.429	ng	100
72) Anthracene	11.563	178	1126710	38.336	ng	100
73) Carbazole	11.710	167	1008669	39.304	ng	100
74) Di-n-butylphthalate	12.039	149	1165443	40.135	ng	100
75) Fluoranthene	12.698	202	1034509	39.111	ng	100
77) Benzidine	12.810	184	564732	49.451	ng	100
78) Pyrene	12.927	202	1016822	40.195	ng	100
80) Butylbenzylphthalate	13.539	149	322273	41.603	ng	100
81) Benzo(a)anthracene	14.110	228	759726	38.283	ng	100
82) 3,3'-Dichlorobenzidine	14.068	252	254099	38.418	ng	100
83) Chrysene	14.151	228	715222	40.085	ng	100
84) Bis(2-ethylhexyl)phtha...	14.098	149	467892	39.906	ng	100
85) Di-n-octyl phthalate	14.715	149	820264	38.595	ng	100
87) Indeno(1,2,3-cd)pyrene	17.162	276	914626	40.086	ng	100
88) Benzo(b)fluoranthene	15.180	252	742346	37.554	ng	100
89) Benzo(k)fluoranthene	15.210	252	733635	41.591	ng	100
90) Benzo(a)pyrene	15.562	252	725344	39.826	ng	100
91) Dibenzo(a,h)anthracene	17.180	278	742180	39.964	ng	100
92) Benzo(g,h,i)perylene	17.627	276	717648	39.949	ng	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quant Time: Jul 17 15:03:28 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jul 17 14:54:43 2025
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.963 min Scan# 811
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040


Tgt Ion:152 Resp: 167098
Ion Ratio Lower Upper
152 100
150 160.3 128.2 192.4
115 59.9 47.9 71.9



#2
1,4-Dioxane
Concen: 40.108 ng
RT: 2.822 min Scan# 107
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03

Tgt Ion: 88 Resp: 200396
Ion Ratio Lower Upper
88 100
58 87.7 70.2 105.2
43 33.9 27.1 40.7





#3

Pyridine

Concen: 39.435 ng

RT: 3.587 min Scan# 21

Delta R.T. 0.000 min

Lab File: BF143144.D

Acq: 17 Jul 2025 13:03

Instrument :

BNA_F

ClientSampleId :

SSTDICCC040





Tgt Ion: 79 Resp: 511417

Ion Ratio Lower Upper

79 100

52 86.8 69.4 104.2

51 41.9 33.5 50.3



#4

n-Nitrosodimethylamine

Concen: 40.426 ng

RT: 3.534 min Scan# 228

Delta R.T. 0.000 min

Lab File: BF143144.D

Acq: 17 Jul 2025 13:03




Tgt Ion: 42 Resp: 270676


Ion Ratio Lower Upper

42 100

74 114.6 91.7 137.5

44 7.0 5.6 8.4









#5
2-Fluorophenol
Concen: 77.946 ng
RT: 5.587 min Scan# 511
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040


Tgt Ion:112 Resp: 823062
Ion Ratio Lower Upper
112 100
64 66.4 53.1 79.7
63 33.3 26.6 40.0



#6
Aniline
Concen: 39.770 ng
RT: 6.622 min Scan# 753
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03

Tgt Ion: 93 Resp: 736668
Ion Ratio Lower Upper
93 100
66 41.5 33.2 49.8
65 21.1 16.9 25.3





#7

Phenol-d6

Concen: 78.160 ng

RT: 6.587 min Scan# 747

Delta R.T. 0.000 min

Lab File: BF143144.D

Acq: 17 Jul 2025 13:03

Instrument :





BNA_F

ClientSampleId :

SSTDICCC040

Tgt Ion: 99 Resp: 1038821

Ion	Ratio	Lower	Upper
99	100		
42	21.3	17.0	25.6
71	34.6	27.7	41.5



#8

2-Chlorophenol

Concen: 39.565 ng

RT: 6.745 min Scan# 774




Delta R.T. 0.000 min

Lab File: BF143144.D

Acq: 17 Jul 2025 13:03

Tgt Ion:128 Resp: 437914

Ion	Ratio	Lower	Upper
128	100		
130	32.3	12.3	52.3
64	55.9	35.9	75.9








#9
Benzaldehyde
Concen: 48.387 ng
RT: 6.516 min Scan# 735
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion: 77 Resp: 482238
Ion Ratio Lower Upper
77 100
105 96.8 76.8 116.8
106 94.4 74.4 114.4



#10
Phenol
Concen: 41.241 ng
RT: 6.598 min Scan# 749
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03

Tgt Ion: 94 Resp: 597136
Ion Ratio Lower Upper
94 100
65 30.0 10.0 50.0
66 40.8 20.8 60.8









#11
bis(2-Chloroethyl)ether
Concen: 39.279 ng
RT: 6.692 min Scan# 765
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion: 93 Resp: 435450
Ion Ratio Lower Upper
93 100
63 83.4 63.4 103.4
95 32.4 12.4 52.4



#12
1,3-Dichlorobenzene
Concen: 38.939 ng
RT: 6.904 min Scan# 801
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03

Tgt Ion: 146 Resp: 468194
Ion Ratio Lower Upper
146 100
148 63.3 50.6 76.0
75 34.3 27.4 41.2








#13
1,4-Dichlorobenzene
Concen: 39.147 ng
RT: 6.981 min Scan# 814
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:146 Resp: 474015
Ion Ratio Lower Upper
146 100
148 62.9 50.3 75.5
111 43.0 34.4 51.6



#14
1,2-Dichlorobenzene
Concen: 38.970 ng
RT: 7.134 min Scan# 840
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03

Tgt Ion:146 Resp: 448808
Ion Ratio Lower Upper
146 100
148 63.4 50.7 76.1
111 45.7 36.6 54.8









#15
Benzyl Alcohol
Concen: 40.017 ng
RT: 7.098 min Scan# 811
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040


Tgt Ion: 79 Resp: 406107
Ion Ratio Lower Upper
79 100
108 76.4 61.1 91.7
77 61.1 48.9 73.3



#16
2,2'-oxybis(1-chloropropane)
Concen: 39.337 ng
RT: 7.234 min Scan# 857
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03

Tgt Ion: 45 Resp: 808980
Ion Ratio Lower Upper
45 100
77 11.2 0.0 31.2
79 8.5 0.0 28.5








#17
2-Methylphenol
Concen: 39.381 ng
RT: 7.204 min Scan# 852
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:	107	Resp:	366495
Ion	Ratio	Lower	Upper
107	100		
108	114.7	91.8	137.6
77	46.3	37.0	55.6
79	46.1	36.9	55.3



#18
Hexachloroethane
Concen: 39.425 ng
RT: 7.481 min Scan# 899
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03

Tgt Ion:	117	Resp:	165263
Ion	Ratio	Lower	Upper
117	100		
119	97.3	77.8	116.8
201	96.2	77.0	115.4








#19
n-Nitroso-di-n-propylamine
Concen: 38.656 ng
RT: 7.375 min Scan# 881
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion: 70 Resp: 329619




Ion	Ratio	Lower	Upper
70	100		
42	65.6	52.5	78.7
101	9.5	7.6	11.4
130	20.1	16.1	24.1



#20
3+4-Methylphenols
Concen: 39.685 ng
RT: 7.357 min Scan# 878
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03

Tgt Ion: 107 Resp: 448100

Ion	Ratio	Lower	Upper
107	100		
108	90.0	70.0	110.0
77	77.8	57.8	97.8
79	29.5	9.5	49.5









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.245 min Scan# 1029
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040


Tgt Ion:	136	Resp:	641413
Ion	Ratio	Lower	Upper
136	100		
137	10.8	8.6	13.0
54	10.2	8.2	12.2
68	6.8	5.4	8.2



#22
Acetophenone
Concen: 38.444 ng
RT: 7.369 min Scan# 880
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03

Tgt Ion:	105	Resp:	583796
Ion	Ratio	Lower	Upper
105	100		
71	7.2	5.8	8.6
51	37.7	30.2	45.2
120	22.8	18.2	27.4









#23
Nitrobenzene-d5
Concen: 79.512 ng
RT: 7.522 min Scan# 906
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion: 82 Resp: 1023138
Ion Ratio Lower Upper
82 100
128 42.0 33.6 50.4
54 58.9 47.1 70.7



#24
Nitrobenzene
Concen: 40.136 ng
RT: 7.545 min Scan# 910
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03

Tgt Ion: 77 Resp: 481500
Ion Ratio Lower Upper
77 100
123 45.1 36.1 54.1
65 14.3 11.4 17.2









#25
Isophorone
Concen: 39.093 ng
RT: 7.781 min Scan# 950
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040


Tgt Ion: 82 Resp: 888017
Ion Ratio Lower Upper
82 100
95 6.9 5.5 8.3
138 17.3 13.8 20.8



#26
2-Nitrophenol
Concen: 42.323 ng
RT: 7.857 min Scan# 963
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03

Tgt Ion:139 Resp: 220354
Ion Ratio Lower Upper
139 100
109 29.5 23.6 35.4
65 53.3 42.6 64.0









#27
2,4-Dimethylphenol
Concen: 39.210 ng
RT: 7.886 min Scan# 90
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:122 Resp: 416128
Ion Ratio Lower Upper
122 100
107 114.7 91.8 137.6
121 57.9 46.3 69.5



#28
bis(2-Chloroethoxy)methane
Concen: 38.860 ng
RT: 7.986 min Scan# 985
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03

Tgt Ion: 93 Resp: 529258
Ion Ratio Lower Upper
93 100
95 32.2 25.8 38.6
123 12.1 9.7 14.5





#29

2,4-Dichlorophenol

Concen: 39.537 ng

RT: 8.098 min Scan# 1004

Delta R.T. 0.000 min

Lab File: BF143144.D

Acq: 17 Jul 2025 13:03

Instrument :

BNA_F

ClientSampleId :

SSTDICCC040




Tgt Ion:162 Resp: 353866

Ion Ratio Lower Upper

162 100

164 64.2 44.2 84.2

98 37.9 17.9 57.9



#30

1,2,4-Trichlorobenzene

Concen: 38.947 ng

RT: 8.186 min Scan# 1019

Delta R.T. 0.000 min

Lab File: BF143144.D

Acq: 17 Jul 2025 13:03




Tgt Ion:180 Resp: 376590

Ion Ratio Lower Upper

180 100

182 95.2 76.2 114.2

145 31.3 25.0 37.6








#31
Naphthalene
Concen: 38.749 ng
RT: 8.269 min Scan# 1033
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:128 Resp: 1224033
Ion Ratio Lower Upper
128 100
129 11.2 9.0 13.4
127 13.3 10.6 16.0



#32
Benzoic acid
Concen: 38.306 ng
RT: 7.992 min Scan# 986
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03

Tgt Ion:122 Resp: 221775
Ion Ratio Lower Upper
122 100
105 124.8 104.8 144.8
77 97.6 77.6 117.6









#33
4-Chloroaniline
Concen: 38.796 ng
RT: 8.310 min Scan# 1040
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040


Tgt Ion:	127	Resp:	500402
Ion	Ratio	Lower	Upper
127	100		
129	32.5	26.0	39.0
65	34.3	27.4	41.2
92	21.0	16.8	25.2



#34
Hexachlorobutadiene
Concen: 39.211 ng
RT: 8.386 min Scan# 1053
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03

Tgt Ion:	225	Resp:	231609
Ion	Ratio	Lower	Upper
225	100		
223	62.2	49.8	74.6
227	62.8	50.2	75.4









#35
 Caprolactam
 Concen: 41.312 ng
 RT: 8.681 min Scan# 1103
 Delta R.T. 0.000 min
 Lab File: BF143144.D
 Acq: 17 Jul 2025 13:03




Instrument :
 BNA_F
 ClientSampleId :
 SSTDICCC040

Tgt Ion:113 Resp: 111733
 Ion Ratio Lower Upper
 113 100
 55 194.0 174.0 214.0
 56 146.6 126.6 166.6



#36
 4-Chloro-3-methylphenol
 Concen: 39.628 ng
 RT: 8.781 min Scan# 1120
 Delta R.T. 0.000 min
 Lab File: BF143144.D
 Acq: 17 Jul 2025 13:03

Tgt Ion:107 Resp: 385507
 Ion Ratio Lower Upper
 107 100
 144 24.7 19.8 29.6
 142 75.7 60.6 90.8





#37

2-Methylnaphthalene

Concen: 38.720 ng

RT: 8.957 min Scan# 1150

Delta R.T. 0.000 min

Lab File: BF143144.D

Acq: 17 Jul 2025 13:03

Instrument :

BNA_F

ClientSampleId :





SSTDICCC040

Tgt Ion:142 Resp: 744295

Ion Ratio Lower Upper

142 100

141 87.4 69.9 104.9



#38

1-Methylnaphthalene

Concen: 38.825 ng

RT: 9.057 min Scan# 1167

Delta R.T. 0.000 min

Lab File: BF143144.D




Acq: 17 Jul 2025 13:03

Tgt Ion:142 Resp: 768508

Ion Ratio Lower Upper

142 100

141 90.4 72.3 108.5





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.998 min Scan# 1178

Delta R.T. 0.000 min

Lab File: BF143144.D

Acq: 17 Jul 2025 13:03

Instrument :

BNA_F

ClientSampleId :

SSTDICCC040





Tgt Ion:164 Resp: 331881

Ion Ratio Lower Upper

164 100

162 98.8 79.0 118.6

160 43.9 35.1 52.7



#40

1,2,4,5-Tetrachlorobenzene

Concen: 38.118 ng

RT: 9.122 min Scan# 1178

Delta R.T. 0.000 min

Lab File: BF143144.D

Acq: 17 Jul 2025 13:03

Tgt Ion:216 Resp: 365234




Ion Ratio Lower Upper

216 100

214 79.8 63.8 95.8

179 20.5 16.4 24.6

108 19.5 15.6 23.4








#41
Hexachlorocyclopentadiene
Concen: 39.695 ng
RT: 9.116 min Scan# 1177
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:237 Resp: 247480
Ion Ratio Lower Upper
237 100
235 63.0 43.0 83.0
272 13.3 0.0 33.3



#42
2,4,6-Tribromophenol
Concen: 81.485 ng
RT: 10.786 min Scan# 1461
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03

Tgt Ion:330 Resp: 279373
Ion Ratio Lower Upper
330 100
332 95.9 76.7 115.1
141 29.1 23.3 34.9





#43

2,4,6-Trichlorophenol

Concen: 38.471 ng

RT: 9.228 min Scan# 1196

Delta R.T. 0.000 min

Lab File: BF143144.D


Acq: 17 Jul 2025 13:03

Instrument :

BNA_F

ClientSampleId :

SSTDICCC040





Tgt Ion:196 Resp: 255115

Ion Ratio Lower Upper

196 100

198 95.2 76.2 114.2

200 29.9 23.9 35.9



#44

2,4,5-Trichlorophenol

Concen: 40.494 ng

RT: 9.269 min Scan# 1203

Delta R.T. 0.000 min

Lab File: BF143144.D

Acq: 17 Jul 2025 13:03

Tgt Ion:196 Resp: 268615




Ion Ratio Lower Upper


196 100

198 96.6 77.3 115.9

97 50.4 40.3 60.5

132 28.9 23.1 34.7









#45
2-Fluorobiphenyl
Concen: 74.274 ng
RT: 9.322 min Scan# 1212
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:172 Resp: 1802398
Ion Ratio Lower Upper
172 100
171 35.7 28.6 42.8
170 23.5 18.8 28.2



#46
1,1'-Biphenyl
Concen: 38.177 ng
RT: 9.422 min Scan# 1229
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03

Tgt Ion:154 Resp: 988537
Ion Ratio Lower Upper
154 100
153 40.3 20.3 60.3
76 13.3 0.0 33.3





#47

2-Chloronaphthalene

Concen: 38.200 ng

RT: 9.445 min Scan# 1233

Delta R.T. 0.000 min

Lab File: BF143144.D

Acq: 17 Jul 2025 13:03

Instrument :

BNA_F

ClientSampleId :

SSTDICCC040





Tgt Ion:162 Resp: 731879

Ion Ratio Lower Upper

162 100

127 41.8 33.4 50.2

164 32.7 26.2 39.2



#48

2-Nitroaniline

Concen: 41.594 ng

RT: 9.533 min Scan# 1248

Delta R.T. 0.000 min

Lab File: BF143144.D

Acq: 17 Jul 2025 13:03




Tgt Ion: 65 Resp: 249908


Ion Ratio Lower Upper

65 100

92 65.5 52.4 78.6

138 102.9 82.3 123.5









#49
Acenaphthylene
Concen: 38.458 ng
RT: 9.863 min Scan# 11
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040


Tgt Ion:152 Resp: 1234789
Ion Ratio Lower Upper
152 100
151 20.2 16.2 24.2
153 13.3 10.6 16.0



#50
Dimethylphthalate
Concen: 39.238 ng
RT: 9.716 min Scan# 1279
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03

Tgt Ion:163 Resp: 848828
Ion Ratio Lower Upper
163 100
194 4.3 3.4 5.2
164 10.4 8.3 12.5









#51
2,6-Dinitrotoluene
Concen: 41.866 ng
RT: 9.775 min Scan# 1289
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040


Tgt Ion:165 Resp: 184242
Ion Ratio Lower Upper
165 100
63 61.8 49.4 74.2
89 57.7 46.2 69.2



#52
Acenaphthene
Concen: 38.330 ng
RT: 10.033 min Scan# 1333
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03

Tgt Ion:154 Resp: 727386
Ion Ratio Lower Upper
154 100
153 108.2 86.6 129.8
152 50.5 40.4 60.6








#53
3-Nitroaniline
Concen: 40.832 ng
RT: 9.945 min Scan# 1318
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:138 Resp: 210179
Ion Ratio Lower Upper
138 100
108 11.3 9.0 13.6
92 116.2 93.0 139.4



#54
2,4-Dinitrophenol
Concen: 38.449 ng
RT: 10.045 min Scan# 1335
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03

Tgt Ion:184 Resp: 69157
Ion Ratio Lower Upper
184 100
63 102.2 81.8 122.6
154 515.3 412.2 618.4









#55
Dibenzenofuran
Concen: 38.462 ng
RT: 10.204 min Scan# 1362
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:168 Resp: 1083678
Ion Ratio Lower Upper
168 100
139 36.9 29.5 44.3
169 13.6 10.9 16.3



#56
4-Nitrophenol
Concen: 42.408 ng
RT: 10.086 min Scan# 1342
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03

Tgt Ion:139 Resp: 163009
Ion Ratio Lower Upper
139 100
109 68.5 48.5 88.5
65 103.4 83.4 123.4









#57
2,4-Dinitrotoluene
Concen: 42.581 ng
RT: 10.175 min Scan# 1357
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:165 Resp: 235101
Ion Ratio Lower Upper
165 100
63 51.2 41.0 61.4
89 76.4 61.1 91.7
182 2.9 2.3 3.5



#58
Fluorene
Concen: 38.037 ng
RT: 10.551 min Scan# 1421
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03

Tgt Ion:166 Resp: 804336
Ion Ratio Lower Upper
166 100
165 92.1 73.7 110.5
167 13.3 10.6 16.0









#59
2,3,4,6-Tetrachlorophenol
Concen: 40.196 ng
RT: 10.322 min Scan# 1382
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040


Tgt Ion:232 Resp: 220872
Ion Ratio Lower Upper
232 100
131 44.1 35.3 52.9
130 2.1 1.7 2.5
166 29.3 23.4 35.2



#60
Diethylphthalate
Concen: 39.387 ng
RT: 10.416 min Scan# 1398
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03

Tgt Ion:149 Resp: 842184
Ion Ratio Lower Upper
149 100
177 21.9 17.5 26.3
150 12.7 10.2 15.2









#61
4-Chlorophenyl-phenylether
Concen: 38.604 ng
RT: 10.539 min Scan# 1419
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040


Tgt Ion:204 Resp: 406477
Ion Ratio Lower Upper
204 100
206 32.3 25.8 38.8
141 58.7 47.0 70.4



#62
4-Nitroaniline
Concen: 42.055 ng
RT: 10.557 min Scan# 1422
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03

Tgt Ion:138 Resp: 185530
Ion Ratio Lower Upper
138 100
92 49.3 29.3 69.3
108 68.3 48.3 88.3





#63

Azobenzene

Concen: 39.326 ng

RT: 10.698 min Scan# 1446

Delta R.T. 0.000 min

Lab File: BF143144.D

Acq: 17 Jul 2025 13:03

Instrument :

BNA_F

ClientSampleId :

SSTDICCC040

Tgt Ion: 77 Resp: 876387





Ion Ratio Lower Upper

77 100

182 24.6 4.6 44.6

105 21.4 1.4 41.4

51 33.7 13.7 53.7



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.486 min Scan# 1580

Delta R.T. 0.000 min

Lab File: BF143144.D

Acq: 17 Jul 2025 13:03




Tgt Ion:188 Resp: 542726

Ion Ratio Lower Upper

188 100

94 10.4 8.3 12.5

80 11.3 9.0 13.6









#65
4,6-Dinitro-2-methylphenol
Concen: 38.322 ng
RT: 10.586 min Scan# 1427
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040


Tgt Ion:198 Resp: 105533
Ion Ratio Lower Upper
198 100
51 57.2 37.2 77.2
105 44.8 24.8 64.8



#66
n-Nitrosodiphenylamine
Concen: 38.278 ng
RT: 10.657 min Scan# 1439
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03

Tgt Ion:169 Resp: 731532
Ion Ratio Lower Upper
169 100
168 65.1 52.1 78.1
167 35.2 28.2 42.2









#67
4-Bromophenyl-phenylether
Concen: 38.307 ng
RT: 11.027 min Scan# 1502
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040


Tgt Ion:248 Resp: 247764
Ion Ratio Lower Upper
248 100
250 97.9 78.3 117.5
141 74.0 59.2 88.8



#68
Hexachlorobenzene
Concen: 38.424 ng
RT: 11.098 min Scan# 1514
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03

Tgt Ion:284 Resp: 259758
Ion Ratio Lower Upper
284 100
142 33.8 27.0 40.6
249 31.3 25.0 37.6





#69

Atrazine

Concen: 40.421 ng

RT: 11.174 min Scan# 1527

Delta R.T. 0.000 min

Lab File: BF143144.D

Acq: 17 Jul 2025 13:03

Instrument :

BNA_F

ClientSampleId :

SSTDICCC040




Tgt Ion:200 Resp: 212970

Ion Ratio Lower Upper

200 100

173 27.9 7.9 47.9

215 50.1 30.1 70.1



#70

Pentachlorophenol

Concen: 40.500 ng

RT: 11.286 min Scan# 1546

Delta R.T. 0.000 min

Lab File: BF143144.D

Acq: 17 Jul 2025 13:03




Tgt Ion:266 Resp: 161013


Ion Ratio Lower Upper

266 100

268 64.9 51.9 77.9

264 63.8 51.0 76.6





#71

Phenanthrene

Concen: 38.429 ng

RT: 11.510 min Scan# 11

Delta R.T. 0.000 min

Lab File: BF143144.D

Acq: 17 Jul 2025 13:03

Instrument :

BNA_F

ClientSampleId :

SSTDICCC040





Tgt Ion:178 Resp: 1107412

Ion Ratio Lower Upper

178 100

176 19.1 15.3 22.9

179 15.6 12.5 18.7



#72

Anthracene

Concen: 38.336 ng

RT: 11.563 min Scan# 1593

Delta R.T. 0.000 min

Lab File: BF143144.D

Acq: 17 Jul 2025 13:03




Tgt Ion:178 Resp: 1126710


Ion Ratio Lower Upper

178 100

176 18.7 15.0 22.4

179 15.6 12.5 18.7









#73
Carbazole
Concen: 39.304 ng
RT: 11.710 min Scan# 1618
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040


Tgt Ion:167 Resp: 1008669
Ion Ratio Lower Upper
167 100
166 21.3 17.0 25.6
139 12.5 10.0 15.0



#74
Di-n-butylphthalate
Concen: 40.135 ng
RT: 12.039 min Scan# 1674
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03

Tgt Ion:149 Resp: 1165443
Ion Ratio Lower Upper
149 100
150 9.3 7.4 11.2
104 4.8 3.8 5.8









#75
Fluoranthene
Concen: 39.111 ng
RT: 12.698 min Scan# 11
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040


Tgt Ion:202 Resp: 1034509
Ion Ratio Lower Upper
202 100
101 11.7 0.0 31.7
203 17.4 0.0 37.4



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.121 min Scan# 2028
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03

Tgt Ion:240 Resp: 296414
Ion Ratio Lower Upper
240 100
120 11.8 9.4 14.2
236 25.3 20.2 30.4









#77
Benzidine
Concen: 49.451 ng
RT: 12.810 min Scan# 1805
Delta R.T. -0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040


Tgt Ion:184 Resp: 564732
Ion Ratio Lower Upper
184 100
185 15.3 12.2 18.4
183 11.2 9.0 13.4



#78
Pyrene
Concen: 40.195 ng
RT: 12.927 min Scan# 1825
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03

Tgt Ion:202 Resp: 1016822
Ion Ratio Lower Upper
202 100
200 19.6 15.7 23.5
203 17.7 14.2 21.2





#79

Terphenyl-d14

Concen: 78.063 ng

RT: 13.068 min Scan# 1849

Delta R.T. 0.000 min

Lab File: BF143144.D

Acq: 17 Jul 2025 13:03

Instrument :

BNA_F

ClientSampleId :

SSTDICCC040





Tgt Ion:244 Resp: 1554923

Ion Ratio Lower Upper

244 100

212 6.5 5.2 7.8

122 10.2 8.2 12.2



#80

Butylbenzylphthalate

Concen: 41.603 ng

RT: 13.539 min Scan# 1929

Delta R.T. 0.000 min

Lab File: BF143144.D

Acq: 17 Jul 2025 13:03




Tgt Ion:149 Resp: 322273


Ion Ratio Lower Upper

149 100

91 72.4 57.9 86.9

206 21.2 17.0 25.4





#81

Benzo(a)anthracene

Concen: 38.283 ng

RT: 14.110 min Scan# 2026

Delta R.T. 0.000 min

Lab File: BF143144.D

Acq: 17 Jul 2025 13:03

Instrument :

BNA_F

ClientSampleId :

SSTDICCC040





Tgt Ion:228 Resp: 759726

Ion Ratio Lower Upper

228 100

226 27.1 21.7 32.5

229 19.7 15.8 23.6



#82

3,3'-Dichlorobenzidine

Concen: 38.418 ng

RT: 14.068 min Scan# 2019

Delta R.T. 0.000 min

Lab File: BF143144.D

Acq: 17 Jul 2025 13:03




Tgt Ion:252 Resp: 254099


Ion Ratio Lower Upper

252 100

254 64.6 51.7 77.5

126 11.7 9.4 14.0





#83

Chrysene

Concen: 40.085 ng

RT: 14.151 min Scan# 2033

Delta R.T. 0.000 min

Lab File: BF143144.D

Acq: 17 Jul 2025 13:03

Instrument :

BNA_F

ClientSampleId :

SSTDICCC040





Tgt Ion:228 Resp: 715222

Ion Ratio Lower Upper

228 100

226 29.8 23.8 35.8

229 19.5 15.6 23.4



#84

Bis(2-ethylhexyl)phthalate

Concen: 39.906 ng

RT: 14.098 min Scan# 2024

Delta R.T. 0.000 min

Lab File: BF143144.D

Acq: 17 Jul 2025 13:03




Tgt Ion:149 Resp: 467892

Ion Ratio Lower Upper

149 100

167 27.9 22.3 33.5

279 4.5 3.6 5.4





#85

Di-n-octyl phthalate

Concen: 38.595 ng

RT: 14.715 min Scan# 2129

Delta R.T. 0.000 min

Lab File: BF143144.D

Acq: 17 Jul 2025 13:03

Instrument :

BNA_F

ClientSampleId :

SSTDICCC040





Tgt Ion:149 Resp: 820264

Ion Ratio Lower Upper

149 100

167 1.4 1.1 1.7

43 12.1 9.7 14.5



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.621 min Scan# 2283

Delta R.T. 0.000 min

Lab File: BF143144.D

Acq: 17 Jul 2025 13:03




Tgt Ion:264 Resp: 323574


Ion Ratio Lower Upper

264 100

260 23.1 18.5 27.7

265 21.8 17.4 26.2









#87
Indeno(1,2,3-cd)pyrene
Concen: 40.086 ng
RT: 17.162 min Scan# 21
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040


Tgt Ion:276 Resp: 914626
Ion Ratio Lower Upper
276 100
138 27.2 21.8 32.6
277 25.0 20.0 30.0



#88
Benzo(b)fluoranthene
Concen: 37.554 ng
RT: 15.180 min Scan# 2208
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03

Tgt Ion:252 Resp: 742346
Ion Ratio Lower Upper
252 100
253 21.9 17.5 26.3
125 10.0 8.0 12.0









#89
Benzo(k)fluoranthene
Concen: 41.591 ng
RT: 15.210 min Scan# 2213
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040


Tgt Ion:252 Resp: 733635
Ion Ratio Lower Upper
252 100
253 22.2 17.8 26.6
125 10.1 8.1 12.1



#90
Benzo(a)pyrene
Concen: 39.826 ng
RT: 15.562 min Scan# 2273
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03

Tgt Ion:252 Resp: 725344
Ion Ratio Lower Upper
252 100
253 21.6 17.3 25.9
125 10.8 8.6 13.0









#91
Dibenzo(a,h)anthracene
Concen: 39.964 ng
RT: 17.180 min Scan# 2548
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:278 Resp: 742180
Ion Ratio Lower Upper
278 100
139 17.6 14.1 21.1
279 23.3 18.6 28.0



#92
Benzo(g,h,i)perylene
Concen: 39.949 ng
RT: 17.627 min Scan# 2624
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03

Tgt Ion:276 Resp: 717648
Ion Ratio Lower Upper
276 100
277 23.9 19.1 28.7
138 23.6 18.9 28.3

