



SHIPPING DOCUMENTS

William Penn Boiler Room

Client Contact Information				Bottle Order ID : B2504019				Courier :				_____ of _____ COCs			
Client ID : TETR16 Project ID : R36724				Sampler Name(s) : START				Analysis				Matrix			
Customer Name : Tetra Tech, EMI Address : 240 Continental Drive, Suite 200 City : Newark State : DE Zip Code : 19713 Country :				Project Manager : AVA HEISS				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified				TO-15 Indoor/Ambient Air Soil Gas			
				Phone Number : 302-738-7551											
				Fax Number : 302-454-5980											
				Site Details: <i>see comments for full sample ID</i>											
Analysis Turnaround Time				Data Package Type :				EDD Type :							
Standard : 10 business days OR				Rush (Specify): _____ Days											

Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID				
SS01 <i>(see comments)</i>	4/21/25 <i>4/22/25</i>	1410	1435	30	-9			-30	<i>See comments</i>	10567	10258	6 L	4.16	VL042330.D	X			X

Temperature (Fahrenheit)			
	Ambient	Maximum	Minimum
Start			
Stop			

Pressure (Inches of Hg)			
	Ambient	Maximum	Minimum
Start			
Stop			

GC/MS Analyst Signature (TO-15) *[Signature]*

** Submittal of this COC indicates approval of the analysis based on existing conditions.

Please follow the instructions on the back of this COC.

Special Instructions/QC Requirements & Comments : **Sample ID: EBR-P11-SC-SS01-20250421**

Suspected Contamination: High Medium Low PID Readings:

Sampling site (State):

Quick Connector required : *NO*

Canisters Shipped by: <i>Sam</i>	Date/Time: <i>4/18/25</i>	Canisters Received by: <i>[Signature]</i>	Date/Time: <i>4/24/25 1440</i>
Samples Relinquished by: <i>Sam</i>	Date/Time: <i>4/24/25</i>	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time:

Wilm Manor Elementary



284 Sheffield Street, Mountainside, New Jersey 07092 Phone : 908 789 8900 Fax : 908 789 8922

Alliance Project No. :

01880

Client Contact Information				Bottle Order ID : B2504019				Courier :				_____ of _____ COCs					
Client ID : TETR16 Project ID : R36724				Sampler Name(s) : <i>Sam Belding</i>				Analysis				Matrix					
Customer Name : Tetra Tech, EMI Address : 240 Continental Drive, Suite 200 City : Newark State : DE Zip Code : 19713 Country :				Project Manager : AVA HEISS				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified									
				Phone Number : 302-738-7551													
				Fax Number : 302-454-5980													
				Site Details:													
Analysis Turnaround Time				Data Package Type :													
Standard : 10 business days OR				EDD Type :													
Rush (Specify): Days																	
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
<i>See Cont</i>	<i>4/13/15 4/24/15</i>	<i>1035</i>	<i>0915</i>	<i>-30</i>	<i>0.7</i>			<i>-30</i>	<i>-6.3</i>	<i>10183</i>	<i>10268</i>	<i>6 L</i>	<i>4.16</i>	<i>VL042330.D</i>	<i>X</i>	<i>X</i>	
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <i>[Signature]</i>							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Special Instructions/QC Requirements & Comments : <i>EPR-P02-SL-DA02-20250423</i>																	
Suspected Contamination: High Medium Low PID Readings:																	
Sampling site (State):																	
Quick Connector required : <i>No</i>																	
Canisters Shipped by: <i>Sam</i>				Date/Time: <i>4/18/15</i>				Canisters Received by: <i>[Signature]</i>				Date/Time: <i>4/24/15 1440</i>				B2504019 - 2	
Samples Relinquished by: <i>Sam Belding</i>				Date/Time: <i>04/24/15</i>				Received by:				Date/Time:					
Relinquished by: <i>[Signature]</i>				Date/Time:				Received by:				Date/Time:					

Client Contact Information				Bottle Order ID : B2504019				Courier :				_____ of _____ COCs																			
Client ID : TETR16 Project ID : R36724				Sampler Name(s) : S. Belding				Analysis				Matrix																			
Customer Name : Tetra Tech, EMI Address : 240 Continental Drive, Suite 200 City : Newark State : DE Zip Code : 19713 Country :				Project Manager : AVA HEISS				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified				TO-15 Indoor/Ambient Air Soil Gas																			
				Phone Number : 302-738-7551																											
				Fax Number : 302-454-5980																											
				Site Details: see comments for full sample ID																											
Analysis Turnaround Time				Standard : 10 business days OR				Data Package Type :																							
Rush (Specify): _____ Days				EDD Type :																											
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID																	
SC-IA01	4/21/25	1208	1052	-30	-7			-30	-7	10537	10323	6 L	4.16	VL042330.D	X			X													
Temperature (Fahrenheit) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table> GC/MS Analyst Signature (TO-15)											Ambient	Maximum	Minimum	Start				Stop													
	Ambient	Maximum	Minimum																												
Start																															
Stop																															
Pressure (Inches of Hg) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table> ** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.											Ambient	Maximum	Minimum	Start				Stop													
	Ambient	Maximum	Minimum																												
Start																															
Stop																															
Special Instructions/QC Requirements & Comments : Sample ID: EBE-P08-SC-IA01-2025 0421																															
Suspected Contamination: High Medium Low PID Readings:																															
Sampling site (State):																															
Quick Connector required : No																															
Canisters Shipped by: Sam Belding					Date/Time: 09/18/25					Canisters Received by: AW					Date/Time: 4/20/25 1440																
Samples Relinquished by: Sam Belding					Date/Time: 4/24/25					Received by:					Date/Time:																
Relinquished by:					Date/Time:					Received by:					Date/Time:																

Client Contact Information				Bottle Order ID : B2504019				Courier :				_____ of _____ COCs			
Client ID : TETR16				Project ID : R36724				Sampler Name(s) : <u>S. Belong</u>				Analysis		Matrix	
Customer Name : Tetra Tech, EMI Address : 240 Continental Drive, Suite 200 City : Newark State : DE Zip Code : 19713 Country :				Project Manager : AVA HEISS				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified							
				Phone Number : 302-738-7551											
				Fax Number : 302-454-5980											
				Site Details: <u>see comments for full sample ID</u>											
				Analysis Turnaround Time				Data Package Type :							
				Standard : 10 business days OR				EDD Type :							
Country :				Rush (Specify): Days											

Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15			Indoor/Ambient Air	Soil Gas	
SC-SS01	4/1/25	1145	1030	-30	-5			-30	5.9	10222	10333	6 L	4.16	VL042316.D	X				X	

Temperature (Fahrenheit)			
	Ambient	Maximum	Minimum
Start			
Stop			

Pressure (Inches of Hg)			
	Ambient	Maximum	Minimum
Start			
Stop			

GC/MS Analyst Signature (TO-15) [Signature]

** Submittal of this COC indicates approval of the analysis based on existing conditions.

Please follow the instructions on the back of this COC.

Special Instructions/QC Requirements & Comments : Sample ID: EBR-P08-SC-SS01-20250421

Suspected Contamination: High Medium Low PID Readings:

Sampling site (State): Delaware

Quick Connector required : NO

Canisters Shipped by: <u>Sam</u>	Date/Time: <u>04/18/25</u>	Canisters Received by: <u>[Signature]</u>	Date/Time: <u>4/24/25 1440</u>
Samples Relinquished by: <u>Sam Belong</u>	Date/Time: <u>4/24/25</u>	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time:

B2504019 - 4

Client Contact Information				Bottle Order ID : B2504019				Courier :				_____ of _____ COCs																
Client ID : TETR16 Project ID : R36724				Sampler Name(s) : <u>S. Belding</u>				Analysis				Matrix																
Customer Name : Tetra Tech, EMI Address : 240 Continental Drive, Suite 200 City : Newark State : DE Zip Code : 19713 Country :				Project Manager : AVA HEISS				AIR ANALYSIS CHAIN-OF-CUSTODY Individual Certified																				
				Phone Number : 302-738-7551																								
				Fax Number : 302-454-5980																								
				Site Details: <u>See comments for full sample ID</u>																								
Analysis Turnaround Time				Standard : 10 business days OR				Data Package Type :																				
Rush (Specify): _____ Days				EDD Type :																								
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas												
SS-DUP01	4/21/25	1145	1030	-30	-3			-30	-4.4	10236	10401	6 L	4.16	VL042330.D	X	X												
Temperature (Fahrenheit) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table> GC/MS Analyst Signature (TO-15)											Ambient	Maximum	Minimum	Start				Stop				** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.						
	Ambient	Maximum	Minimum																									
Start																												
Stop																												
Pressure (Inches of Hg) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop										
	Ambient	Maximum	Minimum																									
Start																												
Stop																												
Special Instructions/QC Requirements & Comments : <u>Sample ID: EBR-108 EBR-SC-SS-DUP01-20250421</u>																												
Suspected Contamination: High Medium Low Sampling site (State): <u>Delaware</u>																												
Quick Connector required : <u>No</u>										B2504019 - 5																		
Canisters Shipped by: <u>Sam</u>		Date/Time: <u>04/18/25</u>		Canisters Received by: <u>AW</u>		Date/Time: <u>4/24/25 1440</u>																						
Samples Relinquished by: <u>S. Belding</u>		Date/Time: <u>4/24/25</u>		Received by:		Date/Time:																						
Relinquished by:		Date/Time:		Received by:		Date/Time:																						

Client Contact Information				Bottle Order ID : B2504018				Courier :				_____ of _____ COCs							
Client ID : TETR16 Project ID : R36724				Sampler Name(s) : START				Analysis				Matrix							
Customer Name : Tetra Tech, EMI Address : 240 Continental Drive, Suite 200 City : Newark State : DE Zip Code : 19713 Country :				Project Manager : AVA HEISS				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified				TO-15 Indoor/Ambient Air Soil Gas							
				Phone Number : 302-738-7551															
				Fax Number : 302-454-5980															
				Site Details:															
Analysis Turnaround Time				Data Package Type :															
Standard : 10 business days OR				EDD Type :															
Rush (Specify): Days																			
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID					
See label	4/23/25 4/24/25	0935	0405	-30	-6			-30	-7.1	10206	10024	6 L	4.16	VL042308.D	X		X		
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) [Signature]									
		Ambient	Maximum	Minimum															
Start																			
Stop																			
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.									
		Ambient	Maximum	Minimum															
Start																			
Stop																			
Special Instructions/QC Requirements & Comments : EBR- P02-SC-Dup01-20250423																			
Suspected Contamination: High Medium Low PID Readings:																			
Sampling site (State):																			
Quick Connector required : No																			
Canisters Shipped by: See label				Date/Time: 04/15/25				Canisters Received by: [Signature]				Date/Time: 4/24/25 1440				B2504018 - 1			
Samples Relinquished by: See label				Date/Time: 4/24/25				Received by:				Date/Time:							
Relinquished by:				Date/Time:				Received by:				Date/Time:							

Client Contact Information						Bottle Order ID : B2504018				Courier :				_____ of _____ COCs			
Client ID : TETR16 Project ID : R36724						Sampler Name(s) : <i>S. Bellamy</i>				Analysis				Matrix			
Customer Name : Tetra Tech, EMI Address : 240 Continental Drive, Suite 200 City : Newark State : DE Zip Code : 19713 Country :						Project Manager : AVA HEISS				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified							
						Phone Number : 302-738-7551											
						Fax Number : 302-454-5980											
						Site Details: <i>See comments for sample ID</i>											
						Analysis Turnaround Time											
						Standard : 10 business days OR				Data Package Type :							
						Rush (Specify): _____ Days				EDD Type :							
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
<i>See comments</i>	<i>4/22/15</i> <i>4/23/15</i>	<i>1603</i>	<i>1336</i>	<i>-27</i>	<i>-7</i>			<i>-27</i> <i>-30</i> <i>Em</i>	<i>6.3</i>	10785	10158	6 L	4.16	VL042307.D	☒	☒	☒
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <i>S. Bellamy</i>							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Special Instructions/QC Requirements & Comments : <i>EBR-P16-SC-SS01-20250422</i>																	
Suspected Contamination: High Medium Low PID Readings:																	
Sampling site (State):																	
Quick Connector required : <i>No</i>																	
Canisters Shipped by: <i>S. Bellamy</i>				Date/Time: <i>04/15/15</i>				Canisters Received by: <i>AW</i>				Date/Time: <i>4/22/15 1440</i>				B2504018 - 2	
Samples Relinquished by: <i>S. Bellamy</i>				Date/Time: <i>4/24/15</i>				Received by:				Date/Time:					
Relinquished by:				Date/Time:				Received by:				Date/Time:					

Client Contact Information				Bottle Order ID : B2504018				Courier :				_____ of _____ COCs							
Client ID : TETR16 Project ID : R36724				Sampler Name(s) : START				Analysis				Matrix							
Customer Name : Tetra Tech, EMI Address : 240 Continental Drive, Suite 200 City : Newark State : DE Zip Code : 19713 Country :				Project Manager : AVA HEISS				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified				TO-15 Indoor/Ambient Air Soil Gas							
				Phone Number : 302-738-7551															
				Fax Number : 302-454-5980															
				Site Details:															
Analysis Turnaround Time				Data Package Type :															
Standard : 10 business days OR				Rush (Specify): Days				EDD Type :											
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID					
See Comments	4/23/25 4/24/25	0935	095	-30	-1			-30	-2.7	10771	10282	6 L	4.16	VL042308.D	X			X	
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) [Signature]									
		Ambient	Maximum	Minimum															
Start																			
Stop																			
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.									
		Ambient	Maximum	Minimum															
Start																			
Stop																			
Special Instructions/QC Requirements & Comments : EBR-P02-SC-IA01-20250423 58 EBR-P02-SC-IA01-20250423																			
Suspected Contamination: High Medium Low PID Readings:																			
Sampling site (State):																			
Quick Connector required : NO																			
Canisters Shipped by: Sam				Date/Time: 04/25/25				Canisters Received by: [Signature]				Date/Time: 4/24/25 1440				B2504018 - 6			
Samples Relinquished by: Sam				Date/Time: 4/24/25				Received by:				Date/Time:							
Relinquished by:				Date/Time:				Received by:				Date/Time:							

Client Contact Information				Bottle Order ID : B2504018				Courier :				_____ of _____ COCs									
Client ID : TETR16 Project ID : R36724				Sampler Name(s) : <i>Sam Berching</i>				Analysis				Matrix									
Customer Name : Tetra Tech, EMI Address : 240 Continental Drive, Suite 200 City : Newark State : DE Zip Code : 19713 Country :				Project Manager : AVA HEISS				AIR ANALYSIS CHAIN-OF-CUSTODY Individual Certified													
				Phone Number : 302-738-7551																	
				Fax Number : 302-454-5980																	
				Site Details: <i>See comment for Sample ID</i>																	
Analysis Turnaround Time				Standard : 10 business days OR				Data Package Type :													
Rush (Specify): _____ Days				EDD Type :																	
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15				Indoor/Ambient Air	Soil Gas	
<i>See comments</i>	<i>4/22/25</i>	<i>1440</i>	<i>1330</i>	<i>-30</i>	<i>-8</i>			<i>-30</i>	<i>-7.1</i>	10110	10300	6 L	4.16	VL042219.D	<i>X</i>				<i>X</i>		
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <i>[Signature]</i>											
		Ambient	Maximum	Minimum																	
Start																					
Stop																					
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.											
		Ambient	Maximum	Minimum																	
Start																					
Stop																					
Special Instructions/QC Requirements & Comments : <i>Sample ID: EBR - P16 - SC - AA - DUP 01 - 20250422</i>																					
Suspected Contamination: High Medium Low PID Readings:																					
Sampling site (State):																					
Quick Connector required : <i>NO</i>																					
Canisters Shipped by: <i>Sam</i>				Date/Time: <i>04/17/25</i>				Canisters Received by: <i>SA</i>				Date/Time: <i>4/21/25 1440</i>				B2504018 - 9					
Samples Relinquished by: <i>Sam Berching</i>				Date/Time: <i>4/24/25</i>				Received by:				Date/Time:									
Relinquished by:				Date/Time:				Received by:				Date/Time:									

Ambient air outside Pleasantville Elementary

Client Contact Information						Bottle Order ID : B2504018				Courier :				_____ of _____ COCs					
Client ID : TETR16 Project ID : R36724						Sampler Name(s) : Sam Belding				Analysis				Matrix					
Customer Name : Tetra Tech, EMI Address : 240 Continental Drive, Suite 200 City : Newark State : DE Zip Code : 19713 Country :						Project Manager : AVA HEISS				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified									
						Phone Number : 302-738-7551													
						Fax Number : 302-454-5980													
						Site Details: <i>See Comments for Sample IDs</i>													
						Analysis Turnaround Time				Data Package Type :									
						Standard : 10 business days OR				EDD Type :									
						Rush (Specify): _____ Days													
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15			Indoor/Ambient Air	Soil Gas
<i>See comments</i>	<i>4/22/25</i>	<i>1440</i>	<i>1330</i>	<i>-30</i>	<i>-7</i>			<i>-30</i>	<i>-8.0</i>	<i>10476</i>	<i>10326</i>	<i>6 L</i>	<i>4.16</i>	<i>VL042307.D</i>	<i>X</i>			<i>X</i>	
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <i>[Signature]</i>									
		Ambient	Maximum	Minimum															
Start																			
Stop																			
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.									
		Ambient	Maximum	Minimum															
Start																			
Stop																			
Special Instructions/QC Requirements & Comments : <i>Sample ID: EBR-P16-SC-AA01-20250422</i>																			
Suspected Contamination: High Medium Low PID Readings:																			
Sampling site (State):																			
Quick Connector required : <i>NO</i>																			
Canisters Shipped by: <i>Sam</i>					Date/Time: <i>4/15/25</i>					Canisters Received by: <i>[Signature]</i>					Date/Time: <i>4/24/25</i>				
Samples Relinquished by: <i>Sam Belding</i>					Date/Time: <i>4/24/25</i>					Received by:					Date/Time:				
Relinquished by:					Date/Time:					Received by:					Date/Time:				

Client Contact Information				Bottle Order ID : B2504018				Courier :				_____ of _____ COCs							
Client ID : TETR16 Project ID : R36724				Sampler Name(s) : START				Analysis				Matrix							
Customer Name : Tetra Tech, EMI Address : 240 Continental Drive, Suite 200 City : Newark State : DE Zip Code : 19713 Country :				Project Manager : AVA HEISS				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified				TO-15 Indoor/Ambient Air Soil Gas							
				Phone Number : 302-738-7551															
				Fax Number : 302-454-5980															
				Site Details:															
Analysis Turnaround Time				Standard : 10 business days OR				Data Package Type :											
Rush (Specify): Days				EDD Type :															
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID					
See Contam	4/24/13	1005	0910	-30	0			-30	-1.4	10203	10602	6 L	4.16	VL042307.D	X				X
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) [Signature]									
		Ambient	Maximum	Minimum															
Start																			
Stop																			
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions.									
		Ambient	Maximum	Minimum															
Start																			
Stop																			
Special Instructions/QC Requirements & Comments : EBR- p02-SC-SS01-20250423										Please follow the instructions on the back of this COC.									
Suspected Contamination: High Medium Low										PID Readings:									
Sampling site (State):																			
Quick Connector required : No																			
Canisters Shipped by: Sam					Date/Time: 4/24/13					Canisters Received by: [Signature]					Date/Time: 4/24/13				
Samples Relinquished by: Sam					Date/Time: 4/24/13					Received by:					Date/Time:				
Relinquished by:					Date/Time:					Received by:					Date/Time:				

USEPA CLP COC (Lab Copy)

DateShipped: 4/24/2025

CarrierName: Hand Delivered

DAS #: R36900

CHAIN OF CUSTODY RECORD

Site #: A36K

Contact Name: Sam Belding

Contact Phone: 215-789-8418

No: 3-042425-101223-0001

Cooler #:

Lab: Alliance Technical Group

Lab Phone: 908-728-3147

Lab #	Sample #	Location	Analyses	TAT	TAT Units	Matrix	Number	Container	Preservative	Pump #	Orifice ID	Start Pressure	Stop Pressure	Start Date	Start Time	Stop Date	Stop Time
	EBR-P02-SC-DUP01-20250423	Property 2	Toxic Organics (TO-15)	21	Days	Indoor Air	1	6-L Summa Cannisters	None	10024	10206	-30	-6	4/23/2025	9:35:00 AM	4/24/2025	9:05:00 AM
	EBR-P02-SC-IA01-20250423	Property 2	Toxic Organics (TO-15)	21	Days	Indoor Air	1	6-L Summa Cannisters	None	10282	10771	-30	-1	4/23/2025	9:35:00 AM	4/24/2025	9:05:00 AM
	EBR-P02-SC-IA02-20250423	Property 2	Toxic Organics (TO-15)	21	Days	Indoor Air	1	6-L Summa Cannisters	None	10268	10183	-30	-7	4/23/2025	10:35:00 AM	4/24/2025	9:15:00 AM
	EBR-P02-SC-SS01-20250423	Property 2	Toxic Organics (TO-15)	21	Days	Sub Slab	1	6-L Summa Cannisters	None	10602	10203	-30	0	4/23/2025	10:05:00 AM	4/24/2025	9:10:00 AM
	EBR-P08-SC-IA01-20250421	Property 8	Toxic Organics (TO-15)	21	Days	Indoor Air	1	6-L Summa Cannisters	None	10323	10537	-30	-7	4/21/2025	12:08:00 PM	4/22/2025	10:52:00 AM

Special Instructions:	SAMPLES TRANSFERRED FROM
	CHAIN OF CUSTODY #

Items/Reason	Relinquished by (Signature and Organization)	Date/Time	Received by (Signature and Organization)	Date/Time	Sample Condition Upon Receipt
	<i>Ava Heiss</i> 4/24/25 1440				

USEPA CLP COC (Lab Copy)

DateShipped: 4/24/2025

CarrierName: Hand Delivered

DAS #: R36900

CHAIN OF CUSTODY RECORD

Site #: A36K

Contact Name: Sam Belding

Contact Phone: 215-789-8418

No: 3-042425-101223-0001

Cooler #:

Lab: Alliance Technical Group

Lab Phone: 908-728-3147

Lab #	Sample #	Location	Analyses	TAT	TAT Units	Matrix	Number	Container	Preservative	Pump #	Orifice ID	Start Pressure	Stop Pressure	Start Date	Start Time	Stop Date	Stop Time
	EBR-P08-SC-SS01-20250421	Property 8	Toxic Organics (TO-15)	21	Days	Sub Slab	1	6-L Summa Cannisters	None	10333	10222	-30	-5	4/21/2025	11:45:00 AM	4/22/2025	10:30:00 AM
	EBR-P11-SC-SS01-20250421	Property 11	Toxic Organics (TO-15)	21	Days	Sub Slab	1	6-L Summa Cannisters	None	10258	10567	-30	-9	4/21/2025	3:35:00 PM	4/22/2025	2:10:00 PM
	EBR-P16-SC-AA01-20250422	Property 16	Toxic Organics (TO-15)	21	Days	Ambient Air	1	6-L Summa Cannisters	None	10326	10476	-30	-7	4/22/2025	2:40:00 PM	4/23/2025	1:30:00 PM
	EBR-P16-SC-AA-DUP01-20250422	Property 16	Toxic Organics (TO-15)	21	Days	Ambient Air	1	6-L Summa Cannisters	None	10300	10110	-30	-8	4/22/2025	2:40:00 PM	4/23/2025	1:30:00 PM
	EBR-P16-SC-SS01-20250422	Property 16	Toxic Organics (TO-15)	21	Days	Sub Slab	1	6-L Summa Cannisters	None	10158	10785	-27	-7	4/22/2025	4:03:00 PM	4/23/2025	1:36:00 PM

Special Instructions:

SAMPLES TRANSFERRED FROM
CHAIN OF CUSTODY #

Items/Reason	Relinquished by (Signature and Organization)	Date/Time	Received by (Signature and Organization)	Date/Time	Sample Condition Upon Receipt
	<i>Ava Heiss</i>	4/24/25 1440			

DAS #: R36900

CHAIN OF CUSTODY RECORD

Site #: A36K

Contact Name: Sam Belding

Contact Phone: 215-789-8418

No: 3-042425-101223-0001

Cooler #:

Lab: Alliance Technical Group

Lab Phone: 908-728-3147

[illegible]

Special Instructions:

SAMPLES TRANSFERRED FROM		TO	DATE	INITIALS
1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25
26	27	28	29	30
31	32	33	34	35
36	37	38	39	40
41	42	43	44	45
46	47	48	49	50
51	52	53	54	55
56	57	58	59	60
61	62	63	64	65
66	67	68	69	70
71	72	73	74	75
76	77	78	79	80
81	82	83	84	85
86	87	88	89	90
91	92	93	94	95
96	97	98	99	100

CHAIN OF CUSTODY #

Items/Reason	Relinquished by (Signature and Organization)	Date/Time	Received by (Signature and Organization)	Date/Time	Sample Condition Upon Receipt
	<i>Ava Heiss</i>	4/24/25 1440			

Laboratory Address and Contact	Tetra Tech Project Lead	Sample Coordinator
Alliance Technical Group, LLC 284 Sheffield St Mountainside, NJ 07092 Yazmeen Gomez (908) 728-3147 Yazmeen.Gomez@alliancetg.com	Sam Belding Tetra Tech 240 Continental Drive Ste. 200 Newark, DE 19713 (215) 789-8418 sam.belding@tetrattech.com	Ava Heiss (302) 397-1105 ava.heiss@tetrattech.com

Site location: Delaware

Please reference **R36900** on all deliverables (L4 reports, EDDs, invoice, login acknowledgement).

Sample Numbers:

These are the alphanumeric ids listed on the Chain of Custody (COC) in the 2nd column (ex. COAA0). Please use these ids for all sample login acknowledgement forms, reports, and EDDs.

Reporting Limits (RL):

Laboratory will report non-detects at the RLs (adjusted RLs to account for % moisture, dilutions, sample volume if applicable) in the reports and EDD files. Results for non-detects in the EDDs should not be an empty cell, but should be reported as the RL (adjusted as necessary) with a "U" qualifier in the lab qualifier column. Analytical results are to be reported for detections below the reporting limit (RL) down to the method detection limit with a "J" flag. **Please report results in both ppbv and $\mu\text{g}/\text{m}^3$ units.**

Deliverables: Email a Level 2 and 4 report with EDDs in EQuIS* format to Ava Heiss and Sam Belding.

Sampling Dates: April 16, 2025 – April 25, 2025

Turnaround Time: 15 BD TAT for Level 2 and Level 4 reports with Equis EDDs

Parameter/Matrix	Method	Number of Samples
VOCs/Soil Gas (Sub Slab)	EPA TO-15	7 samples
VOCs/Indoor Air	EPA TO-15	7 samples
VOCs/Ambient Air	EPA TO-15	7 samples

*EDD file in EPA Region 2 format (i.e., EQuIS EDD, in excel). For instructions, click link:

*Region 2 format is the same as Region 3 format

(<https://www.epa.gov/superfund/region-2-superfund-electronic-data-submission-documents>)

Internal Chain of Custody

Instructions: Use 1 form for each 20 samples of aliquot

Laboratory Person Breaking Field Seal on Sample Shuttle & Accepting Responsibility for Sample

Laboratory: Chemtech

Location: 284 Sheffield Street, Mountainside, NJ 7092

GORGE

Title: Sample Custodian

Field Sample Seal No.: Q1880

Date Broken 4/24/2025

Military Time Seal Broken: 14:40:00

Case No.: R36724

Analytical Parameter/Fraction TO-15

Sample No.	Aliquot/Extract No.	Sample No.	Aliquot/Extract No.
Q1880-01	EBR-P11-SC-SS01-202504	Q1880-11	EBR-P02-SC-SS01-2025042
Q1880-02	EBR-P02-SL-IA02-202504		5
Q1880-03	EBR-P08-SC-IA01-202504		
Q1880-04	EBR-P08-SC-SS01-202504		
Q1880-05	EBR-SC-SS-DUP01-20250		
Q1880-06	EBR-P02-SC-DUP01-2025		
Q1880-07	EBR-P16-SC-SS01-202504		
Q1880-08	EBR-P02-SC-IA01-202504		
Q1880-09	EBR-P16-SC-AA-DUP-202		
Q1880-10	EBR-P16-SC-AA01-202504		

Date	Time	Relinquished By	Received By	Purpose of Change of Custody
4/25	0745	Signature 	Signature 	
		Printed Name <u>GORGE N.</u>	Printed Name <u>JOSEPH J. GORGE</u>	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	

Distribution: White - Original (Sent With Report)

Yellow - Contractor Archive

Pink - Sample Custodian - Interim Copy

Analyst Signature:

Supervisor Signature:

METHOD: TO-15

Pressure Gauge ID: A255971

Document Control # A3041228

Initial Vacuum (Hg) _____ Vacuum (Hg/PSI) _____ Data _____ By: _____

Sample ID: EBR-P08-SC-IA01-20250421 12:08
 Start Date: 4/21/2025 Stop Time: 12:10:00 PM
 Stop Date: 4/22/2025 Location: Property 8 Analyses: Toxic Organics (TO-15)
 Cannister ID: 10223 Regulator #: 10537
 Matrix: Indoor Air
 Sampler: START
 Start Pressure: -30

Storage Location: Air Lab
 Sample: Q1880-03
 Cust #: EBR-P08-SC-IA01-20250421

82504018 10223 -5.9

Initial Vacuum (Hg) _____ Final Vacuum (Hg/PSI) _____ Data _____ By: _____

Sample ID: EBR-P02-SC-IA02-20250423
 Start Date: 4/23/2025 Start Time: 10:35:00 AM
 Stop Date: 4/24 Stop Time: 0415
 Location: Property 2 Analyses: Toxic Organics (TO-15)
 Cannister ID: 10268 Regulator #: 10183
 Matrix: Indoor Air
 Sampler: START
 Start Pressure: -30 Stop Pressure: _____

Storage Location: Air Lab
 Sample: Q1880-02
 Cust #: EBR-P02-SC-IA02-20250423

82504018 10268 -6.3

Initial Vacuum (Hg) _____ Final Vacuum (Hg/PSI) _____ Data _____ By: _____

Sample ID: EBR-P11-SS01-20250421
 Start Date: 4/21/2025 Start Time: 3:35:00 PM
 Stop Date: 4/22 Stop Time: 1410
 Location: Property 11 Analyses: Toxic Organics (TO-15)
 Cannister ID: 10258 Regulator #: 10561
 Matrix: Indoor Air
 Sampler: START
 Start Pressure: -30 Stop Pressure: _____

Storage Location: Air Lab
 Sample: Q1880-01
 Cust #: EBR-P11-SS01-20250421

82504018 10258 -6.1

82504018

Initial Vacuum (Hg)	Final Vacuum (Hg/PSI)	Data	By:

Sample ID: EBR-P02-SC-DUP01-20250423
 Start Date: 4/23/2025 Start Time: 9:35:00 AM
 Stop Date: 4/24 Stop Time: 09:55
 Location: Property 2 Analyses: Toxic Organics (TO-15)
 Cannister ID: 10024 Regulator #: 10206
 Matrix: Indoor Air
 Sampler: START
 Start Pressure: -30 Stop Pressure: -6

10024

Storage Location: Air Lab
Sample: Q1880-06
Cust #: EBR-P02-SC-DUP01-20250423

17.1

82504019

Initial Vacuum (Hg)	Final Vacuum (Hg/PSI)	Data	By:

Sample ID: EBR-SC-SS-DUP01-20250421
 Start Date: 4/21/2025 Start Time: 11:45:00 AM
 Stop Date: 4/22 Stop Time: 1030
 Location: Property 8 Analyses: Toxic Organics (TO-15)
 Cannister ID: 10401 Regulator #: 10236
 Matrix: Sub Slab
 Sampler: START
 Start Pressure: -30 Stop Pressure: -2

Storage Location: Air Lab
Sample: Q1880-05
Cust #: EBR-SC-SS-DUP01-20250421

10401

4.7

82504019

Initial Vacuum (Hg)	Final Vacuum (Hg/PSI)	Data	By:

Sample ID: EBR-P08-SC-SS01-20250421
 Start Date: 4/21/2025 Start Time: 11:45:00 AM
 Stop Date: 4/22 Stop Time: 1030
 Location: Property 8 Analyses: Toxic Organics (TO-15)
 Cannister ID: 10333 Regulator #: 10222
 Matrix: Sub Slab
 Sampler: START
 Start Pressure: -30 Stop Pressure: -5

Storage Location: Air Lab
Sample: Q1880-04
Cust #: EBR-P08-SC-SS01-20250421

10333

5.9

Initial Vacuum (Hg)	Final Vacuum (Hg/PSI)	Data	By:
82504018			10380

Sample ID: EBR-P16-SC-AA-DUP01-20250422
 Start Date: 4/22/2025 Start Time: 2:40:00 PM
 Stop Date: 4/23/2025 Stop Time: 1330
 Location: Property 16 Analyses: Toxic Organics (TO-15)
 Cannister ID: 10300 Regulator #: 10110
 Matrix: Ambient Air
 Sampler: START
 Start Pressure: -30 Stop Pressure: -8

Storage Location: Air Lab
Sample: Q1880-09
Cust #: EBR-P16-SC-AA-DUP-2025042

AFED

Initial Vacuum (Hg)	Final Vacuum (Hg/PSI)	Data	By:
82504018			

Sample ID: EBR-P02-SC-IA01-20250423
 Start Date: 4/23/2025 Start Time: 9:35:00 AM
 Stop Date: 4/24/2025 Stop Time: 0905
 Location: Property 2 Analyses: Toxic Organics (TO-15)
 Cannister ID: 10282 Regulator #: 10771
 Matrix: Indoor Air
 Sampler: START
 Start Pressure: -30 Stop Pressure: -1

Storage Location: Air Lab
Sample: Q1880-08
Cust #: EBR-P02-SC-IA01-20250423

10282

Initial Vacuum (Hg)	Final Vacuum (Hg/PSI)	Data	By:
82504018			

Sample ID: EBR-P16-SC-SS01-20250422
 Start Date: 4/22/2025 Start Time: 4:03:00 PM
 Stop Date: 4/23/2025 Stop Time: 1336
 Location: Property 16 Analyses: Toxic Organics (TO-15)
 Cannister ID: 10158 Regulator #: 10785
 Matrix: Sub Slab
 Sampler: START
 Start Pressure: -30 Stop Pressure: -7

Storage Location: Air Lab
Sample: Q1880-07
Cust #: EBR-P16-SC-SS01-20250422

10158

Initial Vacuum (Hg)	Final Vacuum (Hg/PSI)	Data	By:
---------------------	-----------------------	------	-----

Sample ID: EBR-P16-SC-AA01-20250422

Start Date: 4/22/2025 Start Time: 2:40:00 PM

Stop Date: 4/23/2025 Stop Time: 1330

Location: Property 16 Analyses: Toxic Organics (TO-15)

Cannister ID: 10326 Regulator #: 10476

Matrix: Ambient Air

Sampler: START

Start Pressure: -30 Stop Pressure: -7

Storage Location: Air Lab

Sample: Q1880-10

Cust #: EBR-P16-SC-AA01-20250422

Initial Vacuum (Hg)	Final Vacuum (Hg/PSI)	Data	By:
---------------------	-----------------------	------	-----

Sample ID: EBR-P02-SC-SS01-20250423

Start Date: 4/23/2025 Start Time: 10:05:00 AM

Stop Date: 4/24/2025 Stop Time: 0910

Location: Property 2 Analyses: Toxic Organics (TO-15)

Cannister ID: 10602 Regulator #: 10203

Matrix: Sub Slab

Sampler: START

Start Pressure: -30 Stop Pressure: -

Storage Location: Air Lab

Sample: Q1880-11

Cust #: EBR-P02-SC-SS01-20250423

Laboratory Certification

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488

Internal Chain of Custody

Instructions: Use 1 form for each 20 samples of aliquot

Laboratory Person Breaking Field Seal on Sample Shuttle & Accepting Responsibility for Sample			
Laboratory: <u>Chemtech</u>		Location: <u>284 Sheffield Street, Mountainside, NJ 7092</u>	
QBR6E		Title: <u>Sample Custodian</u>	
Field Sample Seal No.: <u>Q1880</u>		Date Broken <u>4/24/2025</u> Military Time Seal Broken: <u>14:40:00</u>	
Case No.: <u>R36724</u>		Analytical Parameter/Fraction <u>TO-15</u>	

Sample No.	Aliquot/Extract No.	Sample No.	Aliquot/Extract No.
Q1880-01	EBR-P11-SC-SS01-202504	Q1880-11	EBR-P02-5G-SS01-202504
Q1880-02	EBR-P02-SL-IA02-202504		EBR-P02-SC-SS01-20250423
Q1880-03	EBR-P08-SC-IA01-202504		
Q1880-04	EBR-P08-SC-SS01-202504		
Q1880-05	EBR-SC-SS-DUP01-202504		
Q1880-06	EBR-P02-SC-DUP01-2025		
Q1880-07	EBR-P16-SC-SS01-202504		
Q1880-08	EBR-P02-SC-IA01-202504		
Q1880-09	EBR-P16-SC-AA-DUP-202		
Q1880-10	EBR-P16-SC-AA01-202504		

Date	Time	Relinquished By	Received By	Purpose of Change of Custody
4/25	0715	Signature 	Signature 	
		Printed Name <u>George N.</u>	Printed Name <u>Sample Custodian</u>	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	

Distribution: White - Original (Sent With Report)

Yellow - Contractor Archive

Pink - Sample Custodian - Interim Copy