

SOP ID : M9012B-Total, Amenable and Reactive Cyanide-20

SDG No : N/A

Start Digest Date: 04/28/2025 Time : 11:45 Temp : N/A

Matrix : SOIL

End Digest Date: 04/28/2025 Time : 13:15 Temp : N/A

Pipette ID : N/A

Balance ID : WC SC-7

Hood ID : HOOD#1

Digestion tube ID : M5595

Block Thermometer ID : N/A

Block ID : MC-1,MC-2

Filter paper ID : N/A

Prep Technician Signature: RM

Weigh By : RM

pH Meter ID : N/A

Supervisor Signature: i2

Standard Name	MLS USED	STD REF. # FROM LOG
PBS003	50.0ML	W3112
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
0.25N NaOH	50.0ML	WP111294
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

LAB SAMPLE ID	CLIENT SAMPLE ID	Comment

Extraction Conformance/Non-Conformance Comments:

N/A

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
04/28/2025 1325	RM LWC	RM LWC
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	Initial Weight (g)	Final Vol (ml)	pH	Sulfide	Oxidizing	Nitrate/Nitrite	Comment	Prep Pos
PB167751BL	PBS751	5.00	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1896-01	295-BERGEN-RO	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1896-01DUP	295-BERGEN-RODUP	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1900-04	WC-1	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1900-08	WC-2	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1900-12	WC-3	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1901-08	B-167-SB01	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1901-09	B-170-SB01	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1901-10	B-167-SB02	5.06	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1901-11	B-170-SB02	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A