

Report of Analysis

Client:	Portal Partners Tri-Venture		Date Collected:	04/26/25	
Project:	Amtrak Sawtooth Bridges 2025		Date Received:	04/28/25	
Client Sample ID:	FB04262025		SDG No.:	Q1901	
Lab Sample ID:	Q1901-06		Matrix:	WATER	
Analytical Method:	SW8082A		% Solid:	0	Decanted:
Sample Wt/Vol:	870	Units: mL	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	3510C				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO110874.D	1	04/29/25 08:55	04/29/25 20:14	PB167782

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
12674-11-2	Aroclor-1016	0.11	U	0.11	0.57	ug/L
11104-28-2	Aroclor-1221	0.15	U	0.15	0.57	ug/L
11141-16-5	Aroclor-1232	0.11	U	0.11	0.57	ug/L
53469-21-9	Aroclor-1242	0.14	U	0.14	0.57	ug/L
12672-29-6	Aroclor-1248	0.082	U	0.082	0.57	ug/L
11097-69-1	Aroclor-1254	0.11	U	0.11	0.57	ug/L
37324-23-5	Aroclor-1262	0.16	U	0.16	0.57	ug/L
11100-14-4	Aroclor-1268	0.13	U	0.13	0.57	ug/L
11096-82-5	Aroclor-1260	0.093	U	0.093	0.57	ug/L
SURROGATES						
877-09-8	Tetrachloro-m-xylene	24.2		30 (16) - 150 (158)	121%	SPK: 20
2051-24-3	Decachlorobiphenyl	17.2		30 (10) - 150 (173)	86%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit