

% Solid:

90.6

Decanted:



Report of Analysis

Date Collected: Client: Portal Partners Tri-Venture 04/28/25

Project: Amtrak Sawtooth Bridges 2025 Date Received: 04/28/25

Client Sample ID: VNJ-210MSD SDG No.: Q1901

Lab Sample ID: Q1904-01MSD Matrix: **SOIL**

Analytical Method: Sample Wt/Vol: 30.05 Units: Final Vol: 10000 иL g

PCB Soil Aliquot Vol: uL Test:

Extraction Type: Injection Volume:

PH: GPC Factor: 1.0

Prep Method: SW3541B

SW8082A

File ID/Qc Batch: Dilution: Prep Date Date Analyzed Prep Batch ID PO110868.D 04/29/25 08:35 04/29/25 18:23 PB167776

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	199		4.40	18.7	ug/kg
11104-28-2	Aroclor-1221	4.40	U	4.40	18.7	ug/kg
11141-16-5	Aroclor-1232	4.10	U	4.10	18.7	ug/kg
53469-21-9	Aroclor-1242	4.40	U	4.40	18.7	ug/kg
12672-29-6	Aroclor-1248	6.50	U	6.50	18.7	ug/kg
11097-69-1	Aroclor-1254	3.50	U	3.50	18.7	ug/kg
37324-23-5	Aroclor-1262	5.50	U	5.50	18.7	ug/kg
11100-14-4	Aroclor-1268	4.00	U	4.00	18.7	ug/kg
11096-82-5	Aroclor-1260	183		3.60	18.7	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	22.9		30 (32) - 150 (144)	114%	SPK: 20
2051-24-3	Decachlorobiphenyl	19.0		30 (32) - 150 (175)	95%	SPK: 20

Comments:

U = Not Detected

LOO = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit