

Analytical Summary Report

Analysis Method: 9095B
Parameter: Paint Filter
Run Number: LB135599

Reviewed By: rubina
Supervisor Review By: Iwona
BalanceID: WC SC-7

Seq	LabID	ClientID	Dilution	Weight (g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	Q1892-01	MH-G	1	100.02	0.00	04/29/2025	14:30
2	Q1892-01DUP	MH-GDUP	1	100.02	0.00	04/29/2025	14:38
3	Q1892-05	MH-H	1	100.08	0.00	04/29/2025	14:45
4	Q1892-09	MH-U2	1	100.04	0.00	04/29/2025	14:52
5	Q1896-01	295-BERGEN-RO	1	100.01	0.00	04/29/2025	15:00
6	Q1905-01	MH-G	1	100.08	0.00	04/29/2025	15:07
7	Q1905-05	MH-H	1	100.03	0.00	04/29/2025	15:15
8	Q1906-01	WC-4	1	100.04	0.00	04/29/2025	15:23
9	Q1906-05	WC-5	1	100.04	0.00	04/29/2025	15:30
10	Q1906-09	WC-6	1	100.07	0.00	04/29/2025	15:37
11	Q1906-13	WC-7	1	100.05	0.00	04/29/2025	15:45
12	Q1907-01	CO-8R-WC	1	100.02	0.00	04/29/2025	15:52

WORKLIST(Hardcopy Internal Chain)

LB135599

WorkList Name : pf-04-29

WorkList ID : 189208

Department : Wet-Chemistry

Date : 04-29-2025 11:23:57

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q1892-01	MH-G	Solid	Paint Filter	Cool 4 deg C	PSEG03	L51	04/24/2025	9095B
Q1892-05	MH-H	Solid	Paint Filter	Cool 4 deg C	PSEG03	L51	04/24/2025	9095B
Q1892-09	MH-U2	Solid	Paint Filter	Cool 4 deg C	PSEG03	L51	04/25/2025	9095B
Q1896-01	295-BERGEN-RO	Solid	Paint Filter	Cool 4 deg C	PSEG03	L31	04/25/2025	9095B
Q1905-01	MH-G	Solid	Paint Filter	Cool 4 deg C	PSEG03	L51	04/28/2025	9095B
Q1905-05	MH-H	Solid	Paint Filter	Cool 4 deg C	PSEG03	L51	04/28/2025	9095B
Q1906-01	WC-4	Solid	Paint Filter	Cool 4 deg C	PSEG03	L41	04/28/2025	9095B
Q1906-05	WC-5	Solid	Paint Filter	Cool 4 deg C	PSEG03	L41	04/28/2025	9095B
Q1906-09	WC-6	Solid	Paint Filter	Cool 4 deg C	PSEG03	L41	04/28/2025	9095B
Q1906-13	WC-7	Solid	Paint Filter	Cool 4 deg C	PSEG03	L41	04/28/2025	9095B
Q1907-01	CO-8R-WC	Solid	Paint Filter	Cool 4 deg C	WALS01	L51	04/28/2025	9095B

Date/Time

04/29/25 14:20

Raw Sample Received by:

RM CWL

Raw Sample Relinquished by:

RM CWL

Date/Time

04/29/25 16:10

Raw Sample Received by:

RM CWL

Raw Sample Relinquished by:

RM CWL