

Metals

- 7 -

LABORATORY CONTROL SAMPLE SUMMARY

Client: Walsh Construction Company II, LLC **SDG No.:** Q1907
Contract: WALS01 **Lab Code:** CHEM **Case No.:** Q1907 **SAS No.:** Q1907

Analyte	Units	True Value	Result	C	% Recovery	Acceptance Limits	M
PB167781BS							
Aluminum	mg/Kg	95.7	85.2		89	80 - 120	P
Antimony	mg/Kg	38.3	34.6		90	80 - 120	P
Arsenic	mg/Kg	38.3	34.2		89	80 - 120	P
Barium	mg/Kg	9.6	8.38		87	80 - 120	P
Beryllium	mg/Kg	9.6	8.87		92	80 - 120	P
Cadmium	mg/Kg	9.6	8.85		92	80 - 120	P
Calcium	mg/Kg	47.8	43.9	J	92	80 - 120	P
Chromium	mg/Kg	19.1	17.6		92	80 - 120	P
Cobalt	mg/Kg	9.6	8.56		89	80 - 120	P
Copper	mg/Kg	14.4	13.3		92	80 - 120	P
Iron	mg/Kg	140	128		91	80 - 120	P
Lead	mg/Kg	47.8	43.2		90	80 - 120	P
Magnesium	mg/Kg	95.7	85.3	J	89	80 - 120	P
Manganese	mg/Kg	9.6	8.80		92	80 - 120	P
Nickel	mg/Kg	23.9	21.6		90	80 - 120	P
Potassium	mg/Kg	480	399		83	80 - 120	P
Selenium	mg/Kg	95.7	84.9		89	80 - 120	P
Silver	mg/Kg	3.6	3.23		90	80 - 120	P
Sodium	mg/Kg	140	139		99	80 - 120	P
Thallium	mg/Kg	95.7	87.3		91	80 - 120	P
Vanadium	mg/Kg	14.4	12.8		89	80 - 120	P
Zinc	mg/Kg	9.6	8.78		92	80 - 120	P



- 7 -

Client:	Walsh Construction Company II, LLC		SDG No.:	Q1907	
Contract:	WALS01	Lab Code:	CHEM	Case No.:	Q1907
				SAS No.:	Q1907

Analyte	Units	True Value	Result	C	% Recovery	Acceptance Limits	M
PB167786BS Mercury	mg/Kg	0.27	0.24		88	80 - 120	CV