

Analytical Sequence

Client: Walsh Construction Company II, LLC	SDG No.: Q1907
Project: Walsh CO-032 Sampling	Instrument ID: ECD_D
GC Column: ZB-MR1	ID: 0.32 (mm) Inst. Calib. Date(s): 04/18/2025 04/18/2025

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

EPA SAMPLE NO.	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCB RT #	TCX RT #
IBLK	IBLK	04/18/2025	13:15	PD088121.D	9.07	3.55
PEM	PEM	04/18/2025	13:29	PD088122.D	9.08	3.55
RESCHK	RESCHK	04/18/2025	13:43	PD088123.D	9.08	3.55
PSTDICC100	PSTDICC100	04/18/2025	13:56	PD088124.D	9.08	3.55
PSTDICC075	PSTDICC075	04/18/2025	14:10	PD088125.D	9.07	3.55
PSTDICC050	PSTDICC050	04/18/2025	14:24	PD088126.D	9.08	3.55
PSTDICC025	PSTDICC025	04/18/2025	14:37	PD088127.D	9.08	3.55
PSTDICC005	PSTDICC005	04/18/2025	14:51	PD088128.D	9.08	3.55
PCHLORICC500	PCHLORICC500	04/18/2025	15:32	PD088131.D	9.07	3.55
PTOXICC500	PTOXICC500	04/18/2025	16:40	PD088136.D	9.07	3.55
PEM	PEM	04/30/2025	10:53	PD088347.D	9.09	3.56
IBLK	IBLK	04/30/2025	11:35	PD088350.D	9.08	3.55
PSTDCCC050	PSTDCCC050	04/30/2025	11:49	PD088351.D	9.07	3.55
PB167795BL	PB167795BL	04/30/2025	12:30	PD088352.D	9.09	3.56
PB167795BS	PB167795BS	04/30/2025	12:44	PD088353.D	9.08	3.55
CO-8R-WC	Q1907-01	04/30/2025	13:47	PD088356.D	9.08	3.55
MH-EMS	Q1912-01MS	04/30/2025	14:14	PD088358.D	9.08	3.55
MH-EMSD	Q1912-01MSD	04/30/2025	14:28	PD088359.D	9.08	3.55
IBLK	IBLK	04/30/2025	15:08	PD088361.D	9.08	3.55
PSTDCCC050	PSTDCCC050	04/30/2025	15:22	PD088362.D	9.08	3.55

Analytical Sequence

Client: Walsh Construction Company II, LLC	SDG No.: Q1907
Project: Walsh CO-032 Sampling	Instrument ID: ECD_D
GC Column: ZB-MR2	ID: 0.32 (mm) Inst. Calib. Date(s): 04/18/2025 04/18/2025

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

EPA SAMPLE NO.	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCB RT #	TCX RT #
IBLK	IBLK	04/18/2025	13:15	PD088121.D	8.08	2.88
PEM	PEM	04/18/2025	13:29	PD088122.D	8.08	2.88
RESCHK	RESCHK	04/18/2025	13:43	PD088123.D	8.08	2.88
PSTDICC100	PSTDICC100	04/18/2025	13:56	PD088124.D	8.09	2.90
PSTDICC075	PSTDICC075	04/18/2025	14:10	PD088125.D	8.08	2.88
PSTDICC050	PSTDICC050	04/18/2025	14:24	PD088126.D	8.08	2.88
PSTDICC025	PSTDICC025	04/18/2025	14:37	PD088127.D	8.08	2.88
PSTDICC005	PSTDICC005	04/18/2025	14:51	PD088128.D	8.08	2.88
PCHLORICC500	PCHLORICC500	04/18/2025	15:32	PD088131.D	8.08	2.88
PTOXICC500	PTOXICC500	04/18/2025	16:40	PD088136.D	8.08	2.88
PEM	PEM	04/30/2025	10:53	PD088347.D	8.08	2.88
IBLK	IBLK	04/30/2025	11:35	PD088350.D	8.08	2.88
PSTDCCC050	PSTDCCC050	04/30/2025	11:49	PD088351.D	8.08	2.88
PB167795BL	PB167795BL	04/30/2025	12:30	PD088352.D	8.08	2.88
PB167795BS	PB167795BS	04/30/2025	12:44	PD088353.D	8.08	2.88
CO-8R-WC	Q1907-01	04/30/2025	13:47	PD088356.D	8.07	2.88
MH-EMS	Q1912-01MS	04/30/2025	14:14	PD088358.D	8.08	2.88
MH-EMSD	Q1912-01MSD	04/30/2025	14:28	PD088359.D	8.08	2.88
IBLK	IBLK	04/30/2025	15:08	PD088361.D	8.08	2.88
PSTDCCC050	PSTDCCC050	04/30/2025	15:22	PD088362.D	8.08	2.88