

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD043025\
 Data File : PD088362.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 30 Apr 2025 15:22
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: May 01 00:24:20 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD041825.M
 Quant Title : GC Extractables
 QLast Update : Sat Apr 19 06:32:27 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.551	2.882	110.4E6	738.0E6	55.273	50.473
28)	SA Decachlor...	9.075	8.076	165.3E6	741.2E6	49.976	40.108
Target Compounds							
2)	A alpha-BHC	4.000	3.395	251.8E6	1168.4E6	58.392	51.110
3)	MA gamma-BHC...	4.331	3.731	240.4E6	1079.1E6	57.408	50.099
4)	MA Heptachlor	4.931	4.085	225.9E6	1042.2E6	55.920	48.705
5)	MB Aldrin	5.273	4.371	226.8E6	1085.4E6	57.414	52.178
6)	B beta-BHC	4.516	4.027	91376121	463.5E6	56.288	50.087
7)	B delta-BHC	4.764	4.264	237.6E6	1077.9E6	57.591	50.697
8)	B Heptachlo...	5.692	4.875	198.5E6	936.0E6	55.531	49.539
9)	A Endosulfan I	6.076	5.249	190.2E6	743.5E6	56.323	41.279 #
10)	B gamma-Chl...	5.947	5.128	213.3E6	1003.9E6	58.892	49.461
11)	B alpha-Chl...	6.028	5.193	203.5E6	958.6E6	56.390	48.899
12)	B 4,4'-DDE	6.197	5.378	176.4E6	1024.0E6	53.486	51.994
13)	MA Dieldrin	6.349	5.515	199.8E6	976.9E6	56.001	49.009
14)	MA Endrin	6.576	5.792	161.6E6	898.9E6	54.197	49.384
15)	B Endosulfa...	6.787	6.083	167.3E6	834.7E6	53.506	47.636
16)	A 4,4'-DDD	6.706	5.932	145.5E6	807.3E6	57.841	49.270
17)	MA 4,4'-DDT	7.022	6.186	132.8E6	755.7E6	47.798	44.409
18)	B Endrin al...	6.916	6.261	118.3E6	602.8E6	51.237	45.319
19)	B Endosulfa...	7.150	6.485	151.4E6	787.0E6	52.657	45.934
20)	A Methoxychlor	7.494	6.757	69403901	390.4E6	46.283	42.800
21)	B Endrin ke...	7.631	6.994	160.4E6	835.8E6	51.972	44.685
22)	Mirex	8.115	7.189	114.8E6	643.4E6	48.867	43.411
23)	Chlordane-1	0.000	3.896	0	2489858	N.D.	3.106 #
24)	Chlordane-2	5.273f	4.509	226.8E6	111.4E6	1361.707	134.944 #
25)	Chlordane-3	5.947	5.128	213.3E6	1003.9E6	316.236	396.932 #
26)	Chlordane-4	6.028	5.193	203.5E6	958.6E6	249.647	448.308 #
27)	Chlordane-5	0.000	6.083	0	834.7E6	N.D.	864.472 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD043025\
Data File : PD088362.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 30 Apr 2025 15:22
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 01 00:24:20 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD041825.M
Quant Title : GC Extractables
QLast Update : Sat Apr 19 06:32:27 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.551 min
Delta R.T.: -0.001 min
Response: 110401689
Conc: 55.27 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.882 min
Delta R.T.: 0.000 min
Response: 737996314
Conc: 50.47 ng/ml




#2 alpha-BHC

R.T.: 4.000 min
Delta R.T.: 0.000 min
Response: 251784866
Conc: 58.39 ng/ml



#2 alpha-BHC


R.T.: 3.395 min
Delta R.T.: -0.001 min
Response: 1168443982
Conc: 51.11 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.331 min
Delta R.T.: 0.000 min
Response: 240394743
Conc: 57.41 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.731 min
Delta R.T.: -0.001 min
Response: 1079066532
Conc: 50.10 ng/ml




#4 Heptachlor

R.T.: 4.931 min
Delta R.T.: 0.000 min
Response: 225860079
Conc: 55.92 ng/ml



#4 Heptachlor


R.T.: 4.085 min
Delta R.T.: -0.001 min
Response: 1042197984
Conc: 48.71 ng/ml



#5 Aldrin


R.T.: 5.273 min
Delta R.T.: 0.000 min
Response: 226763338
Conc: 57.41 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.371 min
Delta R.T.: -0.001 min
Response: 1085440542
Conc: 52.18 ng/ml




#6 beta-BHC

R.T.: 4.516 min
Delta R.T.: 0.000 min
Response: 91376121
Conc: 56.29 ng/ml



#6 beta-BHC


R.T.: 4.027 min
Delta R.T.: -0.001 min
Response: 463511336
Conc: 50.09 ng/ml



#7 delta-BHC


R.T.: 4.764 min
Delta R.T.: 0.000 min
Response: 237559333
Conc: 57.59 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.264 min
Delta R.T.: -0.001 min
Response: 1077889954
Conc: 50.70 ng/ml




#8 Heptachlor epoxide

R.T.: 5.692 min
Delta R.T.: 0.000 min
Response: 198463735
Conc: 55.53 ng/ml



#8 Heptachlor epoxide


R.T.: 4.875 min
Delta R.T.: -0.002 min
Response: 935999820
Conc: 49.54 ng/ml



#9 Endosulfan I


R.T.: 6.076 min
Delta R.T.: 0.000 min
Response: 190209766
Conc: 56.32 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.249 min
Delta R.T.: -0.002 min
Response: 743540742
Conc: 41.28 ng/ml




#10 gamma-Chlordane

R.T.: 5.947 min
Delta R.T.: 0.000 min
Response: 213310829
Conc: 58.89 ng/ml



#10 gamma-Chlordane


R.T.: 5.128 min
Delta R.T.: -0.001 min
Response: 1003859124
Conc: 49.46 ng/ml



#11 alpha-Chlordane


R.T.: 6.028 min
Delta R.T.: 0.000 min
Response: 203543982
Conc: 56.39 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.193 min
Delta R.T.: -0.001 min
Response: 958552081
Conc: 48.90 ng/ml




#12 4,4'-DDE

R.T.: 6.197 min
Delta R.T.: 0.000 min
Response: 176408865
Conc: 53.49 ng/ml



#12 4,4'-DDE


R.T.: 5.378 min
Delta R.T.: -0.001 min
Response: 1023971654
Conc: 51.99 ng/ml



#13 Dieldrin


R.T.: 6.349 min
Delta R.T.: 0.000 min
Response: 199838346
Conc: 56.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.515 min
Delta R.T.: -0.001 min
Response: 976894319
Conc: 49.01 ng/ml




#14 Endrin

R.T.: 6.576 min
Delta R.T.: 0.000 min
Response: 161647351
Conc: 54.20 ng/ml



#14 Endrin


R.T.: 5.792 min
Delta R.T.: 0.000 min
Response: 898909263
Conc: 49.38 ng/ml



#15 Endosulfan II


R.T.: 6.787 min
Delta R.T.: 0.000 min
Response: 167271788
Conc: 53.51 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.083 min
Delta R.T.: -0.001 min
Response: 834668913
Conc: 47.64 ng/ml




#16 4,4'-DDD

R.T.: 6.706 min
Delta R.T.: 0.000 min
Response: 145467124
Conc: 57.84 ng/ml



#16 4,4'-DDD


R.T.: 5.932 min
Delta R.T.: -0.002 min
Response: 807347804
Conc: 49.27 ng/ml



#17 4,4'-DDT


R.T.: 7.022 min
Delta R.T.: 0.000 min
Response: 132761840
Conc: 47.80 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.186 min
Delta R.T.: -0.002 min
Response: 755689724
Conc: 44.41 ng/ml




#18 Endrin aldehyde

R.T.: 6.916 min
Delta R.T.: 0.000 min
Response: 118255006
Conc: 51.24 ng/ml



#18 Endrin aldehyde


R.T.: 6.261 min
Delta R.T.: -0.001 min
Response: 602785878
Conc: 45.32 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.150 min
Delta R.T.: 0.000 min
Response: 151431917
Conc: 52.66 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.485 min
Delta R.T.: -0.001 min
Response: 786996531
Conc: 45.93 ng/ml




#20 Methoxychlor

R.T.: 7.494 min
Delta R.T.: 0.000 min
Response: 69403901
Conc: 46.28 ng/ml



#20 Methoxychlor


R.T.: 6.757 min
Delta R.T.: -0.001 min
Response: 390378374
Conc: 42.80 ng/ml



#21 Endrin ketone


R.T.: 7.631 min
Delta R.T.: 0.000 min
Response: 160414785
Conc: 51.97 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.994 min
Delta R.T.: 0.000 min
Response: 835797313
Conc: 44.69 ng/ml




#22 Mirex

R.T.: 8.115 min
Delta R.T.: 0.000 min
Response: 114754638
Conc: 48.87 ng/ml



#22 Mirex


R.T.: 7.189 min
Delta R.T.: -0.001 min
Response: 643398741
Conc: 43.41 ng/ml



#23 Chlordane-1


R.T.: 0.000 min
Exp R.T.: 4.717 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#23 Chlordane-1

R.T.: 3.896 min
Delta R.T.: -0.013 min
Response: 2489858
Conc: 3.11 ng/ml




#24 Chlordane-2

R.T.: 5.273 min
Delta R.T.: 0.029 min
Response: 22676338
Conc: 1361.71 ng/ml



#24 Chlordane-2


R.T.: 4.509 min
Delta R.T.: 0.019 min
Response: 111370108
Conc: 134.94 ng/ml



#25 Chlordane-3


R.T.: 5.947 min
Delta R.T.: -0.001 min
Response: 213310829
Conc: 316.24 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#25 Chlordane-3

R.T.: 5.128 min
Delta R.T.: -0.001 min
Response: 1003859124
Conc: 396.93 ng/ml




#26 Chlordane-4

R.T.: 6.028 min
Delta R.T.: -0.006 min
Response: 203543982
Conc: 249.65 ng/ml



#26 Chlordane-4


R.T.: 5.193 min
Delta R.T.: -0.001 min
Response: 958552081
Conc: 448.31 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T.: 6.873 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#27 Chlordane-5

R.T.: 6.083 min
Delta R.T.: -0.011 min
Response: 834668913
Conc: 864.47 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.075 min
Delta R.T.: 0.000 min
Response: 165327093
Conc: 49.98 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.076 min
Delta R.T.: -0.001 min
Response: 741181643
Conc: 40.11 ng/ml