

Instrument ID: ECD_S

Daily Analysis Runlog For Sequence/QC Batch ID # PS042325

Review By	Abdul	Review On	4/24/2025 8:51:25 AM
Supervise By	mohammad	Supervise On	4/26/2025 2:18:24 AM
SubDirectory	PS042325	HP Acquire Method	HP Processing Method ps042325 8151
STD. NAME	STD REF.#		
Tune/Reschk Initial Calibration Stds	PP24064,PP24065,PP24066,PP24067,PP24068		
CCC Internal Standard/PEM	PP24066		
ICV/I.BLK Surrogate Standard MS/MSD Standard LCS Standard	PP24069,PP24070		

Sr#	SampleId	Data File Name	Date-Time	Operator	Status
1	HEXANE	PS029917.D	23 Apr 2025 10:13	AR\AJ	Ok
2	I.BLK	PS029918.D	23 Apr 2025 10:37	AR\AJ	Ok
3	HSTDICC200	PS029919.D	23 Apr 2025 11:01	AR\AJ	Ok,M
4	HSTDICC500	PS029920.D	23 Apr 2025 11:25	AR\AJ	Ok,M
5	HSTDICC750	PS029921.D	23 Apr 2025 11:49	AR\AJ	Ok,M
6	HSTDICC1000	PS029922.D	23 Apr 2025 12:13	AR\AJ	Ok,M
7	HSTDICC1500	PS029923.D	23 Apr 2025 12:37	AR\AJ	Ok,M
8	HSTDICV750	PS029924.D	23 Apr 2025 13:01	AR\AJ	Ok,M
9	I.BLK	PS029925.D	23 Apr 2025 13:25	AR\AJ	Ok
10	HSTDCCC750	PS029926.D	23 Apr 2025 13:50	AR\AJ	Ok,M
11	Q1842-06	PS029927.D	23 Apr 2025 14:14	AR\AJ	Ok
12	Q1842-12	PS029928.D	23 Apr 2025 14:38	AR\AJ	Ok
13	Q1842-18	PS029929.D	23 Apr 2025 15:02	AR\AJ	Ok
14	Q1842-24	PS029930.D	23 Apr 2025 15:26	AR\AJ	Ok
15	Q1842-30	PS029931.D	23 Apr 2025 15:50	AR\AJ	Ok
16	Q1842-36	PS029932.D	23 Apr 2025 16:14	AR\AJ	Ok
17	Q1842-42	PS029933.D	23 Apr 2025 16:38	AR\AJ	Ok
18	I.BLK	PS029934.D	23 Apr 2025 17:02	AR\AJ	Ok
19	HSTDCCC750	PS029935.D	23 Apr 2025 17:26	AR\AJ	Ok,M
20	Q1842-06MS	PS029936.D	23 Apr 2025 18:14	AR\AJ	Ok,M
21	Q1842-06MSD	PS029937.D	23 Apr 2025 18:38	AR\AJ	Ok,M

Instrument ID: ECD_S

Daily Analysis Runlog For Sequence/QC Batch ID # PS042325

Review By	Abdul	Review On	4/24/2025 8:51:25 AM
Supervise By	mohammad	Supervise On	4/26/2025 2:18:24 AM
SubDirectory	PS042325	HP Acquire Method	HP Processing Method ps042325 8151
STD. NAME	STD REF.#		
Tune/Reschk Initial Calibration Stds	PP24064,PP24065,PP24066,PP24067,PP24068		
CCC Internal Standard/PEM	PP24066		
ICV/I.BLK Surrogate Standard MS/MSD Standard LCS Standard	PP24069,PP24070		

22	PB167675BS	PS029938.D	23 Apr 2025 19:02	AR\AJ	Ok,M
23	PB167701BL	PS029939.D	23 Apr 2025 19:27	AR\AJ	Ok
24	PB167701BS	PS029940.D	23 Apr 2025 19:51	AR\AJ	Ok,M
25	PB167660TB	PS029941.D	23 Apr 2025 20:15	AR\AJ	Ok
26	I.BLK	PS029942.D	23 Apr 2025 20:39	AR\AJ	Ok
27	HSTDCCC750	PS029943.D	23 Apr 2025 21:03	AR\AJ	Ok,M
28	PB167710BL	PS029944.D	23 Apr 2025 21:51	AR\AJ	Ok
29	PB167710BS	PS029945.D	23 Apr 2025 22:15	AR\AJ	Ok,M
30	Q1850-01	PS029946.D	23 Apr 2025 22:39	AR\AJ	Ok
31	Q1852-01	PS029947.D	23 Apr 2025 23:03	AR\AJ	Ok
32	Q1852-03	PS029948.D	23 Apr 2025 23:27	AR\AJ	Ok
33	Q1852-05	PS029949.D	23 Apr 2025 23:51	AR\AJ	Ok,M
34	Q1852-07	PS029950.D	24 Apr 2025 00:15	AR\AJ	Ok,M
35	Q1852-07MS	PS029951.D	24 Apr 2025 00:39	AR\AJ	Ok,M
36	Q1852-07MSD	PS029952.D	24 Apr 2025 01:03	AR\AJ	Ok,M
37	I.BLK	PS029953.D	24 Apr 2025 01:27	AR\AJ	Ok
38	HSTDCCC750	PS029954.D	24 Apr 2025 04:15	AR\AJ	Ok,M

M : Manual Integration

Instrument ID: ECD_S

Daily Analysis Runlog For Sequence/QC Batch ID # PS050625

Review By	Abdul	Review On	5/6/2025 3:18:05 PM
Supervise By	yogesh	Supervise On	5/7/2025 9:52:52 AM
SubDirectory	PS050625	HP Acquire Method	HP Processing Method ps042325 8151
STD. NAME	STD REF.#		
Tune/Reschk Initial Calibration Stds	PP24064,PP24065,PP24066,PP24067,PP24068		
CCC Internal Standard/PEM ICV/I.BLK Surrogate Standard MS/MSD Standard LCS Standard	PP24066 PP24069,PP24070		

Sr#	SampleId	Data File Name	Date-Time	Operator	Status
1	HEXANE	PS030050.D	06 May 2025 08:34	AR\AJ	Ok
2	I.BLK	PS030051.D	06 May 2025 08:58	AR\AJ	Ok
3	HSTDCCC750	PS030052.D	06 May 2025 09:50	AR\AJ	Ok,NS
4	Q1929-03	PS030053.D	06 May 2025 11:27	AR\AJ	Ok,NS
5	Q1929-07	PS030054.D	06 May 2025 12:09	AR\AJ	Ok
6	Q1929-11	PS030055.D	06 May 2025 12:33	AR\AJ	Ok
7	PB167871BL	PS030056.D	06 May 2025 13:03	AR\AJ	Ok
8	PB167871BS	PS030057.D	06 May 2025 13:27	AR\AJ	Ok,NS
9	I.BLK	PS030058.D	06 May 2025 13:51	AR\AJ	Ok
10	HSTDCCC750	PS030059.D	06 May 2025 14:15	AR\AJ	Ok,NS
11	PB167774TB	PS030060.D	06 May 2025 14:40	AR\AJ	Ok
12	PB167815TB	PS030061.D	06 May 2025 15:04	AR\AJ	Ok
13	Q1901-08	PS030062.D	06 May 2025 15:28	AR\AJ	Ok
14	Q1901-08MS	PS030063.D	06 May 2025 15:52	AR\AJ	Ok,NS
15	Q1901-08MSD	PS030064.D	06 May 2025 16:16	AR\AJ	Ok,NS
16	Q1901-09	PS030065.D	06 May 2025 16:40	AR\AJ	Ok
17	Q1901-10	PS030066.D	06 May 2025 17:04	AR\AJ	Ok
18	Q1901-11	PS030067.D	06 May 2025 17:28	AR\AJ	Ok
19	Q1907-02	PS030068.D	06 May 2025 17:52	AR\AJ	Ok
20	I.BLK	PS030069.D	06 May 2025 18:16	AR\AJ	Ok
21	HSTDCCC750	PS030070.D	06 May 2025 18:40	AR\AJ	Ok,NS

M : Manual Integration