

Analytical Sequence

Client: Walsh Construction Company II, LLC	SDG No.: Q1907
Project: Walsh CO-032 Sampling	Instrument ID: ECD_D
GC Column: ZB-MR1	ID: 0.32 (mm) Inst. Calib. Date(s): 04/18/2025 04/18/2025

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

EPA SAMPLE NO.	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCB RT #	TCX RT #
IBLK	IBLK	04/18/2025	13:15	PD088121.D	9.07	3.55
PEM	PEM	04/18/2025	13:29	PD088122.D	9.08	3.55
RESCHK	RESCHK	04/18/2025	13:43	PD088123.D	9.08	3.55
PSTDICC100	PSTDICC100	04/18/2025	13:56	PD088124.D	9.08	3.55
PSTDICC075	PSTDICC075	04/18/2025	14:10	PD088125.D	9.07	3.55
PSTDICC050	PSTDICC050	04/18/2025	14:24	PD088126.D	9.08	3.55
PSTDICC025	PSTDICC025	04/18/2025	14:37	PD088127.D	9.08	3.55
PSTDICC005	PSTDICC005	04/18/2025	14:51	PD088128.D	9.08	3.55
PCHLORICC500	PCHLORICC500	04/18/2025	15:32	PD088131.D	9.07	3.55
PTOXICC500	PTOXICC500	04/18/2025	16:40	PD088136.D	9.07	3.55
PEM	PEM	05/01/2025	09:55	PD088365.D	9.07	3.55
IBLK	IBLK	05/01/2025	11:56	PD088368.D	9.07	3.55
PSTDCCC050	PSTDCCC050	05/01/2025	12:09	PD088369.D	9.07	3.55
PB167820BL	PB167820BL	05/01/2025	13:39	PD088370.D	9.09	3.56
PB167820BS	PB167820BS	05/01/2025	13:53	PD088371.D	9.08	3.55
PB167774TB	PB167774TB	05/01/2025	14:06	PD088372.D	9.07	3.55
B-167-SB01MS	Q1901-08MS	05/01/2025	15:15	PD088377.D	9.07	3.55
B-167-SB01MSD	Q1901-08MSD	05/01/2025	15:28	PD088378.D	9.07	3.55
CO-8R-WC	Q1907-02	05/01/2025	16:23	PD088382.D	9.07	3.55
IBLK	IBLK	05/01/2025	16:37	PD088383.D	9.07	3.55
PSTDCCC050	PSTDCCC050	05/01/2025	17:19	PD088384.D	9.08	3.55

Analytical Sequence

Client: Walsh Construction Company II, LLC	SDG No.: Q1907
Project: Walsh CO-032 Sampling	Instrument ID: ECD_D
GC Column: ZB-MR2	ID: 0.32 (mm) Inst. Calib. Date(s): 04/18/2025 04/18/2025

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

EPA SAMPLE NO.	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCB RT #	TCX RT #
IBLK	IBLK	04/18/2025	13:15	PD088121.D	8.08	2.88
PEM	PEM	04/18/2025	13:29	PD088122.D	8.08	2.88
RESCHK	RESCHK	04/18/2025	13:43	PD088123.D	8.08	2.88
PSTDICC100	PSTDICC100	04/18/2025	13:56	PD088124.D	8.09	2.90
PSTDICC075	PSTDICC075	04/18/2025	14:10	PD088125.D	8.08	2.88
PSTDICC050	PSTDICC050	04/18/2025	14:24	PD088126.D	8.08	2.88
PSTDICC025	PSTDICC025	04/18/2025	14:37	PD088127.D	8.08	2.88
PSTDICC005	PSTDICC005	04/18/2025	14:51	PD088128.D	8.08	2.88
PCHLORICC500	PCHLORICC500	04/18/2025	15:32	PD088131.D	8.08	2.88
PTOXICC500	PTOXICC500	04/18/2025	16:40	PD088136.D	8.08	2.88
PEM	PEM	05/01/2025	09:55	PD088365.D	8.07	2.88
IBLK	IBLK	05/01/2025	11:56	PD088368.D	8.08	2.88
PSTDCCC050	PSTDCCC050	05/01/2025	12:09	PD088369.D	8.08	2.88
PB167820BL	PB167820BL	05/01/2025	13:39	PD088370.D	8.08	2.88
PB167820BS	PB167820BS	05/01/2025	13:53	PD088371.D	8.08	2.88
PB167774TB	PB167774TB	05/01/2025	14:06	PD088372.D	8.07	2.88
B-167-SB01MS	Q1901-08MS	05/01/2025	15:15	PD088377.D	8.08	2.88
B-167-SB01MSD	Q1901-08MSD	05/01/2025	15:28	PD088378.D	8.08	2.88
CO-8R-WC	Q1907-02	05/01/2025	16:23	PD088382.D	8.08	2.88
IBLK	IBLK	05/01/2025	16:37	PD088383.D	8.08	2.88
PSTDCCC050	PSTDCCC050	05/01/2025	17:19	PD088384.D	8.08	2.88