

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY043025\
 Data File : VY022070.D
 Acq On : 30 Apr 2025 09:20
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: May 01 01:30:33 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y042225S.M
 Quant Title : SW846 8260
 QLast Update : Wed Apr 23 02:30:30 2025
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	93	0.00
2 T	Dichlorodifluoromethane	0.426	0.361	15.3	86	0.00
3 P	Chloromethane	0.607	0.597	1.6	92	0.00
4 C	Vinyl Chloride	0.745	0.723	3.0#	92	0.00
5 T	Bromomethane	0.642	0.627	2.3	98	0.00
6 T	Chloroethane	0.508	0.502	1.2	95	0.00
7 T	Trichlorofluoromethane	0.983	0.946	3.8	92	0.00
8 T	Diethyl Ether	0.256	0.232	9.4	87	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.533	0.496	6.9	94	0.00
10 T	Methyl Iodide	0.617	0.588	4.7	87	0.00
11 T	Tert butyl alcohol	0.025	0.024	4.0	84	0.00
12 CM	1,1-Dichloroethene	0.497	0.459	7.6#	91	0.00
13 T	Acrolein	0.046	0.037	19.6	80	0.00
14 T	Allyl chloride	0.579	0.524	9.5	88	0.00
15 T	Acrylonitrile	0.094	0.091	3.2	91	0.00
16 T	Acetone	0.070	0.061	12.9	89	0.00
17 T	Carbon Disulfide	1.585	1.443	9.0	90	0.00
18 T	Methyl Acetate	0.216	0.257	-19.0	107	0.00
19 T	Methyl tert-butyl Ether	1.113	1.095	1.6	90	0.00
20 T	Methylene Chloride	0.584	0.519	11.1	91	0.00
21 T	trans-1,2-Dichloroethene	0.557	0.526	5.6	92	0.00
22 T	Diisopropyl ether	1.288	1.261	2.1	91	0.00
23 T	Vinyl Acetate	0.694	0.670	3.5	87	0.00
24 P	1,1-Dichloroethane	0.893	0.845	5.4	92	0.00
25 T	2-Butanone	0.105	0.102	2.9	90	0.00
26 T	2,2-Dichloropropane	0.782	0.754	3.6	95	0.00
27 T	cis-1,2-Dichloroethene	0.622	0.600	3.5	91	0.00
28 T	Bromochloromethane	0.347	0.344	0.9	93	0.00
29 T	Tetrahydrofuran	0.068	0.069	-1.5	88	0.00
30 C	Chloroform	0.990	0.980	1.0#	95	0.00
31 T	Cyclohexane	0.763	0.696	8.8	92	0.00
32 T	1,1,1-Trichloroethane	0.896	0.866	3.3	95	0.00
33 S	1,2-Dichloroethane-d4	0.462	0.441	4.5	88	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	88	0.00
35 S	Dibromofluoromethane	0.330	0.337	-2.1	90	0.00
36 T	1,1-Dichloropropene	0.444	0.448	-0.9	92	0.00
37 T	Ethyl Acetate	0.159	0.162	-1.9	88	0.00
38 T	Carbon Tetrachloride	0.530	0.543	-2.5	94	0.00
39 T	Methylcyclohexane	0.558	0.556	0.4	89	0.00
40 TM	Benzene	1.387	1.433	-3.3	94	0.00
41 T	Methacrylonitrile	0.087	0.092	-5.7	87	0.00
42 TM	1,2-Dichloroethane	0.343	0.359	-4.7	94	0.00
43 T	Isopropyl Acetate	0.306	0.310	-1.3	87	0.00
44 TM	Trichloroethene	0.384	0.385	-0.3	92	0.00
45 C	1,2-Dichloropropane	0.307	0.321	-4.6#	94	0.00
46 T	Dibromomethane	0.192	0.206	-7.3	96	0.00
47 T	Bromodichloromethane	0.480	0.508	-5.8	95	0.00
48 T	Methyl methacrylate	0.141	0.154	-9.2	90	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY043025\
 Data File : VY022070.D
 Acq On : 30 Apr 2025 09:20
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: May 01 01:30:33 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y042225S.M
 Quant Title : SW846 8260
 QLast Update : Wed Apr 23 02:30:30 2025
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	0.002	0.002	0.0	100	0.00
50 S	Toluene-d8	1.245	1.278	-2.7	88	0.00
51 T	4-Methyl-2-Pentanone	0.160	0.181	-13.1	92	0.00
52 CM	Toluene	0.898	0.944	-5.1#	93	0.00
53 T	t-1,3-Dichloropropene	0.411	0.436	-6.1	92	0.00
54 T	cis-1,3-Dichloropropene	0.489	0.515	-5.3	93	0.00
55 T	1,1,2-Trichloroethane	0.256	0.278	-8.6	95	0.00
56 T	Ethyl methacrylate	0.293	0.322	-9.9	89	0.00
57 T	1,3-Dichloropropane	0.411	0.437	-6.3	94	0.00
58 T	2-Chloroethyl Vinyl ether	0.143	0.163	-14.0	89	0.00
59 T	2-Hexanone	0.106	0.121	-14.2	92	0.00
60 T	Dibromochloromethane	0.355	0.394	-11.0	98	0.00
61 T	1,2-Dibromoethane	0.242	0.266	-9.9	97	0.00
62 S	4-Bromofluorobenzene	0.419	0.436	-4.1	90	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	92	0.00
64 T	Tetrachloroethene	0.472	0.424	10.2	85	0.00
65 PM	Chlorobenzene	1.118	1.125	-0.6	95	0.00
66 T	1,1,1,2-Tetrachloroethane	0.394	0.408	-3.6	97	0.00
67 C	Ethyl Benzene	1.829	1.863	-1.9#	93	0.00
68 T	m/p-Xylenes	0.728	0.766	-5.2	96	0.00
69 T	o-Xylene	0.671	0.703	-4.8	94	0.00
70 T	Styrene	1.126	1.213	-7.7	95	0.00
71 P	Bromoform	0.229	0.245	-7.0	98	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	95	0.00
73 T	Isopropylbenzene	3.341	3.262	2.4	93	0.00
74 T	N-amyl acetate	0.574	0.534	7.0	86	0.00
75 P	1,1,2,2-Tetrachloroethane	0.563	0.583	-3.6	101	0.00
76 T	1,2,3-Trichloropropane	0.428	0.420	1.9	99	0.00
77 T	Bromobenzene	0.844	0.834	1.2	96	0.00
78 T	n-propylbenzene	3.978	3.933	1.1	94	0.00
79 T	2-Chlorotoluene	2.314	2.257	2.5	94	0.00
80 T	1,3,5-Trimethylbenzene	2.752	2.778	-0.9	94	0.00
81 T	trans-1,4-Dichloro-2-butene	0.178	0.177	0.6	95	0.00
82 T	4-Chlorotoluene	2.405	2.379	1.1	95	0.00
83 T	tert-Butylbenzene	2.468	2.498	-1.2	95	0.00
84 T	1,2,4-Trimethylbenzene	2.753	2.837	-3.1	97	0.00
85 T	sec-Butylbenzene	3.612	3.582	0.8	94	0.00
86 T	p-Isopropyltoluene	3.067	3.088	-0.7	95	0.00
87 T	1,3-Dichlorobenzene	1.714	1.713	0.1	99	0.00
88 T	1,4-Dichlorobenzene	1.698	1.666	1.9	98	0.00
89 T	n-Butylbenzene	2.742	2.703	1.4	94	0.00
90 T	Hexachloroethane	0.674	0.657	2.5	98	0.00
91 T	1,2-Dichlorobenzene	1.495	1.499	-0.3	98	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.090	0.085	5.6	96	0.00
93 T	1,2,4-Trichlorobenzene	0.847	0.852	-0.6	98	0.00
94 T	Hexachlorobutadiene	0.521	0.512	1.7	101	0.00
95 T	Naphthalene	1.408	1.458	-3.6	96	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY043025\
Data File : VY022070.D
Acq On : 30 Apr 2025 09:20
Operator : SY/MD
Sample : VSTDCCC050
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_Y
LabSampleId :
VSTDCCC050

Quant Time: May 01 01:30:33 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y042225S.M
Quant Title : SW846 8260
QLast Update : Wed Apr 23 02:30:30 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	0.731	0.750	-2.6	101	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6