



SHIPPING DOCUMENTS

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|----------------|--------------------------|-------------------------|---|------------------------------------|----------------------------|---------------------------|--|-----------------------------------|--------------|--------------|--------------------------------|----------------------------------|-------------------|-------|---------------------|--------------------|----------|--|--|--|--|--|--|--|--|--|--|--|--|
| Client Contact Information | | | | Bottle Order ID : B2504043 | | | | Courier : | | | | <u>3</u> of <u>3</u> COCs | | | | | | | | | | | | | | | | | | |
| Client ID : RMJE02 | | | | Project ID : NJ Cleanup | | | | Sampler Name(s) : | | | | Analysis | | Matrix | | | | | | | | | | | | | | | | |
| Customer Name : RMJ Environomics, Inc. Address : 190 Parish Drive City : Wayne State : NJ Zip Code : 07470 Country : | | | | Project Manager : Jonathan pereira | | | | AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified | | | | | | | | | | | | | | | | | | | | | | |
| | | | | Phone Number : 973-633-0020 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | Fax Number : 9736330019 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | Site Details: | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | Analysis Turnaround Time | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Standard : 10 business days | | | | OR | | | | Data Package Type : | | | | | | | | | | | | | | | | | | | | | | |
| Rush (Specify): Days | | | | EDD Type : | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sample Identification | Sample Date(s) | Time Start (24 hr Clock) | Time Stop (24 hr Clock) | Can Vacuum in Field ("Hg) (Start) | Can Vacuum in Field ("Hg) (Stop)** | Interior Temp. (F) (Start) | Interior Temp. (F) (Stop) | Out going Can Pressure ("Hg)(Lab) | In coming Can Pressure ("Hg)(Lab) | Flow Reg. ID | Can ID | | Flow Controller Readout (ml/min) | Can Cert ID | TO-15 | | Indoor/Ambinet Air | Soil Gas | | | | | | | | | | | | |
| B-3 | 4/28 | 1340 | 1355 | -30 | -5 | 60°F | 61°F | -30 | -5.1 | 10615 | 10297 | 6 L | 400 | VL042399.D | | | | | | | | | | | | | | | | |
| Temperature (Fahrenheit) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table> | | | | | | | | | | | Ambient | Maximum | Minimum | Start | | | | Stop | | | | GC/MS Analyst Signature (TO-15) <div style="border: 1px solid black; padding: 5px; display: inline-block;"> </div> | | | | | | | | |
| | Ambient | Maximum | Minimum | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Start | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Stop | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pressure (Inches of Hg) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table> | | | | | | | | | | | Ambient | Maximum | Minimum | Start | | | | Stop | | | | ** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC. | | | | | | | | |
| | Ambient | Maximum | Minimum | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Start | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Stop | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Special Instructions/QC Requirements & Comments : | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Suspected Contamination: High Medium Low PID Readings: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sampling site (State): | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Quick Connector required : NO | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Canisters Shipped by: Sam | | | | Date/Time: 4/28/25 | | | | Canisters Received by: | | | | Date/Time: 4/28/25 1430 | | | | B2504043 - 1 | | | | | | | | | | | | | | |
| Samples Relinquished by: | | | | Date/Time: | | | | Received by: | | | | Date/Time: | | | | | | | | | | | | | | | | | | |
| Relinquished by: | | | | Date/Time: | | | | Received by: | | | | Date/Time: | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | |
|--|----------------|--------------------------|-------------------------|---|------------------------------------|----------------------------|---------------------------|--|-----------------------------------|--|--------|--------------------------------|----------------------------------|-------------|-------|---------------------|--|--|--|--------------------|----------|
| Client Contact Information | | | | Bottle Order ID : B2504043 | | | | Courier : | | | | <u>2</u> of <u>3</u> COCs | | | | | | | | | |
| Client ID : RMJE02 Project ID : NJ Cleanup | | | | Sampler Name(s) : | | | | Analysis | | | | Matrix | | | | | | | | | |
| Customer Name : RMJ Environomics, Inc. Address : 190 Parish Drive City : Wayne State : NJ Zip Code : 07470 Country : | | | | Project Manager : Jonathan pereira | | | | AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified | | | | | | | | | | | | | |
| | | | | Phone Number : 973-633-0020 | | | | | | | | | | | | | | | | | |
| | | | | Fax Number : 9736330019 | | | | | | | | | | | | | | | | | |
| | | | | Site Details: | | | | | | | | | | | | | | | | | |
| | | | | Analysis Turnaround Time | | | | | | | | | | | | | | | | | |
| | | | | Standard : 10 business days OR | | | | Data Package Type : | | | | | | | | | | | | | |
| Country : | | | | Rush (Specify): <u> </u> Days | | | | EDD Type : | | | | | | | | | | | | | |
| Sample Identification | Sample Date(s) | Time Start (24 hr Clock) | Time Stop (24 hr Clock) | Can Vacuum in Field ("Hg) (Start) | Can Vacuum in Field ("Hg) (Stop)** | Interior Temp. (F) (Start) | Interior Temp. (F) (Stop) | Out going Can Pressure ("Hg)(Lab) | In coming Can Pressure ("Hg)(Lab) | Flow Reg. ID | Can ID | | Flow Controller Readout (ml/min) | Can Cert ID | TO-15 | | | | | Indoor/Ambinet Air | Soil Gas |
| B-2 | 4/28 | 1335 | 1350 | -30 | -7 | 61°F | 62°F | -30 | -5.5 | 10533 | 10595 | 6 L | 400 | VL042330.D | | | | | | | |
| Temperature (Fahrenheit) | | | | | | | | | | GC/MS Analyst Signature (TO-15) Sut | | | | | | | | | | | |
| | | Ambient | Maximum | Minimum | | | | | | | | | | | | | | | | | |
| Start | | | | | | | | | | | | | | | | | | | | | |
| Stop | | | | | | | | | | | | | | | | | | | | | |
| Pressure (Inches of Hg) | | | | | | | | | | ** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC. | | | | | | | | | | | |
| | | Ambient | Maximum | Minimum | | | | | | | | | | | | | | | | | |
| Start | | | | | | | | | | | | | | | | | | | | | |
| Stop | | | | | | | | | | | | | | | | | | | | | |
| Special Instructions/QC Requirements & Comments : | | | | | | | | | | | | | | | | | | | | | |
| Suspected Contamination: High Medium Low PID Readings: | | | | | | | | | | | | | | | | | | | | | |
| Sampling site (State): | | | | | | | | | | | | | | | | | | | | | |
| Quick Connector required : <u>NO</u> | | | | | | | | | | | | | | | | | | | | | |
| Canisters Shipped by: <u>Sam</u> | | | | Date/Time: <u>04/28/25</u> | | | | Canisters Received by: <u>SAU</u> | | | | Date/Time: <u>4/28/25 1430</u> | | | | B2504043 - 2 | | | | | |
| Samples Relinquished by: | | | | Date/Time: | | | | Received by: | | | | Date/Time: | | | | | | | | | |
| Relinquished by: | | | | Date/Time: | | | | Received by: | | | | Date/Time: | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|----------------|--------------------------|-------------------------|-----------------------------------|------------------------------------|---|---------------------------|-----------------------------------|-----------------------------------|--|---------|--------------------------------|----------------------------------|-------------|-------|--------------------|----------|------|--|--|--|--|--|--|--|--|--|--|--|
| Client Contact Information | | | | | | Bottle Order ID : B2504043 | | | | Courier : | | | | 1 of 3 COCs | | | | | | | | | | | | | | | |
| Client ID : RMJE02 Project ID : NJ Cleanup | | | | | | Sampler Name(s) : | | | | Analysis | | | | Matrix | | | | | | | | | | | | | | | |
| Customer Name : RMJ Environomics, Inc. Address : 190 Parish Drive City : Wayne State : NJ Zip Code : 07470 Country : | | | | | | Project Manager : Jonathan pereira | | | | AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified | | | | | | | | | | | | | | | | | | | |
| | | | | | | Phone Number : 973-633-0020 | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | Fax Number : 9736330019 | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | Site Details: | | | | | | | | | | | | | | | | | | | | | | | |
| Analysis Turnaround Time | | | | | | Data Package Type : | | | | | | | | | | | | | | | | | | | | | | | |
| Standard : 10 business days OR | | | | | | EDD Type : | | | | | | | | | | | | | | | | | | | | | | | |
| Rush (Specify): Days | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sample Identification | Sample Date(s) | Time Start (24 hr Clock) | Time Stop (24 hr Clock) | Can Vacuum in Field ("Hg) (Start) | Can Vacuum in Field ("Hg) (Stop)** | Interior Temp. (F) (Start) | Interior Temp. (F) (Stop) | Out going Can Pressure ("Hg)(Lab) | In coming Can Pressure ("Hg)(Lab) | Flow Reg. ID | Can ID | | Flow Controller Readout (ml/min) | Can Cert ID | TO-15 | Indoor/Ambient Air | Soil Gas | | | | | | | | | | | | |
| B-1 | 4/28 | 1330 | 1345 | -30 | -6 | 62°F | 64°F | -30 | -6.3 | 10701 | 10598 | 6 L | 400 | VL042399.D | | | | | | | | | | | | | | | |
| Temperature (Fahrenheit) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table> | | | | | | | | | | | Ambient | Maximum | Minimum | Start | | | | Stop | | | | GC/MS Analyst Signature (TO-15) | | | | | | | |
| | Ambient | Maximum | Minimum | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Start | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Stop | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pressure (Inches of Hg) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table> | | | | | | | | | | | Ambient | Maximum | Minimum | Start | | | | Stop | | | | ** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC. | | | | | | | |
| | Ambient | Maximum | Minimum | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Start | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Stop | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Special Instructions/QC Requirements & Comments : | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Suspected Contamination: High Medium Low PID Readings: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sampling site (State): | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Quick Connector required : NO | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Canisters Shipped by: Sam | | | | Date/Time: 04/28/25 | | | | Canisters Received by: CAU | | | | Date/Time: 4/28/25 1430 | | | | | | | | | | | | | | | | | |
| Samples Relinquished by: | | | | Date/Time: | | | | Received by: | | | | Date/Time: | | | | | | | | | | | | | | | | | |
| Relinquished by: | | | | Date/Time: | | | | Received by: | | | | Date/Time: | | | | | | | | | | | | | | | | | |

Analyst Signature: [Signature]

Supervisor Signature: [Signature]

Pressure Gauge ID: A755971

[illegible]

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: B-2

Client Name: RMJE02

Project Name:

Date: 4-28-25 Time: 1350

Analysis:

Comments:

Storage Location: L51

Sample: Q1908-02

Cust #: B-2

CHEMTECH'S SAMPLE

Date Received:

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: B-1

Client Name: RMJE02

Project Name:

Date: 4-28-25 Time: 1345

Analysis:

Comments:

Storage Location: L51

Sample: Q1908-01

Cust #: B-1

CHEMTECH'S SAMPLE

Date Received:

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: B-3

Client Name: RMJE02

Project Name:

Date: 4-28-25

Analysis:

Comments:

CHEMTECH'S SAMPLE

Date Received:

Storage Location: L51
Sample: Q1908-03
Cust #: B-3

Laboratory Certification

| Certified By | License No. |
|----------------------|------------------|
| | |
| CAS EPA CLP Contract | 68HERH20D0011 |
| | |
| Connecticut | PH-0830 |
| | |
| DOD ELAP (ANAB) | L2219 |
| | |
| Maine | 2024021 |
| | |
| Maryland | 296 |
| | |
| New Hampshire | 255424 Rev 1 |
| | |
| New Jersey | 20012 |
| | |
| New York | 11376 |
| | |
| Pennsylvania | 68-00548 |
| | |
| Soil Permit | 525-24-234-08441 |
| | |
| Texas | T104704488 |

Internal Chain of Custody

Instructions: Use 1 form for each 20 samples of aliquot

Laboratory Person Breaking Field Seal on Sample Shuttle & Accepting Responsibility for Sample

Laboratory: Chemtech

Location: 284 Sheffield Street, Mountainside, NJ 7092

GORE

Title: Sample Custodian

Field Sample Seal No.: Q1908



Date Broken 4/29/2025

Military Time Seal Broken: 14:30:00

Case No.: 32 Park St Orange NJ

Analytical Parameter/Fraction TO-15

| Sample No. | Aliquot/Extract No. | Sample No. | Aliquot/Extract No. |
|------------|---------------------|------------|---------------------|
| Q1908-01 | B-1 | | |
| Q1908-02 | B-2 | | |
| Q1908-03 | B-3 | | |
| | | | |

| Date | Time | Relinquished By | | Received By | | Purpose of Change of Custody |
|------|------|-----------------|---|--------------|---|------------------------------|
| 4/29 | 1045 | Signature |  | Signature |  | |
| | | Printed Name | GORE N | Printed Name | Sam S. G. G. G. | |
| | | Signature | | Signature | | |
| | | Printed Name | | Printed Name | | |
| | | Signature | | Signature | | |
| | | Printed Name | | Printed Name | | |
| | | Signature | | Signature | | |
| | | Printed Name | | Printed Name | | |
| | | Signature | | Signature | | |
| | | Printed Name | | Printed Name | | |
| | | Signature | | Signature | | |
| | | Printed Name | | Printed Name | | |
| | | Signature | | Signature | | |
| | | Printed Name | | Printed Name | | |

Distribution: White - Original (Sent With Report)

Yellow - Contractor Archive

Pink - Sample Custodian - Interim Copy