

SOP ID : M9010C-Total, Amenable and Reactive Cyanide-19

SDG No : N/A

Start Digest Date: 04/30/2025 Time : 08:50 Temp : N/A

Matrix : WATER

End Digest Date: 04/30/2025 Time : 10:20 Temp : N/A

Pipette ID : N/A

Balance ID : N/A

Hood ID : HOOD#1

Digestion tube ID : M5595

Block Thermometer ID : N/A

Block ID : MC-1, MC-2

Filter paper ID : N/A

Prep Technician Signature: RM

Weigh By : N/A

pH Meter ID : N/A

Supervisor Signature: Z

Standardized Name	MLS USED	STD REF. # FROM LOG
PBW	50.0ML	W3112
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
0.25N NaOH	50.0ML	WP111294
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

LAB SAMPLE ID	CLIENT SAMPLE ID	Comment

Extraction Conformance/Non-Conformance Comments:

N/A

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
04/30/2025 10:35	RM (wc)	RM (wc)
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	Initial Vol (ml)	Final Vol (ml)	pH	Sulfide	Oxidizing	Nitrate/ Nitrite	Comment	Prep Pos
PB167802BL	PBW802	50	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1913-02DUP	WC-12-A-202504DUP	50	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1913-02	WC-12-A-202504	50	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1913-04	WC-13-A-202504	50	50	N/A	N/A	N/A	N/A	N/A	N/A