

SOP ID : M9030B-Sulfide-12

SDG No : N/A

Matrix : WATER

Pippete ID : WC

Balance ID : N/A

Hood ID : HOOD#1

Block ID : MC-1,MC-2

Weigh By : N/A

Start Digest Date: 05/01/2025 Time : 08:50 Temp : N/A

End Digest Date: 05/01/2025 Time : 10:20 Temp : N/A

Digestion tube ID : M5595

Block Thermometer ID : N/A

Filter paper ID : N/A

Prep Technician Signature: RM

pH Meter ID : N/A

Supervisor Signature:

Standardized Name	MLS USED	STD REF. # FROM LOG
PBW	50.0ML	W3112
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
0.5M ZINC ACETATE	5.0ML	WP111004
FORMALDEHYDE	2.0ML	W2725
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Extraction Conformance/Non-Conformance Comments:

N/A

05/01/2025 RM

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	Initial Vol (ml)	Final Vol (ml)	pH	Sulfide	Oxidizing	Nitrate/ Nitrite	Comment	Prep Pos
PB167824BL	PBW824	50	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1913-02DUP	WC-12-A-202504DUP	50	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1913-02	WC-12-A-202504	50	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1913-04	WC-13-A-202504	50	50	N/A	N/A	N/A	N/A	N/A	N/A