

SOP ID : M9012B-Total, Amenable and Reactive Cyanide-20

SDG No : N/A

Start Digest Date: 05/02/2025 **Time :** 13:20 **Temp :** N/A

Matrix : SOIL

End Digest Date: 05/02/2025 **Time :** 14:50 **Temp :** N/A

Pippete ID : N/A

Balance ID : WC SC-7

Hood ID : HOOD#1

Digestion tube ID : M5595

Block Thermometer ID : N/A

Block ID : MC-1, MC-2

Filter paper ID : N/A

Prep Technician Signature: *RM*

Weigh By : RM

pH Meter ID : N/A

Supervisor Signature: *JP*

Standardized Name	MLS USED	STD REF. # FROM LOG
PBS003	50.0ML	W3112
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
0.25N NaOH	50.0ML	WP111294
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

LAB SAMPLE ID	CLIENT SAMPLE ID	Comment

Extraction Conformance/Non-Conformance Comments:

N/A

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
05/02/2025 15:00	RM awc	RM awc
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	Initial Weight (g)	Final Vol (ml)	pH	Sulfide	Oxidizing	Nitrate/Nitrite	Comment	Prep Pos
PB167843BL	PBS843	5.00	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1913-01DUP	WC-12-S-202504DUP	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1913-01	WC-12-S-202504	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1913-03	WC-13-S-202504	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1947-04	MH-P	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1947-08	MH-O	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1951-04	MH-KK	5.02	50	N/A	N/A	N/A	N/A	N/A	N/A

2