

metals
- 14 -
ANALYSIS RUN LOG

Client: AECOM **Contract:** AECO02

Lab code: CHEM **Case no.:** Q1913 **Sas no.:** Q1913 **Sdg no.:** Q1913

Instrument id number: **Method:** **Run number:** LB135623

Start date: 05/01/2025 **End date:** 05/01/2025

Lab sample id.	Client Sample Id	d/f	Time	Parameter list
S0	S0	1	1117	HG
S0.2	S0.2	1	1119	HG
S2.5	S2.5	1	1122	HG
S5	S5	1	1126	HG
S7.5	S7.5	1	1131	HG
S10	S10	1	1136	HG
ICV112	ICV112	1	1147	HG
ICB112	ICB112	1	1149	HG
CCV62	CCV62	1	1158	HG
CCB62	CCB62	1	1201	HG
CRA	CRA	1	1205	HG
CCV63	CCV63	1	1249	HG
CCB63	CCB63	1	1251	HG
CCV64	CCV64	1	1319	HG
CCB64	CCB64	1	1323	HG
PB167807BL	PB167807BL	1	1330	HG
PB167807BS	PB167807BS	1	1342	HG
Q1913-02	WC-12-A-202504	1	1344	HG
Q1913-02DUP	WC-12-A-202504DUP	1	1346	HG
Q1913-02MS	WC-12-A-202504MS	1	1349	HG
Q1913-02MSD	WC-12-A-202504MSD	1	1351	HG
Q1913-04	WC-13-A-202504	1	1353	HG
CCV65	CCV65	1	1358	HG
CCB65	CCB65	1	1402	HG
CCV66	CCV66	1	1429	HG
CCB66	CCB66	1	1440	HG
PB167805TB	PB167805TB	1	1447	HG
Q1913-02L	WC-12-A-202504L	5	1502	HG
CCV67	CCV67	1	1523	HG
CCB67	CCB67	1	1525	HG

metals
- 14 -
ANALYSIS RUN LOG

Client: AECOM **Contract:** AECO02

Lab code: CHEM **Case no.:** Q1913 **Sas no.:** Q1913 **Sdg no.:** Q1913

Instrument id number: **Method:** **Run number:** LB135636

Start date: 05/01/2025 **End date:** 05/01/2025

Lab sample id.	Client Sample Id	d/f	Time	Parameter list
S0	S0	1	1227	Ag,As,Ba,Cd,Cr,Pb,Se
S1	S1	1	1231	Ag,As,Ba,Cd,Cr,Pb,Se
S2	S2	1	1236	Ag,As,Ba,Cd,Cr,Pb,Se
S3	S3	1	1240	Ag,As,Ba,Cd,Cr,Pb,Se
S4	S4	1	1244	Ag,As,Ba,Cd,Cr,Pb,Se
S5	S5	1	1248	Ag,As,Ba,Cd,Cr,Pb,Se
ICV01	ICV01	1	1344	Ag,As,Ba,Cd,Cr,Pb,Se
LLICV01	LLICV01	1	1401	Ag,As,Ba,Cd,Cr,Pb,Se
ICB01	ICB01	1	1411	Ag,As,Ba,Cd,Cr,Pb,Se
CRI01	CRI01	1	1416	Ag,As,Ba,Cd,Cr,Pb,Se
ICSA01	ICSA01	1	1435	Ag,As,Ba,Cd,Cr,Pb,Se
ICSAB01	ICSAB01	1	1439	Ag,As,Ba,Cd,Cr,Pb,Se
CCV01	CCV01	1	1505	Ag,As,Ba,Cd,Cr,Pb,Se
CCB01	CCB01	1	1512	Ag,As,Ba,Cd,Cr,Pb,Se
CCV02	CCV02	1	1600	Ag,As,Ba,Cd,Cr,Pb,Se
CCB02	CCB02	1	1604	Ag,As,Ba,Cd,Cr,Pb,Se
PB167808BL	PB167808BL	1	1623	Ag,As,Ba,Cd,Cr,Pb,Se
PB167808BS	PB167808BS	1	1633	Ag,As,Ba,Cd,Cr,Pb,Se
PB167774TB	PB167774TB	1	1637	Ag,As,Ba,Cd,Cr,Pb,Se
CCV03	CCV03	1	1703	Ag,As,Ba,Cd,Cr,Pb,Se
CCB03	CCB03	1	1707	Ag,As,Ba,Cd,Cr,Pb,Se
CCV04	CCV04	1	1749	Ag,As,Ba,Cd,Cr,Pb,Se
CCB04	CCB04	1	1753	Ag,As,Ba,Cd,Cr,Pb,Se
CCV05	CCV05	1	1836	Ag,As,Ba,Cd,Cr,Pb,Se
CCB05	CCB05	1	1840	Ag,As,Ba,Cd,Cr,Pb,Se
CCV06	CCV06	1	1923	Ag,As,Ba,Cd,Cr,Pb,Se
CCB06	CCB06	1	1927	Ag,As,Ba,Cd,Cr,Pb,Se
Q1913-04	WC-13-A-202504	1	2002	Ag,As,Ba,Cd,Cr,Pb,Se
CCV07	CCV07	1	2011	Ag,As,Ba,Cd,Cr,Pb,Se
CCB07	CCB07	1	2015	Ag,As,Ba,Cd,Cr,Pb,Se
PB167805TB	PB167805TB	1	2020	Ag,As,Ba,Cd,Cr,Pb,Se
CCV08	CCV08	1	2024	Ag,As,Ba,Cd,Cr,Pb,Se
CCB08	CCB08	1	2028	Ag,As,Ba,Cd,Cr,Pb,Se

metals
- 14 -
ANALYSIS RUN LOG

Client: AECOM **Contract:** AECO02

Lab code: CHEM **Case no.:** Q1913 **Sas no.:** Q1913 **Sdg no.:** Q1913

Instrument id number: **Method:** **Run number:** LB135654

Start date: 05/02/2025 **End date:** 05/02/2025

Lab sample id.	Client Sample Id	d/f	Time	Parameter list
S0	S0	1	1234	Ag,As,Ba,Cd,Cr,Pb,Se
S1	S1	1	1238	Ag,As,Ba,Cd,Cr,Pb,Se
S2	S2	1	1242	Ag,As,Ba,Cd,Cr,Pb,Se
S3	S3	1	1246	Ag,As,Ba,Cd,Cr,Pb,Se
S4	S4	1	1251	Ag,As,Ba,Cd,Cr,Pb,Se
S5	S5	1	1255	Ag,As,Ba,Cd,Cr,Pb,Se
ICV01	ICV01	1	1347	Ag,As,Ba,Cd,Cr,Pb,Se
LLICV01	LLICV01	1	1503	Ag,As,Ba,Cd,Cr,Pb,Se
ICB01	ICB01	1	1508	Ag,As,Ba,Cd,Cr,Pb,Se
CRI01	CRI01	1	1512	Ag,As,Ba,Cd,Cr,Pb,Se
ICSA01	ICSA01	1	1530	Ag,As,Ba,Cd,Cr,Pb,Se
ICSAB01	ICSAB01	1	1546	Ag,As,Ba,Cd,Cr,Pb,Se
CCV01	CCV01	1	1601	Ag,As,Ba,Cd,Cr,Pb,Se
CCB01	CCB01	1	1605	Ag,As,Ba,Cd,Cr,Pb,Se
Q1913-02	WC-12-A-202504	1	1609	Ag,As,Ba,Cd,Cr,Pb,Se
Q1913-02DUP	WC-12-A-202504DUP	1	1613	Ag,As,Ba,Cd,Cr,Pb,Se
Q1913-02L	WC-12-A-202504L	5	1618	Ag,As,Ba,Cd,Cr,Pb,Se
Q1913-02MS	WC-12-A-202504MS	1	1622	Ag,As,Ba,Cd,Cr,Pb,Se
Q1913-02MSD	WC-12-A-202504MSD	1	1626	Ag,As,Ba,Cd,Cr,Pb,Se
CCV02	CCV02	1	1634	Ag,As,Ba,Cd,Cr,Pb,Se
CCB02	CCB02	1	1638	Ag,As,Ba,Cd,Cr,Pb,Se

metals
- 14 -
ANALYSIS RUN LOG

Client: AECOM **Contract:** AECO02

Lab code: CHEM **Case no.:** Q1913 **Sas no.:** Q1913 **Sdg no.:** Q1913

Instrument id number: **Method:** **Run number:** LB135662

Start date: 05/05/2025 **End date:** 05/05/2025

Lab sample id.	Client Sample Id	d/f	Time	Parameter list
S0	S0	1	1059	HG
S0.2	S0.2	1	1101	HG
S2.5	S2.5	1	1103	HG
S5	S5	1	1106	HG
S7.5	S7.5	1	1108	HG
S10	S10	1	1113	HG
ICV114	ICV114	1	1116	HG
ICB114	ICB114	1	1118	HG
CCV71	CCV71	1	1125	HG
CCB71	CCB71	1	1130	HG
CRA	CRA	1	1133	HG
PB167839BL	PB167839BL	1	1142	HG
PB167839BS	PB167839BS	1	1144	HG
CCV72	CCV72	1	1158	HG
CCB72	CCB72	1	1203	HG
CCV73	CCV73	1	1228	HG
CCB73	CCB73	1	1238	HG
Q1935-08DUP	MH-MMDUP	1	1245	HG
Q1935-08MS	MH-MMMS	1	1247	HG
Q1935-08MSD	MH-MMMSD	1	1250	HG
CCV74	CCV74	1	1303	HG
CCB74	CCB74	1	1306	HG
PB167815TB	PB167815TB	1	1326	HG
Q1935-08L	MH-MML	5	1328	HG
CCV75	CCV75	1	1341	HG
CCB75	CCB75	1	1343	HG
Q1913-01	WC-12-S-202504	1	1345	HG
Q1913-03	WC-13-S-202504	1	1348	HG
CCV76	CCV76	1	1352	HG
CCB76	CCB76	1	1355	HG

metals
- 14 -
ANALYSIS RUN LOG

Client: AECOM **Contract:** AECO02

Lab code: CHEM **Case no.:** Q1913 **Sas no.:** Q1913 **Sdg no.:** Q1913

Instrument id number: **Method:** **Run number:** LB135674

Start date: 05/05/2025 **End date:** 05/05/2025

Lab sample id.	Client Sample Id	d/f	Time	Parameter list
S0	S0	1	1302	Ag,As,Ba,Cd,Cr,Pb,Se
S1	S1	1	1307	Ag,As,Ba,Cd,Cr,Pb,Se
S2	S2	1	1311	Ag,As,Ba,Cd,Cr,Pb,Se
S3	S3	1	1315	Ag,As,Ba,Cd,Cr,Pb,Se
S4	S4	1	1319	Ag,As,Ba,Cd,Cr,Pb,Se
S5	S5	1	1324	Ag,As,Ba,Cd,Cr,Pb,Se
ICV01	ICV01	1	1418	Ag,As,Ba,Cd,Cr,Pb,Se
LLICV01	LLICV01	1	1436	Ag,As,Ba,Cd,Cr,Pb,Se
ICB01	ICB01	1	1441	Ag,As,Ba,Cd,Cr,Pb,Se
CRI01	CRI01	1	1447	Ag,As,Ba,Cd,Cr,Pb,Se
ICSA01	ICSA01	1	1452	Ag,As,Ba,Cd,Cr,Pb,Se
ICSAB01	ICSAB01	1	1507	Ag,As,Ba,Cd,Cr,Pb,Se
CCV01	CCV01	1	1520	Ag,As,Ba,Cd,Cr,Pb,Se
CCB01	CCB01	1	1526	Ag,As,Ba,Cd,Cr,Pb,Se
CCV02	CCV02	1	1607	Ag,As,Ba,Cd,Cr,Pb,Se
CCB02	CCB02	1	1612	Ag,As,Ba,Cd,Cr,Pb,Se
Q1913-01	WC-12-S-202504	1	1638	Ag,As,Ba,Cd,Cr,Pb,Se
CCV03	CCV03	1	1656	Ag,As,Ba,Cd,Cr,Pb,Se
CCB03	CCB03	1	1700	Ag,As,Ba,Cd,Cr,Pb,Se
CCV04	CCV04	1	1755	Ag,As,Ba,Cd,Cr,Pb,Se
CCB04	CCB04	1	1759	Ag,As,Ba,Cd,Cr,Pb,Se
PB167868BL	PB167868BL	1	1810	Ag,As,Ba,Cd,Cr,Pb,Se
PB167868BS	PB167868BS	1	1814	Ag,As,Ba,Cd,Cr,Pb,Se
CCV05	CCV05	1	1843	Ag,As,Ba,Cd,Cr,Pb,Se
CCB05	CCB05	1	1847	Ag,As,Ba,Cd,Cr,Pb,Se
CCV06	CCV06	1	1932	Ag,As,Ba,Cd,Cr,Pb,Se
CCB06	CCB06	1	1937	Ag,As,Ba,Cd,Cr,Pb,Se
CCV07	CCV07	1	2019	Ag,As,Ba,Cd,Cr,Pb,Se
CCB07	CCB07	1	2023	Ag,As,Ba,Cd,Cr,Pb,Se
CCV08	CCV08	1	2107	Ag,As,Ba,Cd,Cr,Pb,Se
CCB08	CCB08	1	2112	Ag,As,Ba,Cd,Cr,Pb,Se
CCV09	CCV09	1	2159	Ag,As,Ba,Cd,Cr,Pb,Se
CCB09	CCB09	1	2203	Ag,As,Ba,Cd,Cr,Pb,Se
CCV10	CCV10	1	2233	Ag,As,Ba,Cd,Cr,Pb,Se
CCB10	CCB10	1	2237	Ag,As,Ba,Cd,Cr,Pb,Se

metals
- 14 -
ANALYSIS RUN LOG

Client: AECOM **Contract:** AECO02

Lab code: CHEM **Case no.:** Q1913 **Sas no.:** Q1913 **Sdg no.:** Q1913

Instrument id number: **Method:** **Run number:** LB135689

Start date: 05/06/2025 **End date:** 05/06/2025

Lab sample id.	Client Sample Id	d/f	Time	Parameter list
S0	S0	1	1343	Ag,As,Ba,Cd,Cr,Pb,Se
S1	S1	1	1348	Ag,As,Ba,Cd,Cr,Pb,Se
S2	S2	1	1352	Ag,As,Ba,Cd,Cr,Pb,Se
S3	S3	1	1356	Ag,As,Ba,Cd,Cr,Pb,Se
S4	S4	1	1401	Ag,As,Ba,Cd,Cr,Pb,Se
S5	S5	1	1405	Ag,As,Ba,Cd,Cr,Pb,Se
ICV01	ICV01	1	1447	Ag,As,Ba,Cd,Cr,Pb,Se
LLICV01	LLICV01	1	1522	Ag,As,Ba,Cd,Cr,Pb,Se
ICB01	ICB01	1	1527	Ag,As,Ba,Cd,Cr,Pb,Se
CRI01	CRI01	1	1531	Ag,As,Ba,Cd,Cr,Pb,Se
ICSA01	ICSA01	1	1550	Ag,As,Ba,Cd,Cr,Pb,Se
ICSAB01	ICSAB01	1	1555	Ag,As,Ba,Cd,Cr,Pb,Se
CCV01	CCV01	1	1629	Ag,As,Ba,Cd,Cr,Pb,Se
CCB01	CCB01	1	1634	Ag,As,Ba,Cd,Cr,Pb,Se
CCV02	CCV02	1	1715	Ag,As,Ba,Cd,Cr,Pb,Se
CCB02	CCB02	1	1720	Ag,As,Ba,Cd,Cr,Pb,Se
Q1913-03	WC-13-S-202504	1	1743	Ag,As,Ba,Cd,Cr,Pb,Se
Q1913-03DUP	WC-13-S-202504DUP	1	1747	Ag,As,Ba,Cd,Cr,Pb,Se
Q1913-03L	WC-13-S-202504L	5	1751	Ag,As,Ba,Cd,Cr,Pb,Se
Q1913-03MS	WC-13-S-202504MS	1	1756	Ag,As,Ba,Cd,Cr,Pb,Se
Q1913-03MSD	WC-13-S-202504MSD	1	1800	Ag,As,Ba,Cd,Cr,Pb,Se
CCV03	CCV03	1	1808	Ag,As,Ba,Cd,Cr,Pb,Se
CCB03	CCB03	1	1813	Ag,As,Ba,Cd,Cr,Pb,Se
CCV04	CCV04	1	1916	Ag,As,Ba,Cd,Cr,Pb,Se
CCB04	CCB04	1	1920	Ag,As,Ba,Cd,Cr,Pb,Se
CCV05	CCV05	1	2001	Ag,As,Ba,Cd,Cr,Pb,Se
CCB05	CCB05	1	2006	Ag,As,Ba,Cd,Cr,Pb,Se
CCV06	CCV06	1	2031	Ag,As,Ba,Cd,Cr,Pb,Se
CCB06	CCB06	1	2035	Ag,As,Ba,Cd,Cr,Pb,Se