



Report of Analysis

Client: AECOM Date Collected: 05/01/25

Project: Meeker Ave Plumes Superfund Site RI FS Date Received: 05/01/25

Client Sample ID: MH-QMS SDG No.: Q1913

Lab Sample ID: Q1928-01MS Matrix: SOIL

Analytical Method: SW8082A % Solid: 87.1 Decanted: Sample Wt/Vol: 30.04 Units: g Final Vol: 10000 uL

Sample Wt/Vol: 30.04 Units: g Final Vol: 10000

Soil Aliquot Vol: uL Test: PCB

Extraction Type: Injection Volume :

GPC Factor: 1.0 PH:

SW3541B

Prep Method:

File ID/Qc Batch: Dilution: Prep Date Date Analyzed Prep Batch ID

PP071740.D 1 05/02/25 09:45 05/02/25 14:09 PB167834

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						_
12674-11-2	Aroclor-1016	198		4.50	19.5	ug/kg
11104-28-2	Aroclor-1221	4.60	U	4.60	19.5	ug/kg
11141-16-5	Aroclor-1232	4.30	U	4.30	19.5	ug/kg
53469-21-9	Aroclor-1242	4.60	U	4.60	19.5	ug/kg
12672-29-6	Aroclor-1248	6.80	U	6.80	19.5	ug/kg
11097-69-1	Aroclor-1254	3.70	U	3.70	19.5	ug/kg
37324-23-5	Aroclor-1262	5.80	U	5.80	19.5	ug/kg
11100-14-4	Aroclor-1268	4.10	U	4.10	19.5	ug/kg
11096-82-5	Aroclor-1260	195		3.70	19.5	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	21.9		32 - 144	110%	SPK: 20
2051-24-3	Decachlorobiphenyl	22.0		32 - 175	110%	SPK: 20

Comments:

U = Not Detected

LOO = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit