



PERCENT SOLID

Supervisor: Iwona  
Analyst: jignesh  
Date: 5/1/2025

OVENTEMP IN Celsius(°C): 108  
Time IN: 17:20  
In Date: 04/30/2025  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103  
Time OUT: 08:22  
Out Date: 05/01/2025  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
BalanceID: M SC-4  
Thermometer ID: % SOLID- OVEN

QC:LB135610

| Lab ID   | Client SampleID | Dish # | Dish Wt(g) (A) | Sample Wt(g) | Dish + Sample Wt(g) (B) | Dish+Dry Sample Wt(g) (C) | % Solid | Comments    |
|----------|-----------------|--------|----------------|--------------|-------------------------|---------------------------|---------|-------------|
| Q1914-01 | SS-1            | 1      | 1.15           | 10.00        | 11.15                   | 10.02                     | 88.7    |             |
| Q1914-02 | SS-91           | 2      | 1.18           | 10.59        | 11.77                   | 10.34                     | 86.5    |             |
| Q1914-03 | SS-2            | 3      | 1.18           | 10.20        | 11.38                   | 9.76                      | 84.1    |             |
| Q1914-04 | SS-3            | 4      | 1.18           | 10.12        | 11.3                    | 10.04                     | 87.5    |             |
| Q1914-05 | SS-4            | 5      | 1.17           | 10.81        | 11.98                   | 10.52                     | 86.5    |             |
| Q1914-06 | SS-5            | 6      | 1.15           | 10.10        | 11.25                   | 10.21                     | 89.7    |             |
| Q1914-07 | SS-6            | 7      | 1.19           | 10.20        | 11.39                   | 9.74                      | 83.8    |             |
| Q1914-08 | SS-7            | 8      | 1.17           | 10.57        | 11.74                   | 10.15                     | 85.0    |             |
| Q1914-09 | SS-8            | 9      | 1.14           | 9.97         | 11.11                   | 10.35                     | 92.4    |             |
| Q1914-10 | Q1914-09MS      | 10     | 1.14           | 9.97         | 11.11                   | 10.35                     | 92.4    |             |
| Q1914-11 | Q1914-09MSD     | 11     | 1.14           | 9.97         | 11.11                   | 10.35                     | 92.4    |             |
| Q1914-12 | SS-9            | 12     | 1.16           | 10.03        | 11.19                   | 9.9                       | 87.1    |             |
| Q1916-01 | WC-12           | 13     | 1.14           | 10.23        | 11.37                   | 9.75                      | 84.2    |             |
| Q1916-02 | WC-12-EPH       | 14     | 1.15           | 10.18        | 11.33                   | 10.62                     | 93.0    |             |
| Q1916-03 | WC-12-VOC       | 15     | 1.15           | 10.32        | 11.47                   | 10.51                     | 90.7    |             |
| Q1917-01 | MH-JJ           | 16     | 1.17           | 10.27        | 11.44                   | 10.21                     | 88.0    |             |
| Q1917-02 | MH-JJ-EPH       | 17     | 1.13           | 10.42        | 11.55                   | 10.35                     | 88.5    |             |
| Q1917-03 | MH-JJ-VOC       | 18     | 1.18           | 10.38        | 11.56                   | 10.24                     | 87.3    |             |
| Q1919-01 | 50680           | 25     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | wipe sample |
| Q1919-02 | 50681           | 26     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | wipe sample |
| Q1920-01 | 291             | 27     | 1.14           | 10.01        | 11.15                   | 10.36                     | 92.1    |             |
| Q1920-02 | 291-E2          | 28     | 1.19           | 10.16        | 11.35                   | 10.54                     | 92.0    |             |
| Q1921-01 | BC226751-1-1    | 29     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | pile        |
| Q1921-02 | BC226751-1-2    | 30     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | pile        |
| Q1921-03 | BC274768-1-1    | 31     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | pile        |
| Q1921-04 | BC274768-1-2    | 32     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | pile        |
| Q1921-05 | BC271327-1-1    | 33     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | pile        |
| Q1921-06 | BC271327-1-2    | 34     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | pile        |



PERCENT SOLID

Supervisor: Iwona  
Analyst: jignesh  
Date: 5/1/2025

OVENTEMP IN Celsius(°C): 108  
Time IN: 17:20  
In Date: 04/30/2025  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103  
Time OUT: 08:22  
Out Date: 05/01/2025  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
BalanceID: M SC-4  
Thermometer ID: % SOLID- OVEN

QC:LB135610

| Lab ID   | Client SampleID   | Dish # | Dish Wt(g) (A) | Sample Wt(g) | Dish + Sample Wt(g) (B) | Dish+Dry Sample Wt(g) (C) | % Solid | Comments |
|----------|-------------------|--------|----------------|--------------|-------------------------|---------------------------|---------|----------|
| Q1921-07 | BC248150-1-1      | 35     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | oilc     |
| Q1921-08 | BC248150-1-2      | 36     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | oilc     |
| Q1922-01 | MH-R              | 19     | 1.18           | 10.30        | 11.48                   | 10.4                      | 89.5    |          |
| Q1922-02 | MH-R-EPH          | 20     | 1.17           | 10.72        | 11.89                   | 10.68                     | 88.7    |          |
| Q1922-03 | MH-R-VOC          | 21     | 1.19           | 10.45        | 11.64                   | 10.52                     | 89.3    |          |
| Q1922-05 | MH-S              | 22     | 1.19           | 10.04        | 11.23                   | 9.98                      | 87.5    |          |
| Q1922-06 | MH-S-EPH          | 23     | 1.15           | 10.76        | 11.91                   | 10.6                      | 87.8    |          |
| Q1922-07 | MH-2-VOC          | 24     | 1.16           | 10.58        | 11.74                   | 10.7                      | 90.2    |          |
| Q1923-01 | TR-05-04302025    | 37     | 1.18           | 9.86         | 11.04                   | 10.31                     | 92.6    |          |
| Q1923-02 | TR-05-04302025-E2 | 38     | 1.18           | 10.70        | 11.88                   | 10.84                     | 90.3    |          |
| Q1925-01 | AUD-25-0068       | 39     | 1.18           | 10.06        | 11.24                   | 11.18                     | 99.4    |          |
| Q1925-02 | AUD-25-0069       | 40     | 1.19           | 10.37        | 11.56                   | 11.54                     | 99.8    |          |
| Q1925-03 | AUD-25-0070       | 41     | 1.16           | 10.58        | 11.74                   | 11.65                     | 99.1    |          |

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$

# WORKLIST(Hardcopy Internal Chain)

WB 135610

WorkList Name : %1-043025

WorkList ID : 189217

Department : Wet-Chemistry

Date : 04-30-2025 08:15:06

| Sample   | Customer Sample | Matrix | Test           | Preservative | Customer | Raw Sample Storage Location | Collect Date | Method       |
|----------|-----------------|--------|----------------|--------------|----------|-----------------------------|--------------|--------------|
| Q1914-01 | SS-1            | Solid  | Percent Solids | Cool 4 deg C | CAMP02   | L41                         | 04/28/2025   | Chemtech -SO |
| Q1914-02 | SS-91           | Solid  | Percent Solids | Cool 4 deg C | CAMP02   | L41                         | 04/28/2025   | Chemtech -SO |
| Q1914-03 | SS-2            | Solid  | Percent Solids | Cool 4 deg C | CAMP02   | L41                         | 04/28/2025   | Chemtech -SO |
| Q1914-04 | SS-3            | Solid  | Percent Solids | Cool 4 deg C | CAMP02   | L41                         | 04/28/2025   | Chemtech -SO |
| Q1914-05 | SS-4            | Solid  | Percent Solids | Cool 4 deg C | CAMP02   | L41                         | 04/28/2025   | Chemtech -SO |
| Q1914-06 | SS-5            | Solid  | Percent Solids | Cool 4 deg C | CAMP02   | L41                         | 04/28/2025   | Chemtech -SO |
| Q1914-07 | SS-6            | Solid  | Percent Solids | Cool 4 deg C | CAMP02   | L41                         | 04/28/2025   | Chemtech -SO |
| Q1914-08 | SS-7            | Solid  | Percent Solids | Cool 4 deg C | CAMP02   | L41                         | 04/28/2025   | Chemtech -SO |
| Q1914-09 | SS-8            | Solid  | Percent Solids | Cool 4 deg C | CAMP02   | L41                         | 04/28/2025   | Chemtech -SO |
| Q1914-10 | Q1914-09MS      | Solid  | Percent Solids | Cool 4 deg C | CAMP02   | L41                         | 04/28/2025   | Chemtech -SO |
| Q1914-11 | Q1914-09MSD     | Solid  | Percent Solids | Cool 4 deg C | CAMP02   | L41                         | 04/28/2025   | Chemtech -SO |
| Q1914-12 | SS-9            | Solid  | Percent Solids | Cool 4 deg C | CAMP02   | L41                         | 04/28/2025   | Chemtech -SO |
| Q1916-01 | WC-12           | Solid  | Percent Solids | Cool 4 deg C | CAMP02   | L41                         | 04/28/2025   | Chemtech -SO |
| Q1916-02 | WC-12-EPH       | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L41                         | 04/30/2025   | Chemtech -SO |
| Q1916-03 | WC-12-VOC       | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L41                         | 04/30/2025   | Chemtech -SO |
| Q1917-01 | MH-JJ           | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L41                         | 04/30/2025   | Chemtech -SO |
| Q1917-02 | MH-JJ-EPH       | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L41                         | 04/30/2025   | Chemtech -SO |
| Q1917-03 | MH-JJ-VOC       | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L41                         | 04/30/2025   | Chemtech -SO |
| Q1919-01 | 50680           | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L41                         | 04/30/2025   | Chemtech -SO |
| Q1919-02 | 50681           | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L41                         | 04/30/2025   | Chemtech -SO |
| Q1920-01 | 291             | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L31                         | 04/30/2025   | Chemtech -SO |

Date/Time 04/30/25 15:35

Raw Sample Received by: SB WBC

Raw Sample Relinquished by: CP SM

Date/Time 04/30/25

Raw Sample Received by: CP SM

Raw Sample Relinquished by: SB WBC

# WORKLIST(Hardcopy Internal Chain)

135610

WorkList Name : %1-043025

WorkList ID : 189217

Department : Wet-Chemistry

Date : 04-30-2025 08:15:06

| Sample   | Customer Sample   | Matrix | Test           | Preservative | Customer | Raw Sample Storage Location | Collect Date | Method       |
|----------|-------------------|--------|----------------|--------------|----------|-----------------------------|--------------|--------------|
| Q1920-02 | 291-E2            | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L31                         | 04/30/2025   | Chemtech -SO |
| Q1921-01 | BC226751-1-1      | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L41                         | 04/30/2025   | Chemtech -SO |
| Q1921-02 | BC226751-1-2      | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L41                         | 04/30/2025   | Chemtech -SO |
| Q1921-03 | BC274768-1-1      | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L41                         | 04/30/2025   | Chemtech -SO |
| Q1921-04 | BC274768-1-2      | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L41                         | 04/30/2025   | Chemtech -SO |
| Q1921-05 | BC271327-1-1      | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L41                         | 04/30/2025   | Chemtech -SO |
| Q1921-06 | BC271327-1-2      | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L41                         | 04/30/2025   | Chemtech -SO |
| Q1921-07 | BC248150-1-1      | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L41                         | 04/30/2025   | Chemtech -SO |
| Q1921-08 | BC248150-1-2      | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L41                         | 04/30/2025   | Chemtech -SO |
| Q1922-01 | MH-R              | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L31                         | 04/30/2025   | Chemtech -SO |
| Q1922-02 | MH-R-EPH          | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L31                         | 04/30/2025   | Chemtech -SO |
| Q1922-03 | MH-R-VOC          | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L31                         | 04/30/2025   | Chemtech -SO |
| Q1922-05 | MH-S              | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L31                         | 04/30/2025   | Chemtech -SO |
| Q1922-06 | MH-S-EPH          | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L31                         | 04/30/2025   | Chemtech -SO |
| Q1922-07 | MH-2-VOC          | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L31                         | 04/30/2025   | Chemtech -SO |
| Q1923-01 | TR-05-04302025    | Solid  | Percent Solids | Cool 4 deg C | PSEG05   | L31                         | 04/30/2025   | Chemtech -SO |
| Q1923-02 | TR-05-04302025-E2 | Solid  | Percent Solids | Cool 4 deg C | PSEG05   | L31                         | 04/30/2025   | Chemtech -SO |
| Q1925-01 | AUD-25-0068       | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L31                         | 04/30/2025   | Chemtech -SO |
| Q1925-02 | AUD-25-0069       | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L31                         | 04/30/2025   | Chemtech -SO |
| Q1925-03 | AUD-25-0070       | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L31                         | 04/30/2025   | Chemtech -SO |

Date/Time 04/30/25 15:35

Raw Sample Received by: SP CWC

Raw Sample Relinquished by: SP CWC

Date/Time 04/30/25

Raw Sample Received by: SP CWC

Raw Sample Relinquished by: SP CWC