

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION  
FORM S-I

SAMPLE IDENTIFICATION AND ANALYTICAL REQUIREMENT SUMMARY

| NYSDEC Sample<br>ID/Code | Laboratory Sample<br>ID/Code | VOA GC/MS<br>(Method #) | BNA GC/MS<br>(Method #) | VOA GC<br>(Method #) | Pest PCBs<br>(Method #) | Metals<br>(Method #) | Other<br>(Method #)      |
|--------------------------|------------------------------|-------------------------|-------------------------|----------------------|-------------------------|----------------------|--------------------------|
| WC-04282025              | Q1915-01                     | 8260D                   | 8270E                   |                      |                         | 6010D,<br>7470A      | 1030, 9012B, 9034, 9045D |



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

FORM S-IIa

SAMPLE PREPARATION AND ANALYSIS SUMMARY SEMIVOLATILE (BNA) ANALYSES

| Laboratory Sample ID | Matrix | Date Collected | Date Rec'd at Lab | Date Extracted | Date Analyzed |
|----------------------|--------|----------------|-------------------|----------------|---------------|
| Q1915-01             | TCLP   | 04/28/25       | 04/29/25          | 04/30/25       | 05/01/25      |

\* Details For Test : TCLP BNA



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

FORM S-IIb

SAMPLE PREPARATION AND ANALYSIS SUMMARY VOLATILE (VOA) ANALYSES

| Laboratory Sample ID | Matrix | Date Collected | Date Rec'd at Lab | Date Extracted | Date Analyzed |
|----------------------|--------|----------------|-------------------|----------------|---------------|
| Q1915-01             | TCLP   | 04/28/25       | 04/29/25          |                | 04/30/25      |

\* Details For Test : TCLP VOA

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

FORM S-III

SAMPLE PREPARATION AND ANALYSIS SUMMARY MISCELLANEOUS ORGANIC ANALYSES

| Laboratory Sample ID | Matrix | Analytical Protocol | Extraction Method | Auxiliary Cleanup | Dil/Conc Factor |
|----------------------|--------|---------------------|-------------------|-------------------|-----------------|
| Q1915-01             | Solid  | 8270E               | 1311              |                   |                 |

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

FORM S-III

SAMPLE PREPARATION AND ANALYSIS SUMMARY MISCELLANEOUS ORGANIC ANALYSES

| Laboratory Sample ID | Matrix | Analytical Protocol | Extraction Method | Auxiliary Cleanup | Dil/Conc Factor |
|----------------------|--------|---------------------|-------------------|-------------------|-----------------|
| Q1915-01             | Solid  | 8260D               | 1311_ZHE          |                   |                 |

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

FORM S-IV

SAMPLE PREPARATION AND ANALYSIS SUMMARY INORGANIC ANALYSES

| Laboratory Sample ID | Matrix | Analytical Protocol | Extraction Method | Auxiliary Cleanup | Dil/Conc Factor |
|----------------------|--------|---------------------|-------------------|-------------------|-----------------|
| Q1915-01             | TCLP   | TCLP ICP Metals     | 04/29/25          | 04/30/25          | 05/01/25        |

\* Details For Test : TCLP ICP Metals

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

FORM S-IV

SAMPLE PREPARATION AND ANALYSIS SUMMARY INORGANIC ANALYSES

| Laboratory Sample ID | Matrix | Analytical Protocol | Extraction Method | Auxiliary Cleanup | Dil/Conc Factor |
|----------------------|--------|---------------------|-------------------|-------------------|-----------------|
| Q1915-01             | TCLP   | TCLP Mercury        | 04/29/25          | 04/30/25          | 05/01/25        |

\* Details For Test : TCLP Mercury

## Cover Page

**Order ID :** Q1915

**Project ID :** Con Ed UTEN Mount Vernon, NY

**Client :** CDM Smith

**Lab Sample Number**

Q1915-01

**Client Sample Number**

WC-04282025

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : \_\_\_\_\_

Date: 5/15/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012



284 Sheffield Street, Mountainside, NJ 07092  
Phone: 908 789 8900 Fax: 908 789 8922

## **CASE NARRATIVE**

**CDM Smith**

**Project Name: Con Ed UTEN Mount Vernon, NY**

**Project # N/A**

**Order ID # Q1915**

**Test Name: TCLP VOA**

### **A. Number of Samples and Date of Receipt:**

1 Solid sample was received on 04/29/2025.

### **B. Parameters**

According to the Chain of Custody document, the following analyses were requested: Corrosivity, Ignitability, RCRA CHARACTERISTICS, Reactive Cyanide, Reactive Sulfide, TCLP BNA, TCLP Extraction, TCLP ICP Metals, TCLP Mercury, TCLP METALS, TCLP VOA and TCLP ZHE Extraction. This data package contains results for TCLP VOA.

### **C. Analytical Techniques:**

The analysis performed on instrument MSVOA\_X were done using GC column DB-624UI 20m 0.18mm 1.0 um. Cat#121-1324UI The analysis of TCLP VOA was based on method 8260D and TCLP extraction method was 1311.

### **D. QA/ QC Samples:**

The Holding Times were met for all analysis.

The Surrogate recoveries met the acceptable criteria.

The Internal Standards Areas met the acceptable requirements.

The Retention Times were acceptable for all samples.

The RPD met criteria .

The Blank Spike met requirements for all samples .

The Blank Spike Duplicate met requirements for all samples .

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the Requirements.

The Continuous Calibration File ID VX045985.D met the requirements except for Carbon Tetrachloride is failing high but no positive hit in associated samples therefore no corrective action taken.

The Tuning criteria met requirements.

### **E. Additional Comments:**

This Data package has been revised due to data package type changed as per client request.



284 Sheffield Street, Mountainside, NJ 07092  
Phone: 908 789 8900 Fax: 908 789 8922

Samples for MS/MSD for VOC analysis were not provided with this set of samples. The Blank Spike Duplicate is reported with the data.

Trip Blank was not provided with this set of samples.

Please use %D calculated based on Avg RF and CCRF for all compounds using Average Response Factor when the %RSD value for a compound is <20% for the Initial Calibration curve and use %D calculated based on Amount added and Calculated amount for all compounds using Linear Regression when the %RSD value for a compound is > 20% for the Initial Calibration curve for SW-846 analysis.

**F. Manual Integration Comments:**

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

---

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature\_\_\_\_\_



284 Sheffield Street, Mountainside, NJ 07092  
Phone: 908 789 8900 Fax: 908 789 8922

## **CASE NARRATIVE**

**CDM Smith**

**Project Name: Con Ed UTEN Mount Vernon, NY**

**Project # N/A**

**Order ID # Q1915**

**Test Name: TCLP BNA**

### **A. Number of Samples and Date of Receipt:**

1 Solid sample was received on 04/29/2025.

### **B. Parameters**

According to the Chain of Custody document, the following analyses were requested: Corrosivity, Ignitability, RCRA CHARACTERISTICS, Reactive Cyanide, Reactive Sulfide, TCLP BNA, TCLP Extraction, TCLP ICP Metals, TCLP Mercury, TCLP METALS, TCLP VOA and TCLP ZHE Extraction. This data package contains results for TCLP BNA.

### **C. Analytical Techniques:**

The samples were analyzed on instrument BNA\_F using GC Column DB-UI 8270D which is 20 meters, 0.18 mm ID, 0.36 um df The analysis of TCLP BNA was based on method 8270E and extraction was done based on method 3510 and TCLP extraction method was 1311.

### **D. QA/ QC Samples:**

The Holding Times were met for all analysis.

The Surrogate recoveries met the acceptable criteria.

The Internal Standards Areas met the acceptable requirements.

The Retention Times were acceptable for all samples.

The MS recoveries met the requirements for all compounds .

The MSD recoveries met the acceptable requirements .

The RPD met criteria .

The Blank Spike met requirements for all samples .

The Blank analysis did not indicate the presence of lab contamination.

The % RSD is greater than 20% in the Initial Calibration (8270-BF043025.M) for 2,4-Dinitrotoluene, this compound is passing on Linear Regression.

The Continuous Calibration met the requirements .

The Tuning criteria met requirements.



284 Sheffield Street, Mountainside, NJ 07092  
Phone: 908 789 8900 Fax: 908 789 8922

**E. Additional Comments:**

This Data package has been revised due to data package type changed as per client request.

The Form 6 is not included in the data package because the Initial Calibration was performed using 7 points.

Please use %D calculated based on Avg RF and CCRF for all compounds using Average Response Factor when the %RSD value for a compound is <20% for the Initial Calibration curve and use %D calculated based on Amount added and Calculated amount for all compounds using Linear Regression when the %RSD value for a compound is > 20% for the Initial Calibration curve for SW-846 analysis.

**F. Manual Integration Comments:**

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

---

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature\_\_\_\_\_



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

## **CASE NARRATIVE**

**CDM Smith**

**Project Name: Con Ed UTEN Mount Vernon, NY**

**Project # N/A**

**Order ID # Q1915**

**Test Name: TCLP Mercury, TCLP ICP Metals**

### **A. Number of Samples and Date of Receipt:**

1 Solid sample was received on 04/29/2025.

### **B. Parameters:**

According to the Chain of Custody document, the following analyses were requested: Corrosivity, Ignitability, RCRA CHARACTERISTICS, Reactive Cyanide, Reactive Sulfide, TCLP BNA, TCLP Extraction, TCLP ICP Metals, TCLP Mercury, TCLP METALS, TCLP VOA and TCLP ZHE Extraction. This data package contains results for TCLP Mercury, TCLP ICP Metals.

### **C. Analytical Techniques:**

The analysis of TCLP ICP Metals was based on method 6010D, digestion based on method 3010 (waters). The analysis and digestion of TCLP Mercury was based on method 7470A and TCLP extraction method was 1311.

### **D. QA/ QC Samples:**

The Holding Times were met for all analysis.

The Blank Spike met requirements for all samples.

The Duplicate analysis met criteria for all samples.

The Matrix Spike analysis met criteria for all samples.

The Matrix Spike Duplicate analysis met criteria for all samples.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

The Serial Dilution met the acceptable requirements.

**E. Additional Comments:** This Data package has been revised due to Data Package type change as per Client Request.

---

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature\_\_\_\_\_



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

## **CASE NARRATIVE**

**CDM Smith**

**Project Name: Con Ed UTEN Mount Vernon, NY**

**Project # N/A**

**Order ID# Q1915**

**Test Name: Corrosivity, Ignitability, Reactive Cyanide, Reactive Sulfide**

### **A. Number of Samples and Date of Receipt:**

1 Solid sample was received on 04/29/2025.

### **B. Parameters:**

According to the Chain of Custody document, the following analyses were requested: Corrosivity, Ignitability, RCRA CHARACTERISTICS, Reactive Cyanide, Reactive Sulfide, TCLP BNA, TCLP Extraction, TCLP ICP Metals, TCLP Mercury, TCLP METALS, TCLP VOA and TCLP ZHE Extraction. This data package contains results for Corrosivity, Ignitability, Reactive Cyanide, Reactive Sulfide.

### **C. Analytical Techniques:**

The analysis of Ignitability was based on method 1030, The analysis of Reactive Cyanide was based on method 9012B, The analysis of Reactive Sulfide was based on method 9034 and The analysis of Corrosivity was based on method 9045D.

### **D. QA/ QC Samples:**

The Holding Times were met for all samples except for WC-04282025 of Corrosivity as sample was receive out of holding time.

The Blank Spike met requirements for all samples.

The Duplicate analysis met criteria for all samples.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

### **E. Additional Comments:**

The Data package has been revised due the data package type changed as per client request

---

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature\_\_\_\_\_

## DATA REPORTING QUALIFIERS- INORGANIC

For reporting results, the following “ Results Qualifiers” are used:

|           |                                                                                                                                                                                                                                                                                                                                                                               |
|-----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>J</b>  | Indicates the reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL), but greater than or equal to the Instrument Detection Limit (IDL).                                                                                                                                                                                  |
| <b>U</b>  | Indicates the analyte was analyzed for, but not detected.                                                                                                                                                                                                                                                                                                                     |
| <b>ND</b> | Indicates the analyte was analyzed for, but not detected                                                                                                                                                                                                                                                                                                                      |
| <b>E</b>  | Indicates the reported value is estimated because of the presence of interference                                                                                                                                                                                                                                                                                             |
| <b>M</b>  | Indicates Duplicate injection precision not met.                                                                                                                                                                                                                                                                                                                              |
| <b>N</b>  | Indicates the spiked sample recovery is not within control limits.                                                                                                                                                                                                                                                                                                            |
| <b>S</b>  | Indicates the reported value was determined by the Method of Standard Addition (MSA).                                                                                                                                                                                                                                                                                         |
| <b>*</b>  | Indicates that the duplicate analysis is not within control limits.                                                                                                                                                                                                                                                                                                           |
| <b>+</b>  | Indicates the correlation coefficient for the MSA is less than 0.995.                                                                                                                                                                                                                                                                                                         |
| <b>D</b>  | Indicates the reported value is from a secondary analysis with a dilution factor. The original analysis exceeded the calibration range.                                                                                                                                                                                                                                       |
| <b>M</b>  | Method qualifiers<br>“P” for ICP instrument<br>“PM” for ICP when Microwave Digestion is used<br>“CV” for Manual Cold Vapor AA<br>“AV” for automated Cold Vapor AA<br>“CA” for MIDI-Distillation Spectrophotometric<br>“AS” for Semi -Automated Spectrophotometric<br>“C” for Manual Spectrophotometric<br>“T” for Titrimetric<br>“NR” for analyte not required to be analyzed |
| <b>OR</b> | Indicates the analyte’s concentration exceeds the calibrated range of the instrument for that specific analysis.                                                                                                                                                                                                                                                              |
| <b>Q</b>  | Indicates the LCS did not meet the control limits requirements                                                                                                                                                                                                                                                                                                                |
| <b>H</b>  | Sample Analysis Out Of Hold Time                                                                                                                                                                                                                                                                                                                                              |

## DATA REPORTING QUALIFIERS- ORGANIC

For reporting results, the following "Results Qualifiers" are used:

|       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Value | If the result is a value greater than or equal to the detection limit, report the value                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| U     | Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10 U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.                                                                                                                                                                                                                                 |
| ND    | Indicates the analyte was analyzed for, but not detected                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| J     | Indicates an estimated value. This flag is used:<br>(1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.)<br>(2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3 ug/L was calculated report as 3 J. This flag is used when similar situation arise on any organic parameter i.e. Pest, PCB and others. |
| B     | Indicates the analyte was found in the blank as well as the sample report as "12 B".                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| E     | Indicates the analyte 's concentration exceeds the calibrated range of the instrument for that specific analysis.                                                                                                                                                                                                                                                                                                                                                                                                                         |
| D     | This flag identifies all compounds identified in an analysis at a secondary dilution factor.                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| P     | This flag is used for Pesticide/PCB target analyte when there is >25% difference for detected concentrations between the two GC columns. The lower of the two values is reported on Form 1 and flagged with a "P".                                                                                                                                                                                                                                                                                                                        |
| N     | This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.                                                                                                                                                                                                                  |
| A     | This flag indicates that a Tentatively Identified Compound is a suspected aldol-condensation product.                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Q     | Indicates the LCS did not meet the control limits requirements                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |

## APPENDIX A

### QA REVIEW GENERAL DOCUMENTATION

Project #: Q1915

Completed

For thorough review, the report must have the following:

#### GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

#### COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

#### CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Custody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

#### ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: SOHIL JODHANI

Date: 05/15/2025

## LAB CHRONICLE

|                 |                    |                   |                              |
|-----------------|--------------------|-------------------|------------------------------|
| <b>OrderID:</b> | Q1915              | <b>OrderDate:</b> | 4/29/2025 2:29:00 PM         |
| <b>Client:</b>  | CDM Smith          | <b>Project:</b>   | Con Ed UTEN Mount Vernon, NY |
| <b>Contact:</b> | Marcie Ann Encinas | <b>Location:</b>  | L41                          |

| LabID    | ClientID    | Matrix | Test     | Method | Sample Date | Prep Date | Anal Date | Received |
|----------|-------------|--------|----------|--------|-------------|-----------|-----------|----------|
| Q1915-01 | WC-04282025 | TCLP   | TCLP VOA | 8260D  | 04/28/25    |           | 04/30/25  | 04/29/25 |



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

Hit Summary Sheet  
SW-846

SDG No.: Q1915  
Client: CDM Smith

| Sample ID            | Client ID | Matrix | Parameter | Concentration | C | MDL | RDL | Units |
|----------------------|-----------|--------|-----------|---------------|---|-----|-----|-------|
| Client ID:           |           |        |           | 0             |   |     |     |       |
| Total Voc :          |           |        |           |               |   |     |     |       |
| Total Concentration: |           |        |           |               |   |     |     |       |



# SAMPLE DATA

## Report of Analysis

|                    |                              |                 |          |
|--------------------|------------------------------|-----------------|----------|
| Client:            | CDM Smith                    | Date Collected: | 04/28/25 |
| Project:           | Con Ed UTEN Mount Vernon, NY | Date Received:  | 04/29/25 |
| Client Sample ID:  | WC-04282025                  | SDG No.:        | Q1915    |
| Lab Sample ID:     | Q1915-01                     | Matrix:         | TCLP     |
| Analytical Method: | 8260D                        | % Solid:        | 0        |
| Sample Wt/Vol:     | 5 Units: mL                  | Final Vol:      | 5000 uL  |
| Soil Aliquot Vol:  | uL                           | Test:           | TCLP VOA |
| GC Column:         | DB-624UI ID : 0.18           | Level :         | LOW      |
| Prep Method :      | SW5035                       |                 |          |

|                   |           |           |                |               |
|-------------------|-----------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed  | Prep Batch ID |
| VX045995.D        | 1         |           | 04/30/25 14:06 | VX043025      |

| CAS Number                | Parameter              | Conc.  | Qualifier | MDL      | LOQ / CRQL | Units   |
|---------------------------|------------------------|--------|-----------|----------|------------|---------|
| <b>TARGETS</b>            |                        |        |           |          |            |         |
| 75-01-4                   | Vinyl Chloride         | 5.00   | U         | 0.26     | 5.00       | ug/L    |
| 75-35-4                   | 1,1-Dichloroethene     | 5.00   | U         | 0.23     | 5.00       | ug/L    |
| 78-93-3                   | 2-Butanone             | 25.0   | U         | 0.98     | 25.0       | ug/L    |
| 56-23-5                   | Carbon Tetrachloride   | 5.00   | U         | 0.25     | 5.00       | ug/L    |
| 67-66-3                   | Chloroform             | 5.00   | U         | 0.25     | 5.00       | ug/L    |
| 71-43-2                   | Benzene                | 5.00   | U         | 0.15     | 5.00       | ug/L    |
| 107-06-2                  | 1,2-Dichloroethane     | 5.00   | U         | 0.22     | 5.00       | ug/L    |
| 79-01-6                   | Trichloroethene        | 5.00   | U         | 0.090    | 5.00       | ug/L    |
| 127-18-4                  | Tetrachloroethene      | 5.00   | U         | 0.23     | 5.00       | ug/L    |
| 108-90-7                  | Chlorobenzene          | 5.00   | U         | 0.12     | 5.00       | ug/L    |
| <b>SURROGATES</b>         |                        |        |           |          |            |         |
| 17060-07-0                | 1,2-Dichloroethane-d4  | 56.5   |           | 74 - 125 | 113%       | SPK: 50 |
| 1868-53-7                 | Dibromofluoromethane   | 54.9   |           | 75 - 124 | 110%       | SPK: 50 |
| 2037-26-5                 | Toluene-d8             | 53.3   |           | 86 - 113 | 107%       | SPK: 50 |
| 460-00-4                  | 4-Bromofluorobenzene   | 52.8   |           | 77 - 121 | 106%       | SPK: 50 |
| <b>INTERNAL STANDARDS</b> |                        |        |           |          |            |         |
| 363-72-4                  | Pentafluorobenzene     | 56600  | 5.55      |          |            |         |
| 540-36-3                  | 1,4-Difluorobenzene    | 111000 | 6.757     |          |            |         |
| 3114-55-4                 | Chlorobenzene-d5       | 108000 | 10.055    |          |            |         |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4 | 44600  | 12.018    |          |            |         |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products



# QC SUMMARY

### Surrogate Summary

SDG No.: Q1915

Client: CDM Smith

Analytical Method: SW8260D

| Lab Sample ID | Client ID   | Parameter             | Spike | Result | RecoveryQual | Limits |      |
|---------------|-------------|-----------------------|-------|--------|--------------|--------|------|
|               |             |                       |       |        |              | Low    | High |
| Q1915-01      | WC-04282025 | 1,2-Dichloroethane-d4 | 50    | 56.5   | 113          | 74     | 125  |
|               |             | Dibromofluoromethane  | 50    | 54.9   | 110          | 75     | 124  |
|               |             | Toluene-d8            | 50    | 53.3   | 107          | 86     | 113  |
|               |             | 4-Bromofluorobenzene  | 50    | 52.8   | 106          | 77     | 121  |

## Surrogate Summary

SDG No.: Q1915

Client: CDM Smith

Analytical Method: SW8260-Low

| Lab Sample ID | Client ID    | Parameter             | Spike | Result | RecoveryQual | Limits |      |
|---------------|--------------|-----------------------|-------|--------|--------------|--------|------|
|               |              |                       |       |        |              | Low    | High |
| VX0430WBL01   | VX0430WBL01  | 1,2-Dichloroethane-d4 | 50    | 56.3   | 113          | 74     | 125  |
|               |              | Dibromofluoromethane  | 50    | 52.5   | 105          | 75     | 124  |
|               |              | Toluene-d8            | 50    | 50.4   | 101          | 86     | 113  |
|               |              | 4-Bromofluorobenzene  | 50    | 51.9   | 104          | 77     | 121  |
| VX0430WBS01   | VX0430WBS01  | 1,2-Dichloroethane-d4 | 50    | 54.6   | 109          | 74     | 125  |
|               |              | Dibromofluoromethane  | 50    | 56.5   | 113          | 75     | 124  |
|               |              | Toluene-d8            | 50    | 52.1   | 104          | 86     | 113  |
|               |              | 4-Bromofluorobenzene  | 50    | 55.7   | 111          | 77     | 121  |
| VX0430WBSD0   | VX0430WBSD01 | 1,2-Dichloroethane-d4 | 50    | 54.3   | 109          | 74     | 125  |
|               |              | Dibromofluoromethane  | 50    | 56.5   | 113          | 75     | 124  |
|               |              | Toluene-d8            | 50    | 52.0   | 104          | 86     | 113  |
|               |              | 4-Bromofluorobenzene  | 50    | 56.5   | 113          | 77     | 121  |

**Laboratory Control Sample/Laboratory Control Sample Duplicate Summary**

**SW-846**

**SDG No.:** Q1915

**Client:** CDM Smith

**Analytical Method:** SW8260-Low

**Datafile :** VX045988.D

| Lab Sample ID | Parameter            | Spike | Result | Unit | Rec | RPD | Qual | Low | Limits | RPD |
|---------------|----------------------|-------|--------|------|-----|-----|------|-----|--------|-----|
|               |                      |       |        |      |     |     |      |     | High   |     |
| VX0430WBS01   | Vinyl chloride       | 20    | 17.3   | ug/L | 86  |     |      | 65  | 117    |     |
|               | 1,1-Dichloroethene   | 20    | 18.5   | ug/L | 93  |     |      | 74  | 110    |     |
|               | 2-Butanone           | 100   | 110    | ug/L | 110 |     |      | 65  | 122    |     |
|               | Carbon Tetrachloride | 20    | 21.8   | ug/L | 109 |     |      | 77  | 113    |     |
|               | Chloroform           | 20    | 21.6   | ug/L | 108 |     |      | 79  | 113    |     |
|               | Benzene              | 20    | 20.2   | ug/L | 101 |     |      | 82  | 109    |     |
|               | 1,2-Dichloroethane   | 20    | 22.8   | ug/L | 114 |     |      | 80  | 115    |     |
|               | Trichloroethene      | 20    | 19.9   | ug/L | 100 |     |      | 77  | 113    |     |
|               | Tetrachloroethene    | 20    | 19.0   | ug/L | 95  |     |      | 67  | 123    |     |
|               | Chlorobenzene        | 20    | 21.3   | ug/L | 106 |     |      | 82  | 109    |     |

**Laboratory Control Sample/Laboratory Control Sample Duplicate Summary**

**SW-846**

**SDG No.:** Q1915

**Client:** CDM Smith

**Analytical Method:** SW8260-Low

**Datafile :** VX045989.D

| Lab Sample ID | Parameter            | Spike | Result | Unit | Rec | RPD | Qual | Low | Limits | RPD |
|---------------|----------------------|-------|--------|------|-----|-----|------|-----|--------|-----|
|               |                      |       |        |      |     |     |      |     | High   |     |
| VX0430WBSD01  | Vinyl chloride       | 20    | 16.6   | ug/L | 83  | 4   |      | 65  | 117    | 20  |
|               | 1,1-Dichloroethene   | 20    | 18.5   | ug/L | 93  | 0   |      | 74  | 110    | 20  |
|               | 2-Butanone           | 100   | 120    | ug/L | 120 | 9   |      | 65  | 122    | 20  |
|               | Carbon Tetrachloride | 20    | 21.8   | ug/L | 109 | 0   |      | 77  | 113    | 20  |
|               | Chloroform           | 20    | 21.0   | ug/L | 105 | 3   |      | 79  | 113    | 20  |
|               | Benzene              | 20    | 20.1   | ug/L | 101 | 0   |      | 82  | 109    | 20  |
|               | 1,2-Dichloroethane   | 20    | 22.6   | ug/L | 113 | 1   |      | 80  | 115    | 20  |
|               | Trichloroethene      | 20    | 20.2   | ug/L | 101 | 1   |      | 77  | 113    | 20  |
|               | Tetrachloroethene    | 20    | 20.1   | ug/L | 101 | 6   |      | 67  | 123    | 20  |
|               | Chlorobenzene        | 20    | 20.8   | ug/L | 104 | 2   |      | 82  | 109    | 20  |

VOLATILE METHOD BLANK SUMMARY

EPA SAMPLE NO.

VX0430WBL01

Lab Name: CHEMTECH

Contract: CAMP02

Lab Code: CHEM Case No.: Q1915

SAS No.: Q1915 SDG NO.: Q1915

Lab File ID: VX045987.D

Lab Sample ID: VX0430WBL01

Date Analyzed: 04/30/2025

Time Analyzed: 10:55

GC Column: DB-624UI ID: 0.18 (mm)

Heated Purge: (Y/N) N

Instrument ID: MSVOA\_X

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS AND MSD:

| EPA<br>SAMPLE NO. | LAB<br>SAMPLE ID | LAB<br>FILE ID | DATE<br>ANALYZED |
|-------------------|------------------|----------------|------------------|
| VX0430WBS01       | VX0430WBS01      | VX045988.D     | 04/30/2025       |
| VX0430WBSD01      | VX0430WBSD01     | VX045989.D     | 04/30/2025       |
| WC-04282025       | Q1915-01         | VX045995.D     | 04/30/2025       |

COMMENTS: \_\_\_\_\_

\_\_\_\_\_

VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK  
BROMOFLUOROBENZENE (BFB)

Lab Name: CHEMTECH Contract: CAMP02  
Lab Code: CHEM Case No.: Q1915 SAS No.: Q1915 SDG NO.: Q1915  
Lab File ID: VX045524.D BFB Injection Date: 04/01/2025  
Instrument ID: MSVOA\_X BFB Injection Time: 16:15  
GC Column: DB-624UI ID: 0.18 (mm) Heated Purge: Y/N N

| m/e | ION ABUNDANCE CRITERIA             | % RELATIVE ABUNDANCE |
|-----|------------------------------------|----------------------|
| 50  | 15.0 - 40.0% of mass 95            | 23.6                 |
| 75  | 30.0 - 60.0% of mass 95            | 58.2                 |
| 95  | Base Peak, 100% relative abundance | 100                  |
| 96  | 5.0 - 9.0% of mass 95              | 6.3                  |
| 173 | Less than 2.0% of mass 174         | 0.8 ( 1.2 ) 1        |
| 174 | 50.0 - 100.0% of mass 95           | 66.8                 |
| 175 | 5.0 - 9.0% of mass 174             | 5.2 ( 7.8 ) 1        |
| 176 | 95.0 - 101.0% of mass 174          | 65.3 ( 97.8 ) 1      |
| 177 | 5.0 - 9.0% of mass 176             | 4.4 ( 6.8 ) 2        |

1-Value is % mass 174

2-Value is % mass 176

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

| EPA<br>SAMPLE NO. | LAB<br>SAMPLE ID | LAB<br>FILE ID | DATE<br>ANALYZED | TIME<br>ANALYZED |
|-------------------|------------------|----------------|------------------|------------------|
| VSTDIC001         | VSTDIC001        | VX045525.D     | 04/01/2025       | 17:06            |
| VSTDIC005         | VSTDIC005        | VX045526.D     | 04/01/2025       | 17:29            |
| VSTDIC020         | VSTDIC020        | VX045527.D     | 04/01/2025       | 17:52            |
| VSTDIC050         | VSTDIC050        | VX045528.D     | 04/01/2025       | 18:15            |
| VSTDIC100         | VSTDIC100        | VX045529.D     | 04/01/2025       | 18:38            |
| VSTDIC150         | VSTDIC150        | VX045530.D     | 04/01/2025       | 19:02            |

VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK  
BROMOFLUOROBENZENE (BFB)

Lab Name: CHEMTECH Contract: CAMP02  
Lab Code: CHEM Case No.: Q1915 SAS No.: Q1915 SDG NO.: Q1915  
Lab File ID: VX045984.D BFB Injection Date: 04/30/2025  
Instrument ID: MSVOA\_X BFB Injection Time: 09:32  
GC Column: DB-624UI ID: 0.18 (mm) Heated Purge: Y/N N

| m/e | ION ABUNDANCE CRITERIA             | % RELATIVE ABUNDANCE |
|-----|------------------------------------|----------------------|
| 50  | 15.0 - 40.0% of mass 95            | 22.5                 |
| 75  | 30.0 - 60.0% of mass 95            | 57.2                 |
| 95  | Base Peak, 100% relative abundance | 100                  |
| 96  | 5.0 - 9.0% of mass 95              | 6.5                  |
| 173 | Less than 2.0% of mass 174         | 1 ( 1.4 ) 1          |
| 174 | 50.0 - 100.0% of mass 95           | 69.5                 |
| 175 | 5.0 - 9.0% of mass 174             | 5.3 ( 7.7 ) 1        |
| 176 | 95.0 - 101.0% of mass 174          | 67.1 ( 96.5 ) 1      |
| 177 | 5.0 - 9.0% of mass 176             | 4.5 ( 6.6 ) 2        |

1-Value is % mass 174

2-Value is % mass 176

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

| EPA<br>SAMPLE NO. | LAB<br>SAMPLE ID | LAB<br>FILE ID | DATE<br>ANALYZED | TIME<br>ANALYZED |
|-------------------|------------------|----------------|------------------|------------------|
| VSTDCCC050        | VSTDCCC050       | VX045985.D     | 04/30/2025       | 10:01            |
| VX0430WBL01       | VX0430WBL01      | VX045987.D     | 04/30/2025       | 10:55            |
| VX0430WBS01       | VX0430WBS01      | VX045988.D     | 04/30/2025       | 11:19            |
| VX0430WBSD01      | VX0430WBSD01     | VX045989.D     | 04/30/2025       | 11:46            |
| WC-04282025       | Q1915-01         | VX045995.D     | 04/30/2025       | 14:06            |

VOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: CHEMTECH Contract: CAMP02  
 Lab Code: CHEM Case No.: Q1915 SAS No.: Q1915 SDG NO.: Q1915  
 Lab File ID: VX045985.D Date Analyzed: 04/30/2025  
 Instrument ID: MSVOA\_X Time Analyzed: 10:01  
 GC Column: DB-624UI ID: 0.18 (mm) Heated Purge: (Y/N) N

|                | IS1<br>AREA # | RT #  | IS2<br>AREA # | RT # | IS3<br>AREA # | RT #   |
|----------------|---------------|-------|---------------|------|---------------|--------|
| 12 HOUR STD    | 83019         | 5.55  | 141256        | 6.75 | 122754        | 10.05  |
| UPPER LIMIT    | 166038        | 6.049 | 282512        | 7.25 | 245508        | 10.549 |
| LOWER LIMIT    | 41509.5       | 5.049 | 70628         | 6.25 | 61377         | 9.549  |
| EPA SAMPLE NO. |               |       |               |      |               |        |
| WC-04282025    | 56553         | 5.55  | 111268        | 6.76 | 107559        | 10.06  |
| VX0430WBL01    | 62274         | 5.54  | 125239        | 6.76 | 116463        | 10.05  |
| VX0430WBS01    | 79591         | 5.54  | 138531        | 6.76 | 123154        | 10.05  |
| VX0430WBSD01   | 77091         | 5.54  | 132529        | 6.76 | 119517        | 10.05  |

IS1 = Pentafluorobenzene  
 IS2 = 1,4-Difluorobenzene  
 IS3 = Chlorobenzene-d5

AREA UPPER LIMIT = +100% of internal standard area  
 AREA LOWER LIMIT = -50% of internal standard area  
 RT UPPER LIMIT = +0.50 minutes of internal standard RT  
 RT LOWER LIMIT = -0.50 minutes of internal standard RT

# Column used to flag values outside QC limits with an asterisk.  
 \* Values outside of QC limits.

VOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: CHEMTECH Contract: CAMP02  
 Lab Code: CHEM Case No.: Q1915 SAS No.: Q1915 SDG NO.: Q1915  
 Lab File ID: VX045985.D Date Analyzed: 04/30/2025  
 Instrument ID: MSVOA\_X Time Analyzed: 10:01  
 GC Column: DB-624UI ID: 0.18 (mm) Heated Purge: (Y/N) N

|                | IS4<br>AREA # | RT #   |  |  |  |  |
|----------------|---------------|--------|--|--|--|--|
| 12 HOUR STD    | 60558         | 12.018 |  |  |  |  |
| UPPER LIMIT    | 121116        | 12.518 |  |  |  |  |
| LOWER LIMIT    | 30279         | 11.518 |  |  |  |  |
| EPA SAMPLE NO. |               |        |  |  |  |  |
| WC-04282025    | 44562         | 12.02  |  |  |  |  |
| VX0430WBL01    | 49781         | 12.02  |  |  |  |  |
| VX0430WBS01    | 58135         | 12.02  |  |  |  |  |
| VX0430WBSD01   | 57970         | 12.02  |  |  |  |  |

IS4 = 1,4-Dichlorobenzene-d4

AREA UPPER LIMIT = +100% of internal standard area  
 AREA LOWER LIMIT = -50% of internal standard area  
 RT UPPER LIMIT = +0.50 minutes of internal standard RT  
 RT LOWER LIMIT = -0.50 minutes of internal standard RT

# Column used to flag values outside QC limits with an asterisk.  
 \* Values outside of QC limits.



# QC SAMPLE DATA

## Report of Analysis

|                    |                              |           |                 |          |    |
|--------------------|------------------------------|-----------|-----------------|----------|----|
| Client:            | CDM Smith                    |           | Date Collected: |          |    |
| Project:           | Con Ed UTEN Mount Vernon, NY |           | Date Received:  |          |    |
| Client Sample ID:  | VX0430WBL01                  |           | SDG No.:        | Q1915    |    |
| Lab Sample ID:     | VX0430WBL01                  |           | Matrix:         | TCLP     |    |
| Analytical Method: | 8260D                        |           | % Solid:        | 0        |    |
| Sample Wt/Vol:     | 5                            | Units: mL | Final Vol:      | 5000     | uL |
| Soil Aliquot Vol:  |                              | uL        | Test:           | TCLP VOA |    |
| GC Column:         | DB-624UI                     | ID : 0.18 | Level :         | LOW      |    |
| Prep Method :      |                              |           |                 |          |    |

|                   |           |           |                |               |
|-------------------|-----------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed  | Prep Batch ID |
| VX045987.D        | 1         |           | 04/30/25 10:55 | VX043025      |

| CAS Number                | Parameter              | Conc.  | Qualifier | MDL      | LOQ / CRQL | Units   |
|---------------------------|------------------------|--------|-----------|----------|------------|---------|
| <b>TARGETS</b>            |                        |        |           |          |            |         |
| 75-01-4                   | Vinyl Chloride         | 1.00   | U         | 0.26     | 1.00       | ug/L    |
| 75-35-4                   | 1,1-Dichloroethene     | 1.00   | U         | 0.23     | 1.00       | ug/L    |
| 78-93-3                   | 2-Butanone             | 5.00   | U         | 0.98     | 5.00       | ug/L    |
| 56-23-5                   | Carbon Tetrachloride   | 1.00   | U         | 0.25     | 1.00       | ug/L    |
| 67-66-3                   | Chloroform             | 1.00   | U         | 0.25     | 1.00       | ug/L    |
| 71-43-2                   | Benzene                | 1.00   | U         | 0.15     | 1.00       | ug/L    |
| 107-06-2                  | 1,2-Dichloroethane     | 1.00   | U         | 0.22     | 1.00       | ug/L    |
| 79-01-6                   | Trichloroethene        | 1.00   | U         | 0.090    | 1.00       | ug/L    |
| 127-18-4                  | Tetrachloroethene      | 1.00   | U         | 0.23     | 1.00       | ug/L    |
| 108-90-7                  | Chlorobenzene          | 1.00   | U         | 0.12     | 1.00       | ug/L    |
| <b>SURROGATES</b>         |                        |        |           |          |            |         |
| 17060-07-0                | 1,2-Dichloroethane-d4  | 56.3   |           | 74 - 125 | 113%       | SPK: 50 |
| 1868-53-7                 | Dibromofluoromethane   | 52.5   |           | 75 - 124 | 105%       | SPK: 50 |
| 2037-26-5                 | Toluene-d8             | 50.4   |           | 86 - 113 | 101%       | SPK: 50 |
| 460-00-4                  | 4-Bromofluorobenzene   | 51.9   |           | 77 - 121 | 104%       | SPK: 50 |
| <b>INTERNAL STANDARDS</b> |                        |        |           |          |            |         |
| 363-72-4                  | Pentafluorobenzene     | 62300  | 5.544     |          |            |         |
| 540-36-3                  | 1,4-Difluorobenzene    | 125000 | 6.757     |          |            |         |
| 3114-55-4                 | Chlorobenzene-d5       | 116000 | 10.049    |          |            |         |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4 | 49800  | 12.018    |          |            |         |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

## Report of Analysis

|                    |                              |            |                 |    |
|--------------------|------------------------------|------------|-----------------|----|
| Client:            | CDM Smith                    |            | Date Collected: |    |
| Project:           | Con Ed UTEN Mount Vernon, NY |            | Date Received:  |    |
| Client Sample ID:  | VX0430WBS01                  | SDG No.:   | Q1915           |    |
| Lab Sample ID:     | VX0430WBS01                  | Matrix:    | TCLP            |    |
| Analytical Method: | 8260D                        | % Solid:   | 0               |    |
| Sample Wt/Vol:     | 5                            | Units:     | mL              |    |
| Soil Aliquot Vol:  |                              |            | uL              |    |
| GC Column:         | DB-624UI                     | ID :       | 0.18            |    |
| Prep Method :      |                              | Level :    | LOW             |    |
|                    |                              | Final Vol: | 5000            | uL |
|                    |                              | Test:      | TCLP VOA        |    |

|                   |           |           |                |               |
|-------------------|-----------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed  | Prep Batch ID |
| VX045988.D        | 1         |           | 04/30/25 11:19 | VX043025      |

| CAS Number                | Parameter              | Conc.  | Qualifier | MDL      | LOQ / CRQL | Units   |
|---------------------------|------------------------|--------|-----------|----------|------------|---------|
| <b>TARGETS</b>            |                        |        |           |          |            |         |
| 75-01-4                   | Vinyl Chloride         | 17.3   |           | 0.26     | 1.00       | ug/L    |
| 75-35-4                   | 1,1-Dichloroethene     | 18.5   |           | 0.23     | 1.00       | ug/L    |
| 78-93-3                   | 2-Butanone             | 110    |           | 0.98     | 5.00       | ug/L    |
| 56-23-5                   | Carbon Tetrachloride   | 21.8   |           | 0.25     | 1.00       | ug/L    |
| 67-66-3                   | Chloroform             | 21.6   |           | 0.25     | 1.00       | ug/L    |
| 71-43-2                   | Benzene                | 20.2   |           | 0.15     | 1.00       | ug/L    |
| 107-06-2                  | 1,2-Dichloroethane     | 22.8   |           | 0.22     | 1.00       | ug/L    |
| 79-01-6                   | Trichloroethene        | 19.9   |           | 0.090    | 1.00       | ug/L    |
| 127-18-4                  | Tetrachloroethene      | 19.0   |           | 0.23     | 1.00       | ug/L    |
| 108-90-7                  | Chlorobenzene          | 21.3   |           | 0.12     | 1.00       | ug/L    |
| <b>SURROGATES</b>         |                        |        |           |          |            |         |
| 17060-07-0                | 1,2-Dichloroethane-d4  | 54.6   |           | 74 - 125 | 109%       | SPK: 50 |
| 1868-53-7                 | Dibromofluoromethane   | 56.5   |           | 75 - 124 | 113%       | SPK: 50 |
| 2037-26-5                 | Toluene-d8             | 52.1   |           | 86 - 113 | 104%       | SPK: 50 |
| 460-00-4                  | 4-Bromofluorobenzene   | 55.7   |           | 77 - 121 | 111%       | SPK: 50 |
| <b>INTERNAL STANDARDS</b> |                        |        |           |          |            |         |
| 363-72-4                  | Pentafluorobenzene     | 79600  | 5.544     |          |            |         |
| 540-36-3                  | 1,4-Difluorobenzene    | 139000 | 6.757     |          |            |         |
| 3114-55-4                 | Chlorobenzene-d5       | 123000 | 10.049    |          |            |         |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4 | 58100  | 12.018    |          |            |         |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

## Report of Analysis

|                    |                              |                 |          |
|--------------------|------------------------------|-----------------|----------|
| Client:            | CDM Smith                    | Date Collected: |          |
| Project:           | Con Ed UTEN Mount Vernon, NY | Date Received:  |          |
| Client Sample ID:  | VX0430WBSD01                 | SDG No.:        | Q1915    |
| Lab Sample ID:     | VX0430WBSD01                 | Matrix:         | TCLP     |
| Analytical Method: | 8260D                        | % Solid:        | 0        |
| Sample Wt/Vol:     | 5 Units: mL                  | Final Vol:      | 5000 uL  |
| Soil Aliquot Vol:  | uL                           | Test:           | TCLP VOA |
| GC Column:         | DB-624UI ID : 0.18           | Level :         | LOW      |
| Prep Method :      |                              |                 |          |

|                   |           |           |                |               |
|-------------------|-----------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed  | Prep Batch ID |
| VX045989.D        | 1         |           | 04/30/25 11:46 | VX043025      |

| CAS Number                | Parameter              | Conc.  | Qualifier | MDL      | LOQ / CRQL | Units   |
|---------------------------|------------------------|--------|-----------|----------|------------|---------|
| <b>TARGETS</b>            |                        |        |           |          |            |         |
| 75-01-4                   | Vinyl Chloride         | 16.6   |           | 0.26     | 1.00       | ug/L    |
| 75-35-4                   | 1,1-Dichloroethene     | 18.5   |           | 0.23     | 1.00       | ug/L    |
| 78-93-3                   | 2-Butanone             | 120    |           | 0.98     | 5.00       | ug/L    |
| 56-23-5                   | Carbon Tetrachloride   | 21.8   |           | 0.25     | 1.00       | ug/L    |
| 67-66-3                   | Chloroform             | 21.0   |           | 0.25     | 1.00       | ug/L    |
| 71-43-2                   | Benzene                | 20.1   |           | 0.15     | 1.00       | ug/L    |
| 107-06-2                  | 1,2-Dichloroethane     | 22.6   |           | 0.22     | 1.00       | ug/L    |
| 79-01-6                   | Trichloroethene        | 20.2   |           | 0.090    | 1.00       | ug/L    |
| 127-18-4                  | Tetrachloroethene      | 20.1   |           | 0.23     | 1.00       | ug/L    |
| 108-90-7                  | Chlorobenzene          | 20.8   |           | 0.12     | 1.00       | ug/L    |
| <b>SURROGATES</b>         |                        |        |           |          |            |         |
| 17060-07-0                | 1,2-Dichloroethane-d4  | 54.3   |           | 74 - 125 | 109%       | SPK: 50 |
| 1868-53-7                 | Dibromofluoromethane   | 56.5   |           | 75 - 124 | 113%       | SPK: 50 |
| 2037-26-5                 | Toluene-d8             | 52.0   |           | 86 - 113 | 104%       | SPK: 50 |
| 460-00-4                  | 4-Bromofluorobenzene   | 56.5   |           | 77 - 121 | 113%       | SPK: 50 |
| <b>INTERNAL STANDARDS</b> |                        |        |           |          |            |         |
| 363-72-4                  | Pentafluorobenzene     | 77100  | 5.544     |          |            |         |
| 540-36-3                  | 1,4-Difluorobenzene    | 133000 | 6.757     |          |            |         |
| 3114-55-4                 | Chlorobenzene-d5       | 120000 | 10.049    |          |            |         |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4 | 58000  | 12.018    |          |            |         |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products



# CALIBRATION SUMMARY

### VOLATILE ORGANICS INITIAL CALIBRATION DATA

Lab Name: CHEMTECH Contract: CAMP02  
 Lab Code: CHEM Case No.: Q1915 SAS No.: Q1915 SDG No.: Q1915  
 Instrument ID: MSVOA\_X Calibration Date(s): 04/01/2025 04/01/2025  
 Heated Purge: (Y/N) N Calibration Time(s): 17:06 19:02  
 GC Column: DB-624UI ID: 0.18 (mm)

| LAB FILE ID:          |        | RRF001 = VX045525.D |        | RRF005 = VX045526.D |        | RRF020 = VX045527.D |       |       |  |
|-----------------------|--------|---------------------|--------|---------------------|--------|---------------------|-------|-------|--|
|                       |        | RRF050 = VX045528.D |        | RRF100 = VX045529.D |        | RRF150 = VX045530.D |       |       |  |
| COMPOUND              | RRF001 | RRF005              | RRF020 | RRF050              | RRF100 | RRF150              | RRF   | % RSD |  |
| Vinyl Chloride        | 0.671  | 0.662               | 0.701  | 0.716               | 0.738  | 0.730               | 0.703 | 4.4   |  |
| 1,1-Dichloroethene    | 0.563  | 0.588               | 0.612  | 0.604               | 0.618  | 0.616               | 0.600 | 3.5   |  |
| 2-Butanone            | 0.474  | 0.537               | 0.582  | 0.586               | 0.571  | 0.548               | 0.550 | 7.5   |  |
| Carbon Tetrachloride  | 0.450  | 0.497               | 0.521  | 0.536               | 0.545  | 0.556               | 0.518 | 7.5   |  |
| Chloroform            | 1.244  | 1.309               | 1.348  | 1.315               | 1.309  | 1.309               | 1.306 | 2.6   |  |
| Benzene               | 1.414  | 1.416               | 1.519  | 1.481               | 1.483  | 1.465               | 1.463 | 2.8   |  |
| 1,2-Dichloroethane    | 0.533  | 0.585               | 0.649  | 0.622               | 0.620  | 0.617               | 0.604 | 6.7   |  |
| Trichloroethene       | 0.349  | 0.322               | 0.356  | 0.351               | 0.351  | 0.356               | 0.348 | 3.7   |  |
| Tetrachloroethene     | 0.346  | 0.373               | 0.371  | 0.347               | 0.333  | 0.347               | 0.353 | 4.5   |  |
| Chlorobenzene         | 0.951  | 1.054               | 1.123  | 1.084               | 1.086  | 1.112               | 1.068 | 5.8   |  |
| 1,2-Dichloroethane-d4 |        | 0.962               | 0.900  | 0.868               | 0.904  | 0.937               | 0.914 | 3.9   |  |
| Dibromofluoromethane  |        | 0.372               | 0.342  | 0.345               | 0.353  | 0.362               | 0.355 | 3.5   |  |
| Toluene-d8            |        | 1.257               | 1.233  | 1.214               | 1.230  | 1.257               | 1.238 | 1.5   |  |
| 4-Bromofluorobenzene  |        | 0.413               | 0.448  | 0.453               | 0.481  | 0.460               | 0.451 | 5.5   |  |

\* Compounds with required minimum RRF and maximum %RSD values.  
 All other compounds must meet a minimum RRF of 0.010.  
 RRF of 1,4-Dioxane = Value should be divide by 1000.

VOLATILE CONTINUING CALIBRATION CHECK

Lab Name: CHEMTECH Contract: CAMP02

Lab Code: CHEM Case No.: Q1915 SAS No.: Q1915 SDG No.: Q1915

Instrument ID: MSVOA\_X Calibration Date/Time: 04/30/2025 10:01

Lab File ID: VX045985.D Init. Calib. Date(s): 04/01/2025 04/01/2025

Heated Purge: (Y/N) N Init. Calib. Time(s): 17:06 19:02

GC Column: DB-624UI ID: 0.18 (mm)

| COMPOUND              | RRF   | RRF050 | MIN<br>RRF | %D    | MAX%D |
|-----------------------|-------|--------|------------|-------|-------|
| Vinyl Chloride        | 0.703 | 0.712  |            | 1.28  | 20    |
| 1,1-Dichloroethene    | 0.600 | 0.646  |            | 7.67  | 20    |
| 2-Butanone            | 0.550 | 0.628  |            | 14.18 | 20    |
| Carbon Tetrachloride  | 0.518 | 0.632  |            | 22.01 | 20    |
| Chloroform            | 1.306 | 1.474  |            | 12.86 | 20    |
| Benzene               | 1.463 | 1.629  |            | 11.35 | 20    |
| 1,2-Dichloroethane    | 0.604 | 0.716  |            | 18.54 | 20    |
| Trichloroethene       | 0.348 | 0.381  |            | 9.48  | 20    |
| Tetrachloroethene     | 0.353 | 0.398  |            | 12.75 | 20    |
| Chlorobenzene         | 1.068 | 1.246  | 0.3        | 16.67 | 20    |
| 1,2-Dichloroethane-d4 | 0.914 | 0.976  |            | 6.78  | 20    |
| Dibromofluoromethane  | 0.355 | 0.405  |            | 14.09 | 20    |
| Toluene-d8            | 1.238 | 1.287  |            | 3.96  | 20    |
| 4-Bromofluorobenzene  | 0.451 | 0.514  |            | 13.97 | 20    |

All other compounds must meet a minimum RRF of 0.010.  
RRF of 1,4-Dioxane = Value should be divide by 1000.

## LAB CHRONICLE

|                 |                    |                   |                              |
|-----------------|--------------------|-------------------|------------------------------|
| <b>OrderID:</b> | Q1915              | <b>OrderDate:</b> | 4/29/2025 2:29:00 PM         |
| <b>Client:</b>  | CDM Smith          | <b>Project:</b>   | Con Ed UTEN Mount Vernon, NY |
| <b>Contact:</b> | Marcie Ann Encinas | <b>Location:</b>  | L41                          |

| LabID    | ClientID    | Matrix | Test     | Method | Sample Date | Prep Date | Anal Date | Received |
|----------|-------------|--------|----------|--------|-------------|-----------|-----------|----------|
| Q1915-01 | WC-04282025 | TCLP   | TCLP BNA | 8270E  | 04/28/25    | 04/30/25  | 05/01/25  | 04/29/25 |



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

**Hit Summary Sheet**  
**SW-846**

**SDG No.:** Q1915  
**Client:** CDM Smith

| Sample ID            | Client ID | Matrix | Parameter | Concentration | C    | MDL | RDL | Units |
|----------------------|-----------|--------|-----------|---------------|------|-----|-----|-------|
| Client ID :          |           |        |           | 0.000         |      |     |     |       |
| Total Svoc :         |           |        |           |               | 0.00 |     |     |       |
| Total Concentration: |           |        |           |               | 0.00 |     |     |       |



# SAMPLE DATA

## Report of Analysis

|                    |                              |                 |          |
|--------------------|------------------------------|-----------------|----------|
| Client:            | CDM Smith                    | Date Collected: | 04/30/25 |
| Project:           | Con Ed UTEN Mount Vernon, NY | Date Received:  | 04/30/25 |
| Client Sample ID:  | PB167774TB                   | SDG No.:        | Q1915    |
| Lab Sample ID:     | PB167774TB                   | Matrix:         | TCLP     |
| Analytical Method: | 8270E                        | % Solid:        | 0        |
| Sample Wt/Vol:     | 100 Units: mL                | Final Vol:      | 1000 uL  |
| Soil Aliquot Vol:  | uL                           | Test:           | TCLP BNA |
| Extraction Type :  | Decanted : N                 | Level :         | LOW      |
| Injection Volume : | GPC Factor : 1.0             | GPC Cleanup :   | N PH :   |
| Prep Method :      | SW3541                       |                 |          |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| BF142256.D        | 1         | 04/30/25 13:15 | 05/01/25 13:07 | PB167810      |

| CAS Number                | Parameter              | Conc.  | Qualifier | MDL      | LOQ / CRQL | Units    |
|---------------------------|------------------------|--------|-----------|----------|------------|----------|
| <b>TARGETS</b>            |                        |        |           |          |            |          |
| 110-86-1                  | Pyridine               | 50.0   | U         | 12.8     | 50.0       | ug/L     |
| 106-46-7                  | 1,4-Dichlorobenzene    | 50.0   | U         | 5.30     | 50.0       | ug/L     |
| 95-48-7                   | 2-Methylphenol         | 50.0   | U         | 11.2     | 50.0       | ug/L     |
| 65794-96-9                | 3+4-Methylphenols      | 100    | U         | 11.0     | 100        | ug/L     |
| 67-72-1                   | Hexachloroethane       | 50.0   | U         | 6.50     | 50.0       | ug/L     |
| 98-95-3                   | Nitrobenzene           | 50.0   | U         | 7.60     | 50.0       | ug/L     |
| 87-68-3                   | Hexachlorobutadiene    | 50.0   | U         | 5.40     | 50.0       | ug/L     |
| 88-06-2                   | 2,4,6-Trichlorophenol  | 50.0   | U         | 5.10     | 50.0       | ug/L     |
| 95-95-4                   | 2,4,5-Trichlorophenol  | 50.0   | U         | 6.20     | 50.0       | ug/L     |
| 121-14-2                  | 2,4-Dinitrotoluene     | 50.0   | U         | 12.2     | 50.0       | ug/L     |
| 118-74-1                  | Hexachlorobenzene      | 50.0   | U         | 5.20     | 50.0       | ug/L     |
| 87-86-5                   | Pentachlorophenol      | 100    | U         | 15.8     | 100        | ug/L     |
| <b>SURROGATES</b>         |                        |        |           |          |            |          |
| 367-12-4                  | 2-Fluorophenol         | 116    |           | 10 - 139 | 78%        | SPK: 150 |
| 13127-88-3                | Phenol-d6              | 116    |           | 10 - 134 | 77%        | SPK: 150 |
| 4165-60-0                 | Nitrobenzene-d5        | 87.3   |           | 49 - 133 | 87%        | SPK: 100 |
| 321-60-8                  | 2-Fluorobiphenyl       | 72.1   |           | 52 - 132 | 72%        | SPK: 100 |
| 118-79-6                  | 2,4,6-Tribromophenol   | 131    |           | 44 - 137 | 87%        | SPK: 150 |
| 1718-51-0                 | Terphenyl-d14          | 67.9   |           | 48 - 125 | 68%        | SPK: 100 |
| <b>INTERNAL STANDARDS</b> |                        |        |           |          |            |          |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4 | 218000 |           | 6.904    |            |          |
| 1146-65-2                 | Naphthalene-d8         | 840000 |           | 8.186    |            |          |
| 15067-26-2                | Acenaphthene-d10       | 443000 |           | 9.945    |            |          |
| 1517-22-2                 | Phenanthrene-d10       | 773000 |           | 11.427   |            |          |
| 1719-03-5                 | Chrysene-d12           | 539000 |           | 14.068   |            |          |
| 1520-96-3                 | Perylene-d12           | 394000 |           | 15.562   |            |          |

## Report of Analysis

|                    |                              |                 |              |
|--------------------|------------------------------|-----------------|--------------|
| Client:            | CDM Smith                    | Date Collected: | 04/30/25     |
| Project:           | Con Ed UTEN Mount Vernon, NY | Date Received:  | 04/30/25     |
| Client Sample ID:  | PB167774TB                   | SDG No.:        | Q1915        |
| Lab Sample ID:     | PB167774TB                   | Matrix:         | TCLP         |
| Analytical Method: | 8270E                        | % Solid:        | 0            |
| Sample Wt/Vol:     | 100      Units:    mL        | Final Vol:      | 1000      uL |
| Soil Aliquot Vol:  | uL                           | Test:           | TCLP BNA     |
| Extraction Type :  | Decanted :    N              | Level :         | LOW          |
| Injection Volume : | GPC Factor :    1.0          | GPC Cleanup :   | N      PH :  |
| Prep Method :      | SW3541                       |                 |              |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| BF142256.D        | 1         | 04/30/25 13:15 | 05/01/25 13:07 | PB167810      |

| CAS Number | Parameter | Conc. | Qualifier | MDL | LOQ / CRQL | Units |
|------------|-----------|-------|-----------|-----|------------|-------|
|------------|-----------|-------|-----------|-----|------------|-------|

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

## Report of Analysis

|                    |                              |                 |          |
|--------------------|------------------------------|-----------------|----------|
| Client:            | CDM Smith                    | Date Collected: | 04/28/25 |
| Project:           | Con Ed UTEN Mount Vernon, NY | Date Received:  | 04/29/25 |
| Client Sample ID:  | WC-04282025                  | SDG No.:        | Q1915    |
| Lab Sample ID:     | Q1915-01                     | Matrix:         | TCLP     |
| Analytical Method: | 8270E                        | % Solid:        | 0        |
| Sample Wt/Vol:     | 100 Units: mL                | Final Vol:      | 1000 uL  |
| Soil Aliquot Vol:  | uL                           | Test:           | TCLP BNA |
| Extraction Type :  | Decanted : N                 | Level :         | LOW      |
| Injection Volume : | GPC Factor : 1.0             | GPC Cleanup :   | N PH :   |
| Prep Method :      | SW3541                       |                 |          |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| BF142261.D        | 1         | 04/30/25 13:15 | 05/01/25 15:34 | PB167810      |

| CAS Number                | Parameter              | Conc.  | Qualifier | MDL      | LOQ / CRQL | Units    |
|---------------------------|------------------------|--------|-----------|----------|------------|----------|
| <b>TARGETS</b>            |                        |        |           |          |            |          |
| 110-86-1                  | Pyridine               | 50.0   | U         | 12.8     | 50.0       | ug/L     |
| 106-46-7                  | 1,4-Dichlorobenzene    | 50.0   | U         | 5.30     | 50.0       | ug/L     |
| 95-48-7                   | 2-Methylphenol         | 50.0   | U         | 11.2     | 50.0       | ug/L     |
| 65794-96-9                | 3+4-Methylphenols      | 100    | U         | 11.0     | 100        | ug/L     |
| 67-72-1                   | Hexachloroethane       | 50.0   | U         | 6.50     | 50.0       | ug/L     |
| 98-95-3                   | Nitrobenzene           | 50.0   | U         | 7.60     | 50.0       | ug/L     |
| 87-68-3                   | Hexachlorobutadiene    | 50.0   | U         | 5.40     | 50.0       | ug/L     |
| 88-06-2                   | 2,4,6-Trichlorophenol  | 50.0   | U         | 5.10     | 50.0       | ug/L     |
| 95-95-4                   | 2,4,5-Trichlorophenol  | 50.0   | U         | 6.20     | 50.0       | ug/L     |
| 121-14-2                  | 2,4-Dinitrotoluene     | 50.0   | U         | 12.2     | 50.0       | ug/L     |
| 118-74-1                  | Hexachlorobenzene      | 50.0   | U         | 5.20     | 50.0       | ug/L     |
| 87-86-5                   | Pentachlorophenol      | 100    | U         | 15.8     | 100        | ug/L     |
| <b>SURROGATES</b>         |                        |        |           |          |            |          |
| 367-12-4                  | 2-Fluorophenol         | 101    |           | 10 - 139 | 67%        | SPK: 150 |
| 13127-88-3                | Phenol-d6              | 91.6   |           | 10 - 134 | 61%        | SPK: 150 |
| 4165-60-0                 | Nitrobenzene-d5        | 86.8   |           | 49 - 133 | 87%        | SPK: 100 |
| 321-60-8                  | 2-Fluorobiphenyl       | 75.3   |           | 52 - 132 | 75%        | SPK: 100 |
| 118-79-6                  | 2,4,6-Tribromophenol   | 116    |           | 44 - 137 | 78%        | SPK: 150 |
| 1718-51-0                 | Terphenyl-d14          | 57.8   |           | 48 - 125 | 58%        | SPK: 100 |
| <b>INTERNAL STANDARDS</b> |                        |        |           |          |            |          |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4 | 211000 | 6.91      |          |            |          |
| 1146-65-2                 | Naphthalene-d8         | 797000 | 8.186     |          |            |          |
| 15067-26-2                | Acenaphthene-d10       | 393000 | 9.939     |          |            |          |
| 1517-22-2                 | Phenanthrene-d10       | 545000 | 11.427    |          |            |          |
| 1719-03-5                 | Chrysene-d12           | 445000 | 14.062    |          |            |          |
| 1520-96-3                 | Perylene-d12           | 444000 | 15.556    |          |            |          |

## Report of Analysis

|                    |                              |                 |              |
|--------------------|------------------------------|-----------------|--------------|
| Client:            | CDM Smith                    | Date Collected: | 04/28/25     |
| Project:           | Con Ed UTEN Mount Vernon, NY | Date Received:  | 04/29/25     |
| Client Sample ID:  | WC-04282025                  | SDG No.:        | Q1915        |
| Lab Sample ID:     | Q1915-01                     | Matrix:         | TCLP         |
| Analytical Method: | 8270E                        | % Solid:        | 0            |
| Sample Wt/Vol:     | 100      Units:    mL        | Final Vol:      | 1000      uL |
| Soil Aliquot Vol:  | uL                           | Test:           | TCLP BNA     |
| Extraction Type :  | Decanted :    N              | Level :         | LOW          |
| Injection Volume : | GPC Factor :    1.0          | GPC Cleanup :   | N      PH :  |
| Prep Method :      | SW3541                       |                 |              |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| BF142261.D        | 1         | 04/30/25 13:15 | 05/01/25 15:34 | PB167810      |

| CAS Number | Parameter | Conc. | Qualifier | MDL | LOQ / CRQL | Units |
|------------|-----------|-------|-----------|-----|------------|-------|
|------------|-----------|-------|-----------|-----|------------|-------|

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products



# QC SUMMARY

## Surrogate Summary

SW-846

SDG No.: Q1915

Client: CDM Smith

Analytical Method: 8270E

| Lab Sample ID | Client ID     | Parameter            | Spike (PPM) | Result (PPM) | Recovery (%) | Qual | Limits (%) |      |
|---------------|---------------|----------------------|-------------|--------------|--------------|------|------------|------|
|               |               |                      |             |              |              |      | Low        | High |
| PB167774TB    | PB167774TB    | 2-Fluorophenol       | 150         | 116          | 78           |      | 10         | 139  |
|               |               | Phenol-d6            | 150         | 116          | 77           |      | 10         | 134  |
|               |               | Nitrobenzene-d5      | 100         | 87.3         | 87           |      | 49         | 133  |
|               |               | 2-Fluorobiphenyl     | 100         | 72.1         | 72           |      | 52         | 132  |
|               |               | 2,4,6-Tribromophenol | 150         | 131          | 87           |      | 44         | 137  |
|               |               | Terphenyl-d14        | 100         | 67.9         | 68           |      | 48         | 125  |
| PB167810BL    | PB167810BL    | 2-Fluorophenol       | 150         | 110          | 73           |      | 10         | 139  |
|               |               | Phenol-d6            | 150         | 109          | 73           |      | 10         | 134  |
|               |               | Nitrobenzene-d5      | 100         | 83.3         | 83           |      | 49         | 133  |
|               |               | 2-Fluorobiphenyl     | 100         | 69.1         | 69           |      | 52         | 132  |
|               |               | 2,4,6-Tribromophenol | 150         | 124          | 83           |      | 44         | 137  |
|               |               | Terphenyl-d14        | 100         | 63.3         | 63           |      | 48         | 125  |
| PB167810BS    | PB167810BS    | 2-Fluorophenol       | 150         | 111          | 74           |      | 10         | 139  |
|               |               | Phenol-d6            | 150         | 113          | 75           |      | 10         | 134  |
|               |               | Nitrobenzene-d5      | 100         | 82.4         | 82           |      | 49         | 133  |
|               |               | 2-Fluorobiphenyl     | 100         | 68.5         | 69           |      | 52         | 132  |
|               |               | 2,4,6-Tribromophenol | 150         | 132          | 88           |      | 44         | 137  |
|               |               | Terphenyl-d14        | 100         | 74.1         | 74           |      | 48         | 125  |
| Q1901-08MS    | B-167-SB01MS  | 2-Fluorophenol       | 150         | 96.6         | 64           |      | 10         | 139  |
|               |               | Phenol-d6            | 150         | 89.8         | 60           |      | 10         | 134  |
|               |               | Nitrobenzene-d5      | 100         | 84.0         | 84           |      | 49         | 133  |
|               |               | 2-Fluorobiphenyl     | 100         | 70.7         | 71           |      | 52         | 132  |
|               |               | 2,4,6-Tribromophenol | 150         | 126          | 84           |      | 44         | 137  |
|               |               | Terphenyl-d14        | 100         | 70.4         | 70           |      | 48         | 125  |
| Q1901-08MSD   | B-167-SB01MSD | 2-Fluorophenol       | 150         | 99.4         | 66           |      | 10         | 139  |
|               |               | Phenol-d6            | 150         | 92.8         | 62           |      | 10         | 134  |
|               |               | Nitrobenzene-d5      | 100         | 87.8         | 88           |      | 49         | 133  |
|               |               | 2-Fluorobiphenyl     | 100         | 72.3         | 72           |      | 52         | 132  |
|               |               | 2,4,6-Tribromophenol | 150         | 133          | 88           |      | 44         | 137  |
|               |               | Terphenyl-d14        | 100         | 72.8         | 73           |      | 48         | 125  |
| Q1915-01      | WC-04282025   | 2-Fluorophenol       | 150         | 101          | 67           |      | 10         | 139  |
|               |               | Phenol-d6            | 150         | 91.6         | 61           |      | 10         | 134  |
|               |               | Nitrobenzene-d5      | 100         | 86.8         | 87           |      | 49         | 133  |
|               |               | 2-Fluorobiphenyl     | 100         | 75.3         | 75           |      | 52         | 132  |
|               |               | 2,4,6-Tribromophenol | 150         | 116          | 78           |      | 44         | 137  |
|               |               | Terphenyl-d14        | 100         | 57.8         | 58           |      | 48         | 125  |

**Matrix Spike/Matrix Spike Duplicate Summary**

**SW-846**

**SDG No.:** Q1915

**Client:** CDM Smith

**Analytical Method:** SW8270E

| Parameter             | Spike             | Sample<br>Result         | Result              | Units | Rec | Rec<br>Qual | RPD | RPD<br>Qual      | Low               | Limits<br>High | RPD |
|-----------------------|-------------------|--------------------------|---------------------|-------|-----|-------------|-----|------------------|-------------------|----------------|-----|
| <b>Lab Sample ID:</b> | <b>Q1901-08MS</b> | <b>Client Sample ID:</b> | <b>B-167-SB01MS</b> |       |     |             |     | <b>DataFile:</b> | <b>BF142277.D</b> |                |     |
| Pyridine              | 500               | 24.1                     | 270                 | ug/L  | 49  |             |     |                  | 10                | 109            |     |
| 1,4-Dichlorobenzene   | 500               | 0                        | 340                 | ug/L  | 68  |             |     |                  | 55                | 125            |     |
| 2-Methylphenol        | 500               | 0                        | 360                 | ug/L  | 72  |             |     |                  | 60                | 131            |     |
| 3+4-Methylphenols     | 500               | 0                        | 360                 | ug/L  | 72  |             |     |                  | 54                | 136            |     |
| Hexachloroethane      | 500               | 0                        | 350                 | ug/L  | 70  |             |     |                  | 19                | 146            |     |
| Nitrobenzene          | 500               | 0                        | 440                 | ug/L  | 88  |             |     |                  | 62                | 112            |     |
| Hexachlorobutadiene   | 500               | 0                        | 380                 | ug/L  | 76  |             |     |                  | 52                | 125            |     |
| 2,4,6-Trichlorophenol | 500               | 0                        | 470                 | ug/L  | 94  |             |     |                  | 78                | 112            |     |
| 2,4,5-Trichlorophenol | 500               | 0                        | 460                 | ug/L  | 92  |             |     |                  | 71                | 111            |     |
| 2,4-Dinitrotoluene    | 500               | 0                        | 500                 | ug/L  | 100 |             |     |                  | 74                | 137            |     |
| Hexachlorobenzene     | 500               | 0                        | 440                 | ug/L  | 88  |             |     |                  | 72                | 115            |     |
| Pentachlorophenol     | 1000              | 0                        | 940                 | ug/L  | 94  |             |     |                  | 52                | 162            |     |

**Matrix Spike/Matrix Spike Duplicate Summary**

**SW-846**

**SDG No.:** Q1915

**Client:** CDM Smith

**Analytical Method:** SW8270E

| Parameter             | Spike              | Sample<br>Result         | Result               | Units | Rec | Rec<br>Qual | RPD | RPD<br>Qual      | Low               | Limits<br>High | RPD |
|-----------------------|--------------------|--------------------------|----------------------|-------|-----|-------------|-----|------------------|-------------------|----------------|-----|
| <b>Lab Sample ID:</b> | <b>Q1901-08MSD</b> | <b>Client Sample ID:</b> | <b>B-167-SB01MSD</b> |       |     |             |     | <b>DataFile:</b> | <b>BF142278.D</b> |                |     |
| Pyridine              | 500                | 24.1                     | 280                  | ug/L  | 51  |             | 4   |                  | 10                | 109            | 20  |
| 1,4-Dichlorobenzene   | 500                | 0                        | 340                  | ug/L  | 68  |             | 0   |                  | 55                | 125            | 20  |
| 2-Methylphenol        | 500                | 0                        | 370                  | ug/L  | 74  |             | 3   |                  | 60                | 131            | 20  |
| 3+4-Methylphenols     | 500                | 0                        | 370                  | ug/L  | 74  |             | 3   |                  | 54                | 136            | 20  |
| Hexachloroethane      | 500                | 0                        | 370                  | ug/L  | 74  |             | 6   |                  | 19                | 146            | 20  |
| Nitrobenzene          | 500                | 0                        | 460                  | ug/L  | 92  |             | 4   |                  | 62                | 112            | 20  |
| Hexachlorobutadiene   | 500                | 0                        | 390                  | ug/L  | 78  |             | 3   |                  | 52                | 125            | 20  |
| 2,4,6-Trichlorophenol | 500                | 0                        | 480                  | ug/L  | 96  |             | 2   |                  | 78                | 112            | 20  |
| 2,4,5-Trichlorophenol | 500                | 0                        | 470                  | ug/L  | 94  |             | 2   |                  | 71                | 111            | 20  |
| 2,4-Dinitrotoluene    | 500                | 0                        | 530                  | ug/L  | 106 |             | 6   |                  | 74                | 137            | 20  |
| Hexachlorobenzene     | 500                | 0                        | 450                  | ug/L  | 90  |             | 2   |                  | 72                | 115            | 20  |
| Pentachlorophenol     | 1000               | 0                        | 970                  | ug/L  | 97  |             | 3   |                  | 52                | 162            | 20  |

## Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: Q1915

Client: CDM Smith

Analytical Method: 8270E DataFile: BF142255.D

| Lab Sample ID | Parameter             | Spike | Result | Unit | Rec | RPD | Qual | RPD  | Limits |      |     |
|---------------|-----------------------|-------|--------|------|-----|-----|------|------|--------|------|-----|
|               |                       |       |        |      |     |     |      | Qual | Low    | High | RPD |
| PB167810BS    | Pyridine              | 50    | 37.2   | ug/L | 74  |     |      |      | 29     | 97   |     |
|               | 1,4-Dichlorobenzene   | 50    | 39.6   | ug/L | 79  |     |      |      | 76     | 103  |     |
|               | 2-Methylphenol        | 50    | 41.0   | ug/L | 82  |     |      |      | 69     | 109  |     |
|               | 3+4-Methylphenols     | 50    | 40.8   | ug/L | 82  |     |      |      | 67     | 106  |     |
|               | Hexachloroethane      | 50    | 41.8   | ug/L | 84  |     |      |      | 76     | 118  |     |
|               | Nitrobenzene          | 50    | 45.8   | ug/L | 92  |     |      |      | 58     | 106  |     |
|               | Hexachlorobutadiene   | 50    | 41.5   | ug/L | 83  |     |      |      | 69     | 101  |     |
|               | 2,4,6-Trichlorophenol | 50    | 43.4   | ug/L | 87  |     |      |      | 61     | 110  |     |
|               | 2,4,5-Trichlorophenol | 50    | 44.9   | ug/L | 90  |     |      |      | 70     | 106  |     |
|               | 2,4-Dinitrotoluene    | 50    | 49.8   | ug/L | 100 |     |      |      | 60     | 115  |     |
|               | Hexachlorobenzene     | 50    | 41.6   | ug/L | 83  |     |      |      | 73     | 106  |     |
|               | Pentachlorophenol     | 100   | 93.4   | ug/L | 93  |     |      |      | 47     | 114  |     |

4B

SEMIVOLATILE METHOD BLANK SUMMARY

EPA SAMPLE NO.

PB167810BL

Lab Name: CHEMTECH

Contract: CAMP02

Lab Code: CHEM Case No.: Q1915

SAS No.: Q1915 SDG NO.: Q1915

Lab File ID: BF142254.D

Lab Sample ID: PB167810BL

Instrument ID: BNA\_F

Date Extracted: 04/30/2025

Matrix: (soil/water) water

Date Analyzed: 05/01/2025

Level: (low/med) LOW

Time Analyzed: 12:10

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS AND MSD:

| EPA<br>SAMPLE NO. | LAB<br>SAMPLE ID | LAB<br>FILE ID | DATE<br>ANALYZED |
|-------------------|------------------|----------------|------------------|
| PB167810BS        | PB167810BS       | BF142255.D     | 05/01/2025       |
| WC-04282025       | Q1915-01         | BF142261.D     | 05/01/2025       |
| B-167-SB01MS      | Q1901-08MS       | BF142277.D     | 05/02/2025       |
| B-167-SB01MSD     | Q1901-08MSD      | BF142278.D     | 05/02/2025       |
| PB167774TB        | PB167774TB       | BF142256.D     | 05/01/2025       |

COMMENTS: \_\_\_\_\_

\_\_\_\_\_

5B

SEMIVOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK  
DECAFLUOROTRIPHENYLPHOSPHINE (DFTPP)

Lab Name: CHEMTECH

Contract: CAMP02

Lab Code: CHEM

SAS No.: Q1915 SDG NO.: Q1915

Lab File ID: BF142238.D

DFTPP Injection Date: 04/30/2025

Instrument ID: BNA\_F

DFTPP Injection Time: 10:55

| m/e | ION ABUNDANCE CRITERIA             | % RELATIVE ABUNDANCE |
|-----|------------------------------------|----------------------|
| 51  | 10.0 - 80.0% of mass 198           | 32.6                 |
| 68  | Less than 2.0% of mass 69          | 0.5 ( 1.8 ) 1        |
| 69  | Mass 69 relative abundance         | 27.3                 |
| 70  | Less than 2.0% of mass 69          | 0.1 ( 0.5 ) 1        |
| 127 | 10.0 - 80.0% of mass 198           | 37.1                 |
| 197 | Less than 2.0% of mass 198         | 0.7                  |
| 198 | Base Peak, 100% relative abundance | 100                  |
| 199 | 5.0 to 9.0% of mass 198            | 5.3                  |
| 275 | 10.0 - 60.0% of mass 198           | 22.8                 |
| 365 | Greater than 1% of mass 198        | 3                    |
| 441 | Present, but less than mass 443    | 15.6                 |
| 442 | Greater than 50% of mass 198       | 100                  |
| 443 | 15.0 - 24.0% of mass 442           | 19.9 ( 19.9 ) 2      |

1-Value is % mass 69

2-Value is % mass 442

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

| EPA<br>SAMPLE NO. | LAB<br>SAMPLE ID | LAB<br>FILE ID | DATE<br>ANALYZED | TIME<br>ANALYZED |
|-------------------|------------------|----------------|------------------|------------------|
| SSTDICC2.5        | SSTDICC2.5       | BF142239.D     | 04/30/2025       | 11:24            |
| SSTDICC005        | SSTDICC005       | BF142240.D     | 04/30/2025       | 11:52            |
| SSTDICC010        | SSTDICC010       | BF142241.D     | 04/30/2025       | 12:20            |
| SSTDICC020        | SSTDICC020       | BF142242.D     | 04/30/2025       | 12:49            |
| SSTDICCC040       | SSTDICCC040      | BF142243.D     | 04/30/2025       | 13:17            |
| SSTDICC050        | SSTDICC050       | BF142244.D     | 04/30/2025       | 13:46            |
| SSTDICC060        | SSTDICC060       | BF142245.D     | 04/30/2025       | 14:15            |
| SSTDICC080        | SSTDICC080       | BF142246.D     | 04/30/2025       | 14:43            |

5B

SEMIVOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK  
DECAFLUOROTRIPHENYLPHOSPHINE (DFTPP)

Lab Name: CHEMTECH

Contract: CAMP02

Lab Code: CHEM

SAS No.: Q1915 SDG NO.: Q1915

Lab File ID: BF142249.D

DFTPP Injection Date: 05/01/2025

Instrument ID: BNA\_F

DFTPP Injection Time: 09:48

| m/e | ION ABUNDANCE CRITERIA             | % RELATIVE ABUNDANCE |
|-----|------------------------------------|----------------------|
| 51  | 10.0 - 80.0% of mass 198           | 39.4                 |
| 68  | Less than 2.0% of mass 69          | 0.5 ( 1.6 ) 1        |
| 69  | Mass 69 relative abundance         | 31.6                 |
| 70  | Less than 2.0% of mass 69          | 0.2 ( 0.5 ) 1        |
| 127 | 10.0 - 80.0% of mass 198           | 42.4                 |
| 197 | Less than 2.0% of mass 198         | 0.6                  |
| 198 | Base Peak, 100% relative abundance | 100                  |
| 199 | 5.0 to 9.0% of mass 198            | 5.9                  |
| 275 | 10.0 - 60.0% of mass 198           | 23.8                 |
| 365 | Greater than 1% of mass 198        | 3.1                  |
| 441 | Present, but less than mass 443    | 15.2                 |
| 442 | Greater than 50% of mass 198       | 100                  |
| 443 | 15.0 - 24.0% of mass 442           | 19.1 ( 19.1 ) 2      |

1-Value is % mass 69

2-Value is % mass 442

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

| EPA<br>SAMPLE NO. | LAB<br>SAMPLE ID | LAB<br>FILE ID | DATE<br>ANALYZED | TIME<br>ANALYZED |
|-------------------|------------------|----------------|------------------|------------------|
| SSTDCCC040        | SSTDCCC040       | BF142250.D     | 05/01/2025       | 10:17            |
| PB167810BL        | PB167810BL       | BF142254.D     | 05/01/2025       | 12:10            |
| PB167810BS        | PB167810BS       | BF142255.D     | 05/01/2025       | 12:39            |
| PB167774TB        | PB167774TB       | BF142256.D     | 05/01/2025       | 13:07            |
| WC-04282025       | Q1915-01         | BF142261.D     | 05/01/2025       | 15:34            |

5B

SEMIVOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK  
DECAFLUOROTRIPHENYLPHOSPHINE (DFTPP)

Lab Name: CHEMTECH

Contract: CAMP02

Lab Code: CHEM

SAS No.: Q1915

SDG NO.: Q1915

Lab File ID: BF142273.D

DFTPP Injection Date: 05/02/2025

Instrument ID: BNA\_F

DFTPP Injection Time: 10:11

| m/e | ION ABUNDANCE CRITERIA             | % RELATIVE ABUNDANCE |
|-----|------------------------------------|----------------------|
| 51  | 10.0 - 80.0% of mass 198           | 34.7                 |
| 68  | Less than 2.0% of mass 69          | 0.4 ( 1.6 ) 1        |
| 69  | Mass 69 relative abundance         | 27.6                 |
| 70  | Less than 2.0% of mass 69          | 0.2 ( 0.6 ) 1        |
| 127 | 10.0 - 80.0% of mass 198           | 37.6                 |
| 197 | Less than 2.0% of mass 198         | 0.7                  |
| 198 | Base Peak, 100% relative abundance | 100                  |
| 199 | 5.0 to 9.0% of mass 198            | 5.6                  |
| 275 | 10.0 - 60.0% of mass 198           | 23.7                 |
| 365 | Greater than 1% of mass 198        | 3                    |
| 441 | Present, but less than mass 443    | 15.4                 |
| 442 | Greater than 50% of mass 198       | 100                  |
| 443 | 15.0 - 24.0% of mass 442           | 19.3 ( 19.3 ) 2      |

1-Value is % mass 69

2-Value is % mass 442

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

| EPA<br>SAMPLE NO. | LAB<br>SAMPLE ID | LAB<br>FILE ID | DATE<br>ANALYZED | TIME<br>ANALYZED |
|-------------------|------------------|----------------|------------------|------------------|
| SSTDCCC040        | SSTDCCC040       | BF142274.D     | 05/02/2025       | 10:39            |
| B-167-SB01MS      | Q1901-08MS       | BF142277.D     | 05/02/2025       | 12:27            |
| B-167-SB01MSD     | Q1901-08MSD      | BF142278.D     | 05/02/2025       | 12:55            |

8B

SEMIVOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: CHEMTECH

Lab Code: CHEM Case No.: Q1915 SAS No.: Q1915 SDG NO.: Q1915

EPA Sample No.: SSTDCCC040 Date Analyzed: 05/01/2025

Lab File ID: BF142250.D Time Analyzed: 10:17

Instrument ID: BNA\_F GC Column: DB-UI ID: 0.18 (mm)

|                | IS1 (DCB)<br>AREA # | RT # | IS2 (NPT)<br>AREA # | RT #  | IS3 (ANT)<br>AREA # | RT #   |
|----------------|---------------------|------|---------------------|-------|---------------------|--------|
| 12 HOUR STD    | 186578              | 6.91 | 719586              | 8.19  | 381198              | 9.95   |
| UPPER LIMIT    | 373156              | 7.41 | 1439170             | 8.692 | 762396              | 10.445 |
| LOWER LIMIT    | 93289               | 6.41 | 359793              | 7.692 | 190599              | 9.445  |
| EPA SAMPLE NO. |                     |      |                     |       |                     |        |
| 01 PB167774TB  | 217516              | 6.90 | 839699              | 8.19  | 443070              | 9.95   |
| 02 PB167810BL  | 223997              | 6.90 | 857825              | 8.19  | 449926              | 9.95   |
| 03 PB167810BS  | 228833              | 6.91 | 892782              | 8.19  | 472284              | 9.95   |
| 04 WC-04282025 | 210959              | 6.91 | 797035              | 8.19  | 392717              | 9.94   |

IS1 (DCB) = 1,4-Dichlorobenzene-d4

IS2 (NPT) = Naphthalene-d8

IS3 (ANT) = Acenaphthene-d10

AREA UPPER LIMIT = +100% of internal standard area

AREA LOWER LIMIT = -50% of internal standard area

RT UPPER LIMIT = +0.50 minutes of internal standard RT

RT UPPER LIMIT = -0.50 minutes of internal standard RT

# Column used to flag values outside QC limits with an asterisk.

\* Values outside of QC limits.

8C

SEMIVOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: CHEMTECH

Lab Code: CHEM Case No.: Q1915 SAS No.: Q1915 SDG NO.: Q1915

EPA Sample No.: SSTDCCC040 Date Analyzed: 05/01/2025

Lab File ID: BF142250.D Time Analyzed: 10:17

Instrument ID: BNA\_F GC Column: DB-UI ID: 0.18 (mm)

|                | IS4 (PHN)<br>AREA # | RT #   | IS5 (CRY)<br>AREA # | RT #   | IS6 (PRY)<br>AREA # | RT #   |
|----------------|---------------------|--------|---------------------|--------|---------------------|--------|
| 12 HOUR STD    | 647816              | 11.433 | 384442              | 14.074 | 349272              | 15.562 |
| UPPER LIMIT    | 1295630             | 11.933 | 768884              | 14.574 | 698544              | 16.062 |
| LOWER LIMIT    | 323908              | 10.933 | 192221              | 13.574 | 174636              | 15.062 |
| EPA SAMPLE NO. |                     |        |                     |        |                     |        |
| 01 PB167774TB  | 773002              | 11.43  | 539235              | 14.07  | 394051              | 15.56  |
| 02 PB167810BL  | 794711              | 11.43  | 568207              | 14.07  | 404816              | 15.56  |
| 03 PB167810BS  | 804874              | 11.43  | 464382              | 14.07  | 446826              | 15.57  |
| 04 WC-04282025 | 545118              | 11.43  | 445392              | 14.06  | 444396              | 15.56  |

IS4 (PHN) = Phenanthrene-d10

IS5 (CRY) = Chrysene-d12

IS6 (PRY) = Perylene-d12

AREA UPPER LIMIT = +100% of internal standard area

AREA LOWER LIMIT = -50% of internal standard area

RT UPPER LIMIT = +0.50 minutes of internal standard RT

RT UPPER LIMIT = -0.50 minutes of internal standard RT

# Column used to flag values outside QC limits with an asterisk.

\* Values outside of QC limits.

8B

SEMIVOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: CHEMTECH

Lab Code: CHEM Case No.: Q1915 SAS No.: Q1915 SDG NO.: Q1915

EPA Sample No.: SSTDCCC040 Date Analyzed: 05/02/2025

Lab File ID: BF142274.D Time Analyzed: 10:39

Instrument ID: BNA\_F GC Column: DB-UI ID: 0.18 (mm)

|                  | IS1 (DCB)<br>AREA # | RT # | IS2 (NPT)<br>AREA # | RT #  | IS3 (ANT)<br>AREA # | RT #   |
|------------------|---------------------|------|---------------------|-------|---------------------|--------|
| 12 HOUR STD      | 189457              | 6.91 | 747235              | 8.19  | 389025              | 9.95   |
| UPPER LIMIT      | 378914              | 7.41 | 1494470             | 8.692 | 778050              | 10.445 |
| LOWER LIMIT      | 94728.5             | 6.41 | 373618              | 7.692 | 194513              | 9.445  |
| EPA SAMPLE NO.   |                     |      |                     |       |                     |        |
| 01 B-167-SB01MS  | 212656              | 6.91 | 808361              | 8.19  | 402059              | 9.95   |
| 02 B-167-SB01MSD | 217028              | 6.91 | 832936              | 8.19  | 419407              | 9.95   |

IS1 (DCB) = 1,4-Dichlorobenzene-d4

IS2 (NPT) = Naphthalene-d8

IS3 (ANT) = Acenaphthene-d10

AREA UPPER LIMIT = +100% of internal standard area

AREA LOWER LIMIT = -50% of internal standard area

RT UPPER LIMIT = +0.50 minutes of internal standard RT

RT UPPER LIMIT = -0.50 minutes of internal standard RT

# Column used to flag values outside QC limits with an asterisk.

\* Values outside of QC limits.

8C

SEMIVOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: CHEMTECH

Lab Code: CHEM Case No.: Q1915 SAS No.: Q1915 SDG NO.: Q1915

EPA Sample No.: SSTDCCC040 Date Analyzed: 05/02/2025

Lab File ID: BF142274.D Time Analyzed: 10:39

Instrument ID: BNA\_F GC Column: DB-UI ID: 0.18 (mm)

|                  | IS4 (PHN)<br>AREA # | RT #   | IS5 (CRY)<br>AREA # | RT #   | IS6 (PRY)<br>AREA # | RT #   |
|------------------|---------------------|--------|---------------------|--------|---------------------|--------|
| 12 HOUR STD      | 652685              | 11.427 | 354752              | 14.068 | 327562              | 15.557 |
| UPPER LIMIT      | 1305370             | 11.927 | 709504              | 14.568 | 655124              | 16.057 |
| LOWER LIMIT      | 326343              | 10.927 | 177376              | 13.568 | 163781              | 15.057 |
| EPA SAMPLE NO.   |                     |        |                     |        |                     |        |
| 01 B-167-SB01MS  | 629997              | 11.43  | 370460              | 14.07  | 379220              | 15.56  |
| 02 B-167-SB01MSD | 684254              | 11.43  | 400079              | 14.07  | 401381              | 15.56  |

IS4 (PHN) = Phenanthrene-d10

IS5 (CRY) = Chrysene-d12

IS6 (PRY) = Perylene-d12

AREA UPPER LIMIT = +100% of internal standard area

AREA LOWER LIMIT = -50% of internal standard area

RT UPPER LIMIT = +0.50 minutes of internal standard RT

RT UPPER LIMIT = -0.50 minutes of internal standard RT

# Column used to flag values outside QC limits with an asterisk.

\* Values outside of QC limits.



# QC SAMPLE DATA

## Report of Analysis

|                    |                              |                 |          |
|--------------------|------------------------------|-----------------|----------|
| Client:            | CDM Smith                    | Date Collected: |          |
| Project:           | Con Ed UTEN Mount Vernon, NY | Date Received:  |          |
| Client Sample ID:  | PB167810BL                   | SDG No.:        | Q1915    |
| Lab Sample ID:     | PB167810BL                   | Matrix:         | TCLP     |
| Analytical Method: | 8270E                        | % Solid:        | 0        |
| Sample Wt/Vol:     | 1000 Units: mL               | Final Vol:      | 1000 uL  |
| Soil Aliquot Vol:  | uL                           | Test:           | TCLP BNA |
| Extraction Type :  | Decanted : N                 | Level :         | LOW      |
| Injection Volume : | GPC Factor : 1.0             | GPC Cleanup :   | N PH :   |
| Prep Method :      | SW3510C                      |                 |          |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| BF142254.D        | 1         | 04/30/25 13:15 | 05/01/25 12:10 | PB167810      |

| CAS Number                | Parameter              | Conc.  | Qualifier | MDL      | LOQ / CRQL | Units    |
|---------------------------|------------------------|--------|-----------|----------|------------|----------|
| <b>TARGETS</b>            |                        |        |           |          |            |          |
| 110-86-1                  | Pyridine               | 5.00   | U         | 1.30     | 5.00       | ug/L     |
| 106-46-7                  | 1,4-Dichlorobenzene    | 5.00   | U         | 0.53     | 5.00       | ug/L     |
| 95-48-7                   | 2-Methylphenol         | 5.00   | U         | 1.10     | 5.00       | ug/L     |
| 65794-96-9                | 3+4-Methylphenols      | 10.0   | U         | 1.10     | 10.0       | ug/L     |
| 67-72-1                   | Hexachloroethane       | 5.00   | U         | 0.65     | 5.00       | ug/L     |
| 98-95-3                   | Nitrobenzene           | 5.00   | U         | 0.76     | 5.00       | ug/L     |
| 87-68-3                   | Hexachlorobutadiene    | 5.00   | U         | 0.54     | 5.00       | ug/L     |
| 88-06-2                   | 2,4,6-Trichlorophenol  | 5.00   | U         | 0.51     | 5.00       | ug/L     |
| 95-95-4                   | 2,4,5-Trichlorophenol  | 5.00   | U         | 0.62     | 5.00       | ug/L     |
| 121-14-2                  | 2,4-Dinitrotoluene     | 5.00   | U         | 1.20     | 5.00       | ug/L     |
| 118-74-1                  | Hexachlorobenzene      | 5.00   | U         | 0.52     | 5.00       | ug/L     |
| 87-86-5                   | Pentachlorophenol      | 10.0   | U         | 1.60     | 10.0       | ug/L     |
| <b>SURROGATES</b>         |                        |        |           |          |            |          |
| 367-12-4                  | 2-Fluorophenol         | 110    |           | 10 - 139 | 73%        | SPK: 150 |
| 13127-88-3                | Phenol-d6              | 109    |           | 10 - 134 | 73%        | SPK: 150 |
| 4165-60-0                 | Nitrobenzene-d5        | 83.3   |           | 49 - 133 | 83%        | SPK: 100 |
| 321-60-8                  | 2-Fluorobiphenyl       | 69.1   |           | 52 - 132 | 69%        | SPK: 100 |
| 118-79-6                  | 2,4,6-Tribromophenol   | 124    |           | 44 - 137 | 83%        | SPK: 150 |
| 1718-51-0                 | Terphenyl-d14          | 63.3   |           | 48 - 125 | 63%        | SPK: 100 |
| <b>INTERNAL STANDARDS</b> |                        |        |           |          |            |          |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4 | 224000 |           | 6.904    |            |          |
| 1146-65-2                 | Naphthalene-d8         | 858000 |           | 8.187    |            |          |
| 15067-26-2                | Acenaphthene-d10       | 450000 |           | 9.945    |            |          |
| 1517-22-2                 | Phenanthrene-d10       | 795000 |           | 11.428   |            |          |
| 1719-03-5                 | Chrysene-d12           | 568000 |           | 14.069   |            |          |
| 1520-96-3                 | Perylene-d12           | 405000 |           | 15.563   |            |          |

## Report of Analysis

|                    |                              |                 |          |
|--------------------|------------------------------|-----------------|----------|
| Client:            | CDM Smith                    | Date Collected: |          |
| Project:           | Con Ed UTEN Mount Vernon, NY | Date Received:  |          |
| Client Sample ID:  | PB167810BL                   | SDG No.:        | Q1915    |
| Lab Sample ID:     | PB167810BL                   | Matrix:         | TCLP     |
| Analytical Method: | 8270E                        | % Solid:        | 0        |
| Sample Wt/Vol:     | 1000 Units: mL               | Final Vol:      | 1000 uL  |
| Soil Aliquot Vol:  | uL                           | Test:           | TCLP BNA |
| Extraction Type :  | Decanted : N                 | Level :         | LOW      |
| Injection Volume : | GPC Factor : 1.0             | GPC Cleanup :   | N PH :   |
| Prep Method :      | SW3510C                      |                 |          |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| BF142254.D        | 1         | 04/30/25 13:15 | 05/01/25 12:10 | PB167810      |

| CAS Number | Parameter | Conc. | Qualifier | MDL | LOQ / CRQL | Units |
|------------|-----------|-------|-----------|-----|------------|-------|
|------------|-----------|-------|-----------|-----|------------|-------|

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

## Report of Analysis

|                    |                              |                 |          |
|--------------------|------------------------------|-----------------|----------|
| Client:            | CDM Smith                    | Date Collected: |          |
| Project:           | Con Ed UTEN Mount Vernon, NY | Date Received:  |          |
| Client Sample ID:  | PB167810BS                   | SDG No.:        | Q1915    |
| Lab Sample ID:     | PB167810BS                   | Matrix:         | TCLP     |
| Analytical Method: | 8270E                        | % Solid:        | 0        |
| Sample Wt/Vol:     | 1000 Units: mL               | Final Vol:      | 1000 uL  |
| Soil Aliquot Vol:  | uL                           | Test:           | TCLP BNA |
| Extraction Type :  | Decanted : N                 | Level :         | LOW      |
| Injection Volume : | GPC Factor : 1.0             | GPC Cleanup :   | N PH :   |
| Prep Method :      | SW3510C                      |                 |          |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| BF142255.D        | 1         | 04/30/25 13:15 | 05/01/25 12:39 | PB167810      |

| CAS Number                | Parameter              | Conc.  | Qualifier | MDL      | LOQ / CRQL | Units    |
|---------------------------|------------------------|--------|-----------|----------|------------|----------|
| <b>TARGETS</b>            |                        |        |           |          |            |          |
| 110-86-1                  | Pyridine               | 37.2   |           | 1.30     | 5.00       | ug/L     |
| 106-46-7                  | 1,4-Dichlorobenzene    | 39.6   |           | 0.53     | 5.00       | ug/L     |
| 95-48-7                   | 2-Methylphenol         | 41.0   |           | 1.10     | 5.00       | ug/L     |
| 65794-96-9                | 3+4-Methylphenols      | 40.8   |           | 1.10     | 10.0       | ug/L     |
| 67-72-1                   | Hexachloroethane       | 41.8   |           | 0.65     | 5.00       | ug/L     |
| 98-95-3                   | Nitrobenzene           | 45.8   |           | 0.76     | 5.00       | ug/L     |
| 87-68-3                   | Hexachlorobutadiene    | 41.5   |           | 0.54     | 5.00       | ug/L     |
| 88-06-2                   | 2,4,6-Trichlorophenol  | 43.4   |           | 0.51     | 5.00       | ug/L     |
| 95-95-4                   | 2,4,5-Trichlorophenol  | 44.9   |           | 0.62     | 5.00       | ug/L     |
| 121-14-2                  | 2,4-Dinitrotoluene     | 49.8   |           | 1.20     | 5.00       | ug/L     |
| 118-74-1                  | Hexachlorobenzene      | 41.6   |           | 0.52     | 5.00       | ug/L     |
| 87-86-5                   | Pentachlorophenol      | 93.4   | E         | 1.60     | 10.0       | ug/L     |
| <b>SURROGATES</b>         |                        |        |           |          |            |          |
| 367-12-4                  | 2-Fluorophenol         | 111    |           | 10 - 139 | 74%        | SPK: 150 |
| 13127-88-3                | Phenol-d6              | 113    |           | 10 - 134 | 75%        | SPK: 150 |
| 4165-60-0                 | Nitrobenzene-d5        | 82.4   |           | 49 - 133 | 82%        | SPK: 100 |
| 321-60-8                  | 2-Fluorobiphenyl       | 68.5   |           | 52 - 132 | 69%        | SPK: 100 |
| 118-79-6                  | 2,4,6-Tribromophenol   | 132    |           | 44 - 137 | 88%        | SPK: 150 |
| 1718-51-0                 | Terphenyl-d14          | 74.1   |           | 48 - 125 | 74%        | SPK: 100 |
| <b>INTERNAL STANDARDS</b> |                        |        |           |          |            |          |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4 | 229000 |           | 6.91     |            |          |
| 1146-65-2                 | Naphthalene-d8         | 893000 |           | 8.192    |            |          |
| 15067-26-2                | Acenaphthene-d10       | 472000 |           | 9.945    |            |          |
| 1517-22-2                 | Phenanthrene-d10       | 805000 |           | 11.433   |            |          |
| 1719-03-5                 | Chrysene-d12           | 464000 |           | 14.074   |            |          |
| 1520-96-3                 | Perylene-d12           | 447000 |           | 15.568   |            |          |

## Report of Analysis

|                    |                              |                 |          |
|--------------------|------------------------------|-----------------|----------|
| Client:            | CDM Smith                    | Date Collected: |          |
| Project:           | Con Ed UTEN Mount Vernon, NY | Date Received:  |          |
| Client Sample ID:  | PB167810BS                   | SDG No.:        | Q1915    |
| Lab Sample ID:     | PB167810BS                   | Matrix:         | TCLP     |
| Analytical Method: | 8270E                        | % Solid:        | 0        |
| Sample Wt/Vol:     | 1000 Units: mL               | Final Vol:      | 1000 uL  |
| Soil Aliquot Vol:  | uL                           | Test:           | TCLP BNA |
| Extraction Type :  | Decanted : N                 | Level :         | LOW      |
| Injection Volume : | GPC Factor : 1.0             | GPC Cleanup :   | N PH :   |
| Prep Method :      | SW3510C                      |                 |          |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| BF142255.D        | 1         | 04/30/25 13:15 | 05/01/25 12:39 | PB167810      |

| CAS Number | Parameter | Conc. | Qualifier | MDL | LOQ / CRQL | Units |
|------------|-----------|-------|-----------|-----|------------|-------|
|------------|-----------|-------|-----------|-----|------------|-------|

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

## Report of Analysis

|                    |                              |                 |          |
|--------------------|------------------------------|-----------------|----------|
| Client:            | CDM Smith                    | Date Collected: | 04/26/25 |
| Project:           | Con Ed UTEN Mount Vernon, NY | Date Received:  | 04/28/25 |
| Client Sample ID:  | B-167-SB01MS                 | SDG No.:        | Q1915    |
| Lab Sample ID:     | Q1901-08MS                   | Matrix:         | TCLP     |
| Analytical Method: | 8270E                        | % Solid:        | 0        |
| Sample Wt/Vol:     | 100 Units: mL                | Final Vol:      | 1000 uL  |
| Soil Aliquot Vol:  | uL                           | Test:           | TCLP BNA |
| Extraction Type :  | Decanted : N                 | Level :         | LOW      |
| Injection Volume : | GPC Factor : 1.0             | GPC Cleanup :   | N PH :   |
| Prep Method :      | SW3510C                      |                 |          |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| BF142277.D        | 1         | 04/30/25 13:15 | 05/02/25 12:27 | PB167810      |

| CAS Number                | Parameter              | Conc.  | Qualifier | MDL      | LOQ / CRQL | Units    |
|---------------------------|------------------------|--------|-----------|----------|------------|----------|
| <b>TARGETS</b>            |                        |        |           |          |            |          |
| 110-86-1                  | Pyridine               | 270    |           | 12.8     | 50.0       | ug/L     |
| 106-46-7                  | 1,4-Dichlorobenzene    | 340    |           | 5.30     | 50.0       | ug/L     |
| 95-48-7                   | 2-Methylphenol         | 360    |           | 11.2     | 50.0       | ug/L     |
| 65794-96-9                | 3+4-Methylphenols      | 360    |           | 11.0     | 100        | ug/L     |
| 67-72-1                   | Hexachloroethane       | 350    |           | 6.50     | 50.0       | ug/L     |
| 98-95-3                   | Nitrobenzene           | 440    |           | 7.60     | 50.0       | ug/L     |
| 87-68-3                   | Hexachlorobutadiene    | 380    |           | 5.40     | 50.0       | ug/L     |
| 88-06-2                   | 2,4,6-Trichlorophenol  | 470    |           | 5.10     | 50.0       | ug/L     |
| 95-95-4                   | 2,4,5-Trichlorophenol  | 460    |           | 6.20     | 50.0       | ug/L     |
| 121-14-2                  | 2,4-Dinitrotoluene     | 500    |           | 12.2     | 50.0       | ug/L     |
| 118-74-1                  | Hexachlorobenzene      | 440    |           | 5.20     | 50.0       | ug/L     |
| 87-86-5                   | Pentachlorophenol      | 940    | E         | 15.8     | 100        | ug/L     |
| <b>SURROGATES</b>         |                        |        |           |          |            |          |
| 367-12-4                  | 2-Fluorophenol         | 96.6   |           | 10 - 139 | 64%        | SPK: 150 |
| 13127-88-3                | Phenol-d6              | 89.8   |           | 10 - 134 | 60%        | SPK: 150 |
| 4165-60-0                 | Nitrobenzene-d5        | 84.0   |           | 49 - 133 | 84%        | SPK: 100 |
| 321-60-8                  | 2-Fluorobiphenyl       | 70.7   |           | 52 - 132 | 71%        | SPK: 100 |
| 118-79-6                  | 2,4,6-Tribromophenol   | 126    |           | 44 - 137 | 84%        | SPK: 150 |
| 1718-51-0                 | Terphenyl-d14          | 70.4   |           | 48 - 125 | 70%        | SPK: 100 |
| <b>INTERNAL STANDARDS</b> |                        |        |           |          |            |          |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4 | 213000 |           | 6.91     |            |          |
| 1146-65-2                 | Naphthalene-d8         | 808000 |           | 8.193    |            |          |
| 15067-26-2                | Acenaphthene-d10       | 402000 |           | 9.945    |            |          |
| 1517-22-2                 | Phenanthrene-d10       | 630000 |           | 11.433   |            |          |
| 1719-03-5                 | Chrysene-d12           | 370000 |           | 14.069   |            |          |
| 1520-96-3                 | Perylene-d12           | 379000 |           | 15.557   |            |          |

## Report of Analysis

|                    |                              |                 |              |
|--------------------|------------------------------|-----------------|--------------|
| Client:            | CDM Smith                    | Date Collected: | 04/26/25     |
| Project:           | Con Ed UTEN Mount Vernon, NY | Date Received:  | 04/28/25     |
| Client Sample ID:  | B-167-SB01MS                 | SDG No.:        | Q1915        |
| Lab Sample ID:     | Q1901-08MS                   | Matrix:         | TCLP         |
| Analytical Method: | 8270E                        | % Solid:        | 0            |
| Sample Wt/Vol:     | 100      Units:    mL        | Final Vol:      | 1000      uL |
| Soil Aliquot Vol:  | uL                           | Test:           | TCLP BNA     |
| Extraction Type :  | Decanted :    N              | Level :         | LOW          |
| Injection Volume : | GPC Factor :    1.0          | GPC Cleanup :   | N      PH :  |
| Prep Method :      | SW3510C                      |                 |              |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| BF142277.D        | 1         | 04/30/25 13:15 | 05/02/25 12:27 | PB167810      |

| CAS Number | Parameter | Conc. | Qualifier | MDL | LOQ / CRQL | Units |
|------------|-----------|-------|-----------|-----|------------|-------|
|------------|-----------|-------|-----------|-----|------------|-------|

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

## Report of Analysis

|                    |                              |                 |          |
|--------------------|------------------------------|-----------------|----------|
| Client:            | CDM Smith                    | Date Collected: | 04/26/25 |
| Project:           | Con Ed UTEN Mount Vernon, NY | Date Received:  | 04/28/25 |
| Client Sample ID:  | B-167-SB01MSD                | SDG No.:        | Q1915    |
| Lab Sample ID:     | Q1901-08MSD                  | Matrix:         | TCLP     |
| Analytical Method: | 8270E                        | % Solid:        | 0        |
| Sample Wt/Vol:     | 100 Units: mL                | Final Vol:      | 1000 uL  |
| Soil Aliquot Vol:  | uL                           | Test:           | TCLP BNA |
| Extraction Type :  | Decanted : N                 | Level :         | LOW      |
| Injection Volume : | GPC Factor : 1.0             | GPC Cleanup :   | N PH :   |
| Prep Method :      | SW3510C                      |                 |          |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| BF142278.D        | 1         | 04/30/25 13:15 | 05/02/25 12:55 | PB167810      |

| CAS Number                | Parameter              | Conc.  | Qualifier | MDL      | LOQ / CRQL | Units    |
|---------------------------|------------------------|--------|-----------|----------|------------|----------|
| <b>TARGETS</b>            |                        |        |           |          |            |          |
| 110-86-1                  | Pyridine               | 280    |           | 12.8     | 50.0       | ug/L     |
| 106-46-7                  | 1,4-Dichlorobenzene    | 340    |           | 5.30     | 50.0       | ug/L     |
| 95-48-7                   | 2-Methylphenol         | 370    |           | 11.2     | 50.0       | ug/L     |
| 65794-96-9                | 3+4-Methylphenols      | 370    |           | 11.0     | 100        | ug/L     |
| 67-72-1                   | Hexachloroethane       | 370    |           | 6.50     | 50.0       | ug/L     |
| 98-95-3                   | Nitrobenzene           | 460    |           | 7.60     | 50.0       | ug/L     |
| 87-68-3                   | Hexachlorobutadiene    | 390    |           | 5.40     | 50.0       | ug/L     |
| 88-06-2                   | 2,4,6-Trichlorophenol  | 480    |           | 5.10     | 50.0       | ug/L     |
| 95-95-4                   | 2,4,5-Trichlorophenol  | 470    |           | 6.20     | 50.0       | ug/L     |
| 121-14-2                  | 2,4-Dinitrotoluene     | 530    |           | 12.2     | 50.0       | ug/L     |
| 118-74-1                  | Hexachlorobenzene      | 450    |           | 5.20     | 50.0       | ug/L     |
| 87-86-5                   | Pentachlorophenol      | 970    | E         | 15.8     | 100        | ug/L     |
| <b>SURROGATES</b>         |                        |        |           |          |            |          |
| 367-12-4                  | 2-Fluorophenol         | 99.4   |           | 10 - 139 | 66%        | SPK: 150 |
| 13127-88-3                | Phenol-d6              | 92.8   |           | 10 - 134 | 62%        | SPK: 150 |
| 4165-60-0                 | Nitrobenzene-d5        | 87.8   |           | 49 - 133 | 88%        | SPK: 100 |
| 321-60-8                  | 2-Fluorobiphenyl       | 72.3   |           | 52 - 132 | 72%        | SPK: 100 |
| 118-79-6                  | 2,4,6-Tribromophenol   | 133    |           | 44 - 137 | 88%        | SPK: 150 |
| 1718-51-0                 | Terphenyl-d14          | 72.8   |           | 48 - 125 | 73%        | SPK: 100 |
| <b>INTERNAL STANDARDS</b> |                        |        |           |          |            |          |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4 | 217000 |           | 6.91     |            |          |
| 1146-65-2                 | Naphthalene-d8         | 833000 |           | 8.193    |            |          |
| 15067-26-2                | Acenaphthene-d10       | 419000 |           | 9.945    |            |          |
| 1517-22-2                 | Phenanthrene-d10       | 684000 |           | 11.433   |            |          |
| 1719-03-5                 | Chrysene-d12           | 400000 |           | 14.069   |            |          |
| 1520-96-3                 | Perylene-d12           | 401000 |           | 15.563   |            |          |

## Report of Analysis

|                    |                              |                 |              |
|--------------------|------------------------------|-----------------|--------------|
| Client:            | CDM Smith                    | Date Collected: | 04/26/25     |
| Project:           | Con Ed UTEN Mount Vernon, NY | Date Received:  | 04/28/25     |
| Client Sample ID:  | B-167-SB01MSD                | SDG No.:        | Q1915        |
| Lab Sample ID:     | Q1901-08MSD                  | Matrix:         | TCLP         |
| Analytical Method: | 8270E                        | % Solid:        | 0            |
| Sample Wt/Vol:     | 100      Units:    mL        | Final Vol:      | 1000      uL |
| Soil Aliquot Vol:  | uL                           | Test:           | TCLP BNA     |
| Extraction Type :  | Decanted :    N              | Level :         | LOW          |
| Injection Volume : | GPC Factor :    1.0          | GPC Cleanup :   | N      PH :  |
| Prep Method :      | SW3510C                      |                 |              |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| BF142278.D        | 1         | 04/30/25 13:15 | 05/02/25 12:55 | PB167810      |

| CAS Number | Parameter | Conc. | Qualifier | MDL | LOQ / CRQL | Units |
|------------|-----------|-------|-----------|-----|------------|-------|
|------------|-----------|-------|-----------|-----|------------|-------|

U = Not Detected  
 LOQ = Limit of Quantitation  
 MDL = Method Detection Limit  
 LOD = Limit of Detection  
 E = Value Exceeds Calibration Range  
 Q = indicates LCS control criteria did not meet requirements  
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value  
 B = Analyte Found in Associated Method Blank  
 N = Presumptive Evidence of a Compound  
 \* = Values outside of QC limits  
 D = Dilution  
 () = Laboratory InHouse Limit  
 A = Aldol-Condensation Reaction Products



# CALIBRATION SUMMARY

Method Path : Z:\svoasrv\HPCHEM1\BNA\_F\Methods\  
 Method File : 8270-BF043025.M  
 Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION  
 Last Update : Wed Apr 30 16:00:01 2025  
 Response Via : Initial Calibration

## Calibration Files

2.5 =BF142239.D 5 =BF142240.D 10 =BF142241.D 20 =BF142242.D 40 =BF142243.D 50 =BF142244.D 60 =BF142245.D 80 =BF142246.D

| Compound                   | 2.5            | 5     | 10    | 20    | 40    | 50    | 60    | 80    | Avg    | %RSD |
|----------------------------|----------------|-------|-------|-------|-------|-------|-------|-------|--------|------|
| -----                      |                |       |       |       |       |       |       |       |        |      |
| 1) I 1,4-Dichlorobenzen... | -----ISTD----- |       |       |       |       |       |       |       |        |      |
| 2) 1,4-Dioxane             | 0.563          | 0.534 | 0.561 | 0.592 | 0.580 | 0.555 | 0.530 | 0.559 | 4.03   |      |
| 3) Pyridine                | 1.465          | 1.391 | 1.454 | 1.522 | 1.503 | 1.460 | 1.380 | 1.454 | 3.62   |      |
| 4) n-Nitrosodimet...       | 0.747          | 0.699 | 0.728 | 0.807 | 0.789 | 0.766 | 0.731 | 0.752 | 4.95   |      |
| 5) S 2-Fluorophenol        | 1.324          | 1.238 | 1.265 | 1.314 | 1.285 | 1.210 | 1.131 | 1.252 | 5.35   |      |
| 6) Aniline                 | 2.212          | 2.085 | 2.157 | 2.245 | 2.203 | 2.101 | 1.981 | 2.140 | 4.29   |      |
| 7) S Phenol-d6             | 1.559          | 1.505 | 1.534 | 1.593 | 1.550 | 1.475 | 1.370 | 1.512 | 4.85   |      |
| 8) 2-Chlorophenol          | 1.252          | 1.232 | 1.304 | 1.379 | 1.354 | 1.313 | 1.225 | 1.294 | 4.64   |      |
| 9) Benzaldehyde            | 1.154          | 1.088 | 1.095 | 1.117 | 1.078 | 0.993 | 0.875 | 1.057 | 8.91   |      |
| 10) C Phenol               | 1.679          | 1.588 | 1.657 | 1.715 | 1.687 | 1.603 | 1.468 | 1.628 | 5.15   |      |
| 11) bis(2-Chloroet...      | 1.345          | 1.250 | 1.270 | 1.318 | 1.285 | 1.231 | 1.132 | 1.262 | 5.46   |      |
| 12) 1,3-Dichlorobe...      | 1.571          | 1.485 | 1.485 | 1.533 | 1.478 | 1.396 | 1.299 | 1.464 | 6.18   |      |
| 13) C 1,4-Dichlorobe...    | 1.610          | 1.486 | 1.495 | 1.546 | 1.488 | 1.404 | 1.295 | 1.475 | 6.86   |      |
| 14) 1,2-Dichlorobe...      | 1.489          | 1.418 | 1.431 | 1.475 | 1.432 | 1.356 | 1.255 | 1.408 | 5.67   |      |
| 15) Benzyl Alcohol         | 1.047          | 1.017 | 1.064 | 1.149 | 1.126 | 1.082 | 1.023 | 1.073 | 4.69   |      |
| 16) 2,2'-oxybis(1-...      | 2.368          | 2.287 | 2.303 | 2.386 | 2.344 | 2.216 | 2.043 | 2.278 | 5.19   |      |
| 17) 2-Methylphenol         | 1.085          | 1.029 | 1.068 | 1.121 | 1.084 | 1.050 | 0.983 | 1.060 | 4.19   |      |
| 18) Hexachloroethane       | 0.468          | 0.466 | 0.481 | 0.511 | 0.514 | 0.489 | 0.451 | 0.483 | 4.84   |      |
| 19) P n-Nitroso-di-n...    | 0.953          | 0.987 | 0.937 | 0.949 | 0.967 | 0.939 | 0.898 | 0.844 | 0.934  | 4.77 |
| 20) 3+4-Methylphenols      | 1.357          | 1.323 | 1.372 | 1.400 | 1.366 | 1.296 | 1.166 | 1.326 | 5.90   |      |
|                            |                |       |       |       |       |       |       |       |        |      |
| 21) I Naphthalene-d8       | -----ISTD----- |       |       |       |       |       |       |       |        |      |
| 22) Acetophenone           | 0.511          | 0.482 | 0.483 | 0.468 | 0.461 | 0.430 | 0.404 | 0.463 | 7.70   |      |
| 23) S Nitrobenzene-d5      | 0.217          | 0.251 | 0.302 | 0.340 | 0.351 | 0.339 | 0.330 | 0.304 | 16.88  |      |
| 24) Nitrobenzene           | 0.229          | 0.261 | 0.297 | 0.328 | 0.338 | 0.323 | 0.314 | 0.299 | 13.31  |      |
| 25) Isophorone             | 0.660          | 0.630 | 0.642 | 0.660 | 0.654 | 0.626 | 0.601 | 0.639 | 3.36   |      |
| 26) C 2-Nitrophenol        | 0.048          | 0.057 | 0.083 | 0.115 | 0.132 | 0.136 | 0.142 | 0.102 | 38.38# |      |
| 27) 2,4-Dimethylph...      | 0.315          | 0.319 | 0.333 | 0.337 | 0.333 | 0.315 | 0.302 | 0.322 | 3.96   |      |
| 28) bis(2-Chloroet...      | 0.425          | 0.404 | 0.414 | 0.415 | 0.410 | 0.386 | 0.366 | 0.403 | 4.98   |      |
| 29) C 2,4-Dichloroph...    | 0.246          | 0.253 | 0.274 | 0.291 | 0.286 | 0.272 | 0.263 | 0.269 | 6.12   |      |
| 30) 1,2,4-Trichlor...      | 0.320          | 0.303 | 0.305 | 0.312 | 0.304 | 0.287 | 0.273 | 0.301 | 5.28   |      |
| 31) Naphthalene            | 1.106          | 1.040 | 1.035 | 1.020 | 0.999 | 0.924 | 0.858 | 0.997 | 8.21   |      |
| 32) Benzoic acid           |                | 0.048 | 0.087 | 0.130 | 0.146 | 0.159 | 0.179 | 0.125 | 39.24  |      |
| 33) 4-Chloroaniline        | 0.446          | 0.414 | 0.429 | 0.429 | 0.423 | 0.396 | 0.371 | 0.415 | 5.98   |      |
| 34) C Hexachlorobuta...    | 0.180          | 0.175 | 0.179 | 0.185 | 0.178 | 0.170 | 0.161 | 0.175 | 4.35   |      |
| 35) Caprolactam            | 0.068          | 0.073 | 0.081 | 0.087 | 0.089 | 0.085 | 0.083 | 0.081 | 9.45   |      |
| 36) C 4-Chloro-3-met...    | 0.262          | 0.265 | 0.279 | 0.295 | 0.293 | 0.276 | 0.266 | 0.277 | 4.84   |      |
| 37) 2-Methylnaphth...      | 0.679          | 0.637 | 0.633 | 0.623 | 0.612 | 0.574 | 0.534 | 0.613 | 7.69   |      |
| 38) 1-Methylnaphth...      | 0.700          | 0.655 | 0.667 | 0.652 | 0.641 | 0.590 | 0.542 | 0.635 | 8.29   |      |

Method Path : Z:\svoasrv\HPCHEM1\BNA\_F\Methods\  
 Method File : 8270-BF043025.M

|       |                    |                |       |       |       |       |       |       |       |       |
|-------|--------------------|----------------|-------|-------|-------|-------|-------|-------|-------|-------|
| 39) I | Acenaphthene-d10   | -----ISTD----- |       |       |       |       |       |       |       |       |
| 40)   | 1,2,4,5-Tetrac...  | 0.621          | 0.575 | 0.572 | 0.576 | 0.566 | 0.534 | 0.496 | 0.563 | 6.88  |
| 41) P | Hexachlorocycl...  | 0.244          | 0.265 | 0.306 | 0.352 | 0.368 | 0.358 | 0.343 | 0.319 | 15.23 |
| 42) S | 2,4,6-Tribromo...  | 0.139          | 0.158 | 0.184 | 0.204 | 0.205 | 0.197 | 0.190 | 0.182 | 13.73 |
| 43) C | 2,4,6-Trichlor...  | 0.275          | 0.329 | 0.353 | 0.370 | 0.375 | 0.381 | 0.357 | 0.349 | 10.50 |
| 44)   | 2,4,5-Trichlor...  | 0.322          | 0.330 | 0.362 | 0.404 | 0.411 | 0.371 | 0.365 | 0.367 | 9.17  |
| 45) S | 2-Fluorobiphenyl   | 1.738          | 1.580 | 1.520 | 1.409 | 1.347 | 1.221 | 1.114 | 1.418 | 15.11 |
| 46)   | 1,1'-Biphenyl      | 1.773          | 1.621 | 1.612 | 1.581 | 1.547 | 1.435 | 1.316 | 1.555 | 9.38  |
| 47)   | 2-Chloronaphth...  | 1.289          | 1.176 | 1.191 | 1.185 | 1.157 | 1.085 | 1.014 | 1.157 | 7.51  |
| 48)   | 2-Nitroaniline     | 0.119          | 0.156 | 0.228 | 0.295 | 0.316 | 0.315 | 0.316 | 0.249 | 33.25 |
| 49)   | Acenaphthylene     | 2.149          | 2.025 | 2.025 | 1.997 | 1.965 | 1.828 | 1.675 | 1.952 | 7.93  |
| 50)   | Dimethylphthalate  | 1.362          | 1.284 | 1.301 | 1.321 | 1.309 | 1.227 | 1.152 | 1.280 | 5.42  |
| 51)   | 2,6-Dinitrotol...  | 0.098          | 0.137 | 0.193 | 0.241 | 0.259 | 0.254 | 0.249 | 0.204 | 31.45 |
| 52) C | Acenaphthene       | 1.271          | 1.175 | 1.156 | 1.172 | 1.138 | 1.072 | 0.995 | 1.140 | 7.63  |
| 53)   | 3-Nitroaniline     | 0.143          | 0.187 | 0.252 | 0.298 | 0.311 | 0.310 | 0.299 | 0.257 | 26.09 |
| 54) P | 2,4-Dinitrophenol  |                | 0.025 | 0.036 | 0.057 | 0.069 | 0.076 | 0.085 | 0.058 | 40.36 |
| 55)   | Dibenzofuran       | 1.930          | 1.775 | 1.751 | 1.743 | 1.713 | 1.581 | 1.466 | 1.709 | 8.67  |
| 56) P | 4-Nitrophenol      |                | 0.131 | 0.177 | 0.216 | 0.233 | 0.230 | 0.220 | 0.201 | 19.82 |
| 57)   | 2,4-Dinitrotol...  | 0.104          | 0.145 | 0.213 | 0.285 | 0.311 | 0.309 | 0.306 | 0.239 | 35.96 |
| 58)   | Fluorene           | 1.493          | 1.403 | 1.351 | 1.317 | 1.273 | 1.186 | 1.071 | 1.299 | 10.74 |
| 59)   | 2,3,4,6-Tetrac...  | 0.252          | 0.267 | 0.312 | 0.334 | 0.334 | 0.323 | 0.305 | 0.304 | 10.65 |
| 60)   | Diethylphthalate   | 1.324          | 1.264 | 1.302 | 1.313 | 1.300 | 1.215 | 1.126 | 1.263 | 5.61  |
| 61)   | 4-Chlorophenyl...  | 0.702          | 0.642 | 0.632 | 0.632 | 0.614 | 0.570 | 0.526 | 0.617 | 9.06  |
| 62)   | 4-Nitroaniline     | 0.144          | 0.177 | 0.233 | 0.272 | 0.287 | 0.281 | 0.269 | 0.238 | 23.57 |
| 63)   | Azobenzene         | 1.346          | 1.260 | 1.275 | 1.279 | 1.278 | 1.198 | 1.098 | 1.248 | 6.33  |
| 64) I | Phenanthrene-d10   | -----ISTD----- |       |       |       |       |       |       |       |       |
| 65)   | 4,6-Dinitro-2-...  |                | 0.022 | 0.034 | 0.055 | 0.065 | 0.071 | 0.075 | 0.054 | 39.23 |
| 66) c | n-Nitrosodiphe...  | 0.727          | 0.686 | 0.693 | 0.712 | 0.689 | 0.653 | 0.623 | 0.683 | 5.11  |
| 67)   | 4-Bromophenyl-...  | 0.224          | 0.219 | 0.223 | 0.236 | 0.225 | 0.220 | 0.211 | 0.223 | 3.39  |
| 68)   | Hexachlorobenzene  | 0.256          | 0.245 | 0.248 | 0.261 | 0.255 | 0.244 | 0.237 | 0.249 | 3.28  |
| 69)   | Atrazine           | 0.166          | 0.172 | 0.186 | 0.190 | 0.190 | 0.182 | 0.174 | 0.180 | 5.29  |
| 70) C | Pentachlorophenol  |                | 0.093 | 0.121 | 0.144 | 0.145 | 0.144 | 0.144 | 0.132 | 16.25 |
| 71)   | Phenanthrene       | 1.218          | 1.114 | 1.119 | 1.112 | 1.064 | 0.995 | 0.940 | 1.080 | 8.45  |
| 72)   | Anthracene         | 1.209          | 1.161 | 1.151 | 1.128 | 1.099 | 1.025 | 0.959 | 1.105 | 7.77  |
| 73)   | Carbazole          | 1.125          | 1.047 | 1.061 | 1.033 | 0.996 | 0.935 | 0.857 | 1.008 | 8.77  |
| 74)   | Di-n-butylphth...  | 0.986          | 1.006 | 1.088 | 1.069 | 1.045 | 0.988 | 0.912 | 1.013 | 5.88  |
| 75) C | Fluoranthene       | 1.221          | 1.144 | 1.155 | 1.085 | 1.035 | 0.957 | 0.878 | 1.068 | 11.24 |
| 76) I | Chrysene-d12       | -----ISTD----- |       |       |       |       |       |       |       |       |
| 77)   | Benzidine          | 0.702          | 0.748 | 0.885 | 0.963 | 0.945 | 0.895 | 0.810 | 0.850 | 11.67 |
| 78)   | Pyrene             | 1.833          | 1.801 | 1.849 | 2.026 | 1.937 | 1.833 | 1.635 | 1.845 | 6.54  |
| 79) S | Terphenyl-d14      | 1.472          | 1.413 | 1.422 | 1.481 | 1.392 | 1.290 | 1.155 | 1.375 | 8.41  |
| 80)   | Butylbenzylphth... | 0.218          | 0.293 | 0.405 | 0.505 | 0.525 | 0.524 | 0.509 | 0.425 | 29.32 |
| 81)   | Benzo(a)anthra...  | 1.379          | 1.320 | 1.332 | 1.438 | 1.388 | 1.316 | 1.225 | 1.343 | 5.06  |
| 82)   | 3,3'-Dichlorob...  | 0.286          | 0.317 | 0.380 | 0.442 | 0.450 | 0.451 | 0.435 | 0.394 | 17.37 |
| 83)   | Chrysene           | 1.302          | 1.210 | 1.249 | 1.232 | 1.227 | 1.197 | 1.138 | 1.222 | 4.12  |
| 84)   | Bis(2-ethylhex...  | 0.384          | 0.448 | 0.549 | 0.695 | 0.726 | 0.722 | 0.707 | 0.604 | 23.69 |
| 85) c | Di-n-octyl pht...  |                | 0.668 | 0.875 | 1.262 | 1.320 | 1.347 | 1.329 | 1.133 | 25.55 |

Method Path : Z:\svoasrv\HPCHEM1\BNA\_F\Methods\  
Method File : 8270-BF043025.M

|       |                   |                |       |       |       |       |       |       |       |  |      |
|-------|-------------------|----------------|-------|-------|-------|-------|-------|-------|-------|--|------|
| 86) I | Perylene-d12      | -----ISTD----- |       |       |       |       |       |       |       |  |      |
| 87)   | Indeno(1,2,3-c... | 1.323          | 1.384 | 1.466 | 1.613 | 1.556 | 1.490 | 1.422 | 1.465 |  | 6.78 |
| 88)   | Benzo(b)fluora... | 1.317          | 1.220 | 1.208 | 1.302 | 1.271 | 1.177 | 1.202 | 1.242 |  | 4.36 |
| 89)   | Benzo(k)fluora... | 1.211          | 1.159 | 1.222 | 1.145 | 1.146 | 1.110 | 0.962 | 1.136 |  | 7.59 |
| 90) C | Benzo(a)pyrene    | 1.121          | 1.098 | 1.146 | 1.203 | 1.180 | 1.137 | 1.076 | 1.137 |  | 3.91 |
| 91)   | Dibenzo(a,h)an... | 1.075          | 1.131 | 1.197 | 1.312 | 1.271 | 1.192 | 1.144 | 1.189 |  | 6.90 |
| 92)   | Benzo(g,h,i)pe... | 1.076          | 1.138 | 1.204 | 1.308 | 1.267 | 1.213 | 1.162 | 1.195 |  | 6.55 |

-----  
(#) = Out of Range

7C

SEMIVOLATILE CONTINUING CALIBRATION CHECK

Lab Name: CHEMTECH Contract: CAMP02

Lab Code: CHEM Case No.: Q1915 SAS No.: Q1915 SDG No.: Q1915

Instrument ID: BNA\_F Calibration Date/Time: 05/01/2025 10:17

Lab File ID: BF142250.D Init. Calib. Date(s): 04/30/2025 04/30/2025

EPA Sample No.: SSTDCCC040 Init. Calib. Time(s): 11:24 14:43

GC Column: DB-UI ID: 0.18 (mm)

| COMPOUND              | RRF   | RRF040 | MIN<br>RRF | %D   | MAX%D |
|-----------------------|-------|--------|------------|------|-------|
| Pyridine              | 1.454 | 1.532  |            | 5.4  |       |
| 2-Fluorophenol        | 1.252 | 1.250  |            | -0.2 |       |
| Phenol-d6             | 1.512 | 1.575  |            | 4.2  |       |
| 1,4-Dichlorobenzene   | 1.475 | 1.526  |            | 3.5  | 20.0  |
| 2-Methylphenol        | 1.060 | 1.103  |            | 4.1  |       |
| 3+4-Methylphenols     | 1.326 | 1.404  |            | 5.9  |       |
| Nitrobenzene-d5       | 0.304 | 0.333  |            | 9.5  |       |
| Hexachloroethane      | 0.483 | 0.505  |            | 4.6  |       |
| Nitrobenzene          | 0.299 | 0.320  |            | 7.0  |       |
| Hexachlorobutadiene   | 0.175 | 0.186  |            | 6.3  | 20.0  |
| 2,4,6-Trichlorophenol | 0.349 | 0.354  |            | 1.4  | 20.0  |
| 2-Fluorobiphenyl      | 1.418 | 1.409  |            | -0.6 |       |
| 2,4,5-Trichlorophenol | 0.367 | 0.386  |            | 5.2  |       |
| 2,4-Dinitrotoluene    | 0.239 | 0.289  |            | 20.9 |       |
| 2,4,6-Tribromophenol  | 0.182 | 0.196  |            | 7.7  |       |
| Hexachlorobenzene     | 0.249 | 0.257  |            | 3.2  |       |
| Pentachlorophenol     | 0.132 | 0.137  |            | 3.8  | 20.0  |
| Terphenyl-d14         | 1.375 | 1.422  |            | 3.4  |       |

All other compounds must meet a minimum RRF of 0.010.

7C

SEMIVOLATILE CONTINUING CALIBRATION CHECK

Lab Name: CHEMTECH Contract: CAMP02

Lab Code: CHEM Case No.: Q1915 SAS No.: Q1915 SDG No.: Q1915

Instrument ID: BNA\_F Calibration Date/Time: 05/02/2025 10:39

Lab File ID: BF142274.D Init. Calib. Date(s): 04/30/2025 04/30/2025

EPA Sample No.: SSTDCCC040 Init. Calib. Time(s): 11:24 14:43

GC Column: DB-UI ID: 0.18 (mm)

| COMPOUND              | RRF   | RRF040 | MIN<br>RRF | %D   | MAX%D |
|-----------------------|-------|--------|------------|------|-------|
| Pyridine              | 1.454 | 1.384  |            | -4.8 |       |
| 2-Fluorophenol        | 1.252 | 1.195  |            | -4.6 |       |
| Phenol-d6             | 1.512 | 1.457  |            | -3.6 |       |
| 1,4-Dichlorobenzene   | 1.475 | 1.364  |            | -7.5 | 20.0  |
| 2-Methylphenol        | 1.060 | 1.005  |            | -5.2 |       |
| 3+4-Methylphenols     | 1.326 | 1.295  |            | -2.3 |       |
| Nitrobenzene-d5       | 0.304 | 0.332  |            | 9.2  |       |
| Hexachloroethane      | 0.483 | 0.473  |            | -2.1 |       |
| Nitrobenzene          | 0.299 | 0.315  |            | 5.4  |       |
| Hexachlorobutadiene   | 0.175 | 0.164  |            | -6.3 | 20.0  |
| 2,4,6-Trichlorophenol | 0.349 | 0.360  |            | 3.2  | 20.0  |
| 2-Fluorobiphenyl      | 1.418 | 1.293  |            | -8.8 |       |
| 2,4,5-Trichlorophenol | 0.367 | 0.363  |            | -1.1 |       |
| 2,4-Dinitrotoluene    | 0.239 | 0.314  |            | 31.4 |       |
| 2,4,6-Tribromophenol  | 0.182 | 0.190  |            | 4.4  |       |
| Hexachlorobenzene     | 0.249 | 0.232  |            | -6.8 |       |
| Pentachlorophenol     | 0.132 | 0.137  |            | 3.8  | 20.0  |
| Terphenyl-d14         | 1.375 | 1.344  |            | -2.3 |       |

All other compounds must meet a minimum RRF of 0.010.

## LAB CHRONICLE

|                 |                    |                   |                              |
|-----------------|--------------------|-------------------|------------------------------|
| <b>OrderID:</b> | Q1915              | <b>OrderDate:</b> | 4/29/2025 2:29:00 PM         |
| <b>Client:</b>  | CDM Smith          | <b>Project:</b>   | Con Ed UTEN Mount Vernon, NY |
| <b>Contact:</b> | Marcie Ann Encinas | <b>Location:</b>  | L41                          |

| LabID    | ClientID    | Matrix | Test            | Method | Sample Date | Prep Date | Anal Date | Received |
|----------|-------------|--------|-----------------|--------|-------------|-----------|-----------|----------|
| Q1915-01 | WC-04282025 | TCLP   |                 |        | 04/28/25    |           |           | 04/29/25 |
|          |             |        | TCLP ICP Metals | 6010D  |             | 04/30/25  | 05/01/25  |          |
|          |             |        | TCLP Mercury    | 7470A  |             | 04/30/25  | 05/01/25  |          |



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

**Hit Summary Sheet**  
**SW-846**

|                 |           |                    |                              |
|-----------------|-----------|--------------------|------------------------------|
| <b>SDG No.:</b> | Q1915     | <b>Order ID:</b>   | Q1915                        |
| <b>Client:</b>  | CDM Smith | <b>Project ID:</b> | Con Ed UTEN Mount Vernon, NY |

| Sample ID                      | Client ID   | Matrix | Parameter | Concentration | C | MDL  | RDL  | Units |
|--------------------------------|-------------|--------|-----------|---------------|---|------|------|-------|
| <b>Client ID : WC-04282025</b> |             |        |           |               |   |      |      |       |
| Q1915-01                       | WC-04282025 | TCLP   | Barium    | 4600          |   | 72.8 | 500  | ug/L  |
| Q1915-01                       | WC-04282025 | TCLP   | Cadmium   | 7.22          | J | 2.50 | 30.0 | ug/L  |
| Q1915-01                       | WC-04282025 | TCLP   | Lead      | 896           |   | 11.5 | 60.0 | ug/L  |



# SAMPLE DATA

## Report of Analysis

|                   |                              |                 |          |
|-------------------|------------------------------|-----------------|----------|
| Client:           | CDM Smith                    | Date Collected: | 04/28/25 |
| Project:          | Con Ed UTEN Mount Vernon, NY | Date Received:  | 04/29/25 |
| Client Sample ID: | WC-04282025                  | SDG No.:        | Q1915    |
| Lab Sample ID:    | Q1915-01                     | Matrix:         | TCLP     |
| Level (low/med):  | low                          | % Solid:        | 0        |

| Cas       | Parameter | Conc. | Qua. | DF | MDL  | LOQ / CRQL | Units | Prep Date      | Date Ana.      | Ana Met. | Prep Met. |
|-----------|-----------|-------|------|----|------|------------|-------|----------------|----------------|----------|-----------|
| 7440-38-2 | Arsenic   | 100   | U    | 1  | 25.6 | 100        | ug/L  | 04/30/25 13:35 | 05/01/25 20:07 | 6010D    | SW3050    |
| 7440-39-3 | Barium    | 4600  |      | 1  | 72.8 | 500        | ug/L  | 04/30/25 13:35 | 05/01/25 20:07 | 6010D    | SW3050    |
| 7440-43-9 | Cadmium   | 7.22  | J    | 1  | 2.50 | 30.0       | ug/L  | 04/30/25 13:35 | 05/01/25 20:07 | 6010D    | SW3050    |
| 7440-47-3 | Chromium  | 50.0  | U    | 1  | 10.6 | 50.0       | ug/L  | 04/30/25 13:35 | 05/01/25 20:07 | 6010D    | SW3050    |
| 7439-92-1 | Lead      | 896   |      | 1  | 11.5 | 60.0       | ug/L  | 04/30/25 13:35 | 05/01/25 20:07 | 6010D    | SW3050    |
| 7439-97-6 | Mercury   | 2.00  | U    | 1  | 0.76 | 2.00       | ug/L  | 04/30/25 13:30 | 05/01/25 14:43 | 7470A    |           |
| 7782-49-2 | Selenium  | 100   | U    | 1  | 48.2 | 100        | ug/L  | 04/30/25 13:35 | 05/01/25 20:07 | 6010D    | SW3050    |
| 7440-22-4 | Silver    | 50.0  | U    | 1  | 8.10 | 50.0       | ug/L  | 04/30/25 13:35 | 05/01/25 20:07 | 6010D    | SW3050    |

|               |             |                 |       |            |
|---------------|-------------|-----------------|-------|------------|
| Color Before: | Colorless   | Clarity Before: | Clear | Texture:   |
| Color After:  | Colorless   | Clarity After:  | Clear | Artifacts: |
| Comments:     | TCLP METALS |                 |       |            |

U = Not Detected  
 LOQ = Limit of Quantitation  
 MDL = Method Detection Limit  
 LOD = Limit of Detection  
 D = Dilution  
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value  
 B = Analyte Found in Associated Method Blank  
 \* = indicates the duplicate analysis is not within control limits.  
 E = Indicates the reported value is estimated because of the presence of interference.  
 OR = Over Range  
 N = Spiked sample recovery not within control limits



# METAL CALIBRATION DATA

**Metals**

- 2a -

**INITIAL AND CONTINUING CALIBRATION VERIFICATION**

**Client:** CDM Smith **SDG No.:** Q1915  
**Contract:** CAMP02 **Lab Code:** CHEM **Case No.:** Q1915 **SAS No.:** Q1915  
**Initial Calibration Source:** EPA  
**Continuing Calibration Source:** PLASMA-PURE

| Sample ID | Analyte | Result<br>ug/L | True Value | %<br>Recovery | Acceptance<br>Window (%R) | M  | Analysis<br>Date | Analysis<br>Time | Run<br>Number |
|-----------|---------|----------------|------------|---------------|---------------------------|----|------------------|------------------|---------------|
| ICV112    | Mercury | 3.81           | 4.0        | 95            | 90 - 110                  | CV | 05/01/2025       | 11:47            | LB135623      |

**Metals**

- 2a -

**INITIAL AND CONTINUING CALIBRATION VERIFICATION**

**Client:** CDM Smith **SDG No.:** Q1915  
**Contract:** CAMP02 **Lab Code:** CHEM **Case No.:** Q1915 **SAS No.:** Q1915  
**Initial Calibration Source:** EPA  
**Continuing Calibration Source:** PLASMA-PURE

| Sample ID | Analyte | Result<br>ug/L | True Value | %<br>Recovery | Acceptance<br>Window (%R) | M  | Analysis<br>Date | Analysis<br>Time | Run<br>Number |
|-----------|---------|----------------|------------|---------------|---------------------------|----|------------------|------------------|---------------|
| CCV62     | Mercury | 4.80           | 5.0        | 96            | 90 - 110                  | CV | 05/01/2025       | 11:58            | LB135623      |
| CCV63     | Mercury | 5.01           | 5.0        | 100           | 90 - 110                  | CV | 05/01/2025       | 12:49            | LB135623      |
| CCV64     | Mercury | 5.09           | 5.0        | 102           | 90 - 110                  | CV | 05/01/2025       | 13:19            | LB135623      |
| CCV65     | Mercury | 4.77           | 5.0        | 95            | 90 - 110                  | CV | 05/01/2025       | 13:58            | LB135623      |
| CCV66     | Mercury | 4.60           | 5.0        | 92            | 90 - 110                  | CV | 05/01/2025       | 14:29            | LB135623      |
| CCV67     | Mercury | 4.61           | 5.0        | 92            | 90 - 110                  | CV | 05/01/2025       | 15:23            | LB135623      |

**Metals**

- 2a -

**INITIAL AND CONTINUING CALIBRATION VERIFICATION**

**Client:** CDM Smith **SDG No.:** Q1915  
**Contract:** CAMP02 **Lab Code:** CHEM **Case No.:** Q1915 **SAS No.:** Q1915  
**Initial Calibration Source:** EPA  
**Continuing Calibration Source:** Inorganic Ventures

| Sample ID | Analyte  | Result<br>ug/L | True Value | %<br>Recovery | Acceptance<br>Window (%R) | M | Analysis<br>Date | Analysis<br>Time | Run<br>Number |
|-----------|----------|----------------|------------|---------------|---------------------------|---|------------------|------------------|---------------|
| ICV01     | Arsenic  | 1010           | 1000       | 100           | 90 - 110                  | P | 05/01/2025       | 13:44            | LB135636      |
|           | Barium   | 495            | 520        | 95            | 90 - 110                  | P | 05/01/2025       | 13:44            | LB135636      |
|           | Cadmium  | 508            | 510        | 100           | 90 - 110                  | P | 05/01/2025       | 13:44            | LB135636      |
|           | Chromium | 506            | 520        | 97            | 90 - 110                  | P | 05/01/2025       | 13:44            | LB135636      |
|           | Lead     | 989            | 1000       | 99            | 90 - 110                  | P | 05/01/2025       | 13:44            | LB135636      |
|           | Selenium | 1040           | 1000       | 104           | 90 - 110                  | P | 05/01/2025       | 13:44            | LB135636      |
|           | Silver   | 240            | 250        | 96            | 90 - 110                  | P | 05/01/2025       | 13:44            | LB135636      |

**Metals**

- 2a -

**INITIAL AND CONTINUING CALIBRATION VERIFICATION**

Client: CDM Smith SDG No.: Q1915  
Contract: CAMP02 Lab Code: CHEM Case No.: Q1915 SAS No.: Q1915  
Initial Calibration Source: EPA  
Continuing Calibration Source: Inorganic Ventures

| Sample ID | Analyte  | Result<br>ug/L | True Value | %<br>Recovery | Acceptance<br>Window (%R) | M | Analysis<br>Date | Analysis<br>Time | Run<br>Number |
|-----------|----------|----------------|------------|---------------|---------------------------|---|------------------|------------------|---------------|
| LLICV01   | Arsenic  | 23.7           | 20.0       | 119           | 80 - 120                  | P | 05/01/2025       | 14:01            | LB135636      |
|           | Barium   | 95.8           | 100        | 96            | 80 - 120                  | P | 05/01/2025       | 14:01            | LB135636      |
|           | Cadmium  | 6.39           | 6.0        | 107           | 80 - 120                  | P | 05/01/2025       | 14:01            | LB135636      |
|           | Chromium | 10.5           | 10.0       | 105           | 80 - 120                  | P | 05/01/2025       | 14:01            | LB135636      |
|           | Lead     | 13.1           | 12.0       | 109           | 80 - 120                  | P | 05/01/2025       | 14:01            | LB135636      |
|           | Selenium | 22.9           | 20.0       | 114           | 80 - 120                  | P | 05/01/2025       | 14:01            | LB135636      |
|           | Silver   | 10.2           | 10.0       | 102           | 80 - 120                  | P | 05/01/2025       | 14:01            | LB135636      |

## Metals

- 2a -

### INITIAL AND CONTINUING CALIBRATION VERIFICATION

Client: CDM Smith SDG No.: Q1915  
Contract: CAMP02 Lab Code: CHEM Case No.: Q1915 SAS No.: Q1915  
Initial Calibration Source: EPA  
Continuing Calibration Source: Inorganic Ventures

| Sample ID | Analyte  | Result<br>ug/L | True Value | %<br>Recovery | Acceptance<br>Window (%R) | M | Analysis<br>Date | Analysis<br>Time | Run<br>Number |
|-----------|----------|----------------|------------|---------------|---------------------------|---|------------------|------------------|---------------|
| CCV01     | Arsenic  | 5090           | 5000       | 102           | 90 - 110                  | P | 05/01/2025       | 15:05            | LB135636      |
|           | Barium   | 9650           | 10000      | 96            | 90 - 110                  | P | 05/01/2025       | 15:05            | LB135636      |
|           | Cadmium  | 2500           | 2500       | 100           | 90 - 110                  | P | 05/01/2025       | 15:05            | LB135636      |
|           | Chromium | 1000           | 1000       | 100           | 90 - 110                  | P | 05/01/2025       | 15:05            | LB135636      |
|           | Lead     | 5010           | 5000       | 100           | 90 - 110                  | P | 05/01/2025       | 15:05            | LB135636      |
|           | Selenium | 5140           | 5000       | 103           | 90 - 110                  | P | 05/01/2025       | 15:05            | LB135636      |
|           | Silver   | 1250           | 1250       | 100           | 90 - 110                  | P | 05/01/2025       | 15:05            | LB135636      |
| CCV02     | Arsenic  | 4930           | 5000       | 99            | 90 - 110                  | P | 05/01/2025       | 16:00            | LB135636      |
|           | Barium   | 10200          | 10000      | 102           | 90 - 110                  | P | 05/01/2025       | 16:00            | LB135636      |
|           | Cadmium  | 2470           | 2500       | 99            | 90 - 110                  | P | 05/01/2025       | 16:00            | LB135636      |
|           | Chromium | 995            | 1000       | 100           | 90 - 110                  | P | 05/01/2025       | 16:00            | LB135636      |
|           | Lead     | 4980           | 5000       | 100           | 90 - 110                  | P | 05/01/2025       | 16:00            | LB135636      |
|           | Selenium | 4960           | 5000       | 99            | 90 - 110                  | P | 05/01/2025       | 16:00            | LB135636      |
|           | Silver   | 1220           | 1250       | 98            | 90 - 110                  | P | 05/01/2025       | 16:00            | LB135636      |
| CCV03     | Arsenic  | 5040           | 5000       | 101           | 90 - 110                  | P | 05/01/2025       | 17:03            | LB135636      |
|           | Barium   | 9950           | 10000      | 100           | 90 - 110                  | P | 05/01/2025       | 17:03            | LB135636      |
|           | Cadmium  | 2510           | 2500       | 100           | 90 - 110                  | P | 05/01/2025       | 17:03            | LB135636      |
|           | Chromium | 988            | 1000       | 99            | 90 - 110                  | P | 05/01/2025       | 17:03            | LB135636      |
|           | Lead     | 5010           | 5000       | 100           | 90 - 110                  | P | 05/01/2025       | 17:03            | LB135636      |
|           | Selenium | 5060           | 5000       | 101           | 90 - 110                  | P | 05/01/2025       | 17:03            | LB135636      |
|           | Silver   | 1220           | 1250       | 97            | 90 - 110                  | P | 05/01/2025       | 17:03            | LB135636      |
| CCV04     | Arsenic  | 5160           | 5000       | 103           | 90 - 110                  | P | 05/01/2025       | 17:49            | LB135636      |
|           | Barium   | 10000          | 10000      | 100           | 90 - 110                  | P | 05/01/2025       | 17:49            | LB135636      |
|           | Cadmium  | 2470           | 2500       | 99            | 90 - 110                  | P | 05/01/2025       | 17:49            | LB135636      |
|           | Chromium | 987            | 1000       | 99            | 90 - 110                  | P | 05/01/2025       | 17:49            | LB135636      |
|           | Lead     | 4950           | 5000       | 99            | 90 - 110                  | P | 05/01/2025       | 17:49            | LB135636      |
|           | Selenium | 5240           | 5000       | 105           | 90 - 110                  | P | 05/01/2025       | 17:49            | LB135636      |
|           | Silver   | 1250           | 1250       | 100           | 90 - 110                  | P | 05/01/2025       | 17:49            | LB135636      |
| CCV05     | Arsenic  | 5090           | 5000       | 102           | 90 - 110                  | P | 05/01/2025       | 18:36            | LB135636      |
|           | Barium   | 9950           | 10000      | 100           | 90 - 110                  | P | 05/01/2025       | 18:36            | LB135636      |
|           | Cadmium  | 2500           | 2500       | 100           | 90 - 110                  | P | 05/01/2025       | 18:36            | LB135636      |
|           | Chromium | 984            | 1000       | 98            | 90 - 110                  | P | 05/01/2025       | 18:36            | LB135636      |
|           | Lead     | 4980           | 5000       | 100           | 90 - 110                  | P | 05/01/2025       | 18:36            | LB135636      |
|           | Selenium | 5150           | 5000       | 103           | 90 - 110                  | P | 05/01/2025       | 18:36            | LB135636      |

## Metals

- 2a -

### INITIAL AND CONTINUING CALIBRATION VERIFICATION

Client: CDM Smith SDG No.: Q1915  
Contract: CAMP02 Lab Code: CHEM Case No.: Q1915 SAS No.: Q1915  
Initial Calibration Source: EPA  
Continuing Calibration Source: Inorganic Ventures

| Sample ID | Analyte  | Result<br>ug/L | True Value | %<br>Recovery | Acceptance<br>Window (%R) | M | Analysis<br>Date | Analysis<br>Time | Run<br>Number |
|-----------|----------|----------------|------------|---------------|---------------------------|---|------------------|------------------|---------------|
| CCV05     | Silver   | 1230           | 1250       | 98            | 90 - 110                  | P | 05/01/2025       | 18:36            | LB135636      |
| CCV06     | Arsenic  | 4990           | 5000       | 100           | 90 - 110                  | P | 05/01/2025       | 19:23            | LB135636      |
|           | Barium   | 9830           | 10000      | 98            | 90 - 110                  | P | 05/01/2025       | 19:23            | LB135636      |
|           | Cadmium  | 2460           | 2500       | 98            | 90 - 110                  | P | 05/01/2025       | 19:23            | LB135636      |
|           | Chromium | 980            | 1000       | 98            | 90 - 110                  | P | 05/01/2025       | 19:23            | LB135636      |
|           | Lead     | 4920           | 5000       | 98            | 90 - 110                  | P | 05/01/2025       | 19:23            | LB135636      |
|           | Selenium | 5030           | 5000       | 101           | 90 - 110                  | P | 05/01/2025       | 19:23            | LB135636      |
|           | Silver   | 1240           | 1250       | 99            | 90 - 110                  | P | 05/01/2025       | 19:23            | LB135636      |
| CCV07     | Arsenic  | 5090           | 5000       | 102           | 90 - 110                  | P | 05/01/2025       | 20:11            | LB135636      |
|           | Barium   | 9790           | 10000      | 98            | 90 - 110                  | P | 05/01/2025       | 20:11            | LB135636      |
|           | Cadmium  | 2500           | 2500       | 100           | 90 - 110                  | P | 05/01/2025       | 20:11            | LB135636      |
|           | Chromium | 995            | 1000       | 100           | 90 - 110                  | P | 05/01/2025       | 20:11            | LB135636      |
|           | Lead     | 4980           | 5000       | 100           | 90 - 110                  | P | 05/01/2025       | 20:11            | LB135636      |
|           | Selenium | 5120           | 5000       | 102           | 90 - 110                  | P | 05/01/2025       | 20:11            | LB135636      |
|           | Silver   | 1250           | 1250       | 100           | 90 - 110                  | P | 05/01/2025       | 20:11            | LB135636      |
| CCV08     | Arsenic  | 5180           | 5000       | 104           | 90 - 110                  | P | 05/01/2025       | 20:24            | LB135636      |
|           | Barium   | 9880           | 10000      | 99            | 90 - 110                  | P | 05/01/2025       | 20:24            | LB135636      |
|           | Cadmium  | 2490           | 2500       | 100           | 90 - 110                  | P | 05/01/2025       | 20:24            | LB135636      |
|           | Chromium | 980            | 1000       | 98            | 90 - 110                  | P | 05/01/2025       | 20:24            | LB135636      |
|           | Lead     | 4990           | 5000       | 100           | 90 - 110                  | P | 05/01/2025       | 20:24            | LB135636      |
|           | Selenium | 5270           | 5000       | 105           | 90 - 110                  | P | 05/01/2025       | 20:24            | LB135636      |
|           | Silver   | 1240           | 1250       | 99            | 90 - 110                  | P | 05/01/2025       | 20:24            | LB135636      |



- 2a -

|                                       |                    |                  |              |                                                            |
|---------------------------------------|--------------------|------------------|--------------|------------------------------------------------------------|
| <b>Client:</b>                        | <u>CDM Smith</u>   | <b>SDG No.:</b>  | <u>Q1915</u> |                                                            |
| <b>Contract:</b>                      | <u>CAMP02</u>      | <b>Lab Code:</b> | <u>CHEM</u>  | <b>Case No.:</b> <u>Q1915</u> <b>SAS No.:</b> <u>Q1915</u> |
| <b>Initial Calibration Source:</b>    | <u>EPA</u>         |                  |              |                                                            |
| <b>Continuing Calibration Source:</b> | Inorganic Ventures |                  |              |                                                            |

| Sample ID | Analyte  | Result | True Value | %        | Acceptance  | M | Analysis Date | Analysis Time | Run Number |
|-----------|----------|--------|------------|----------|-------------|---|---------------|---------------|------------|
|           |          | ug/L   |            | Recovery | Window (%R) |   |               |               |            |
| ICV01     | Arsenic  | 1060   | 1000       | 106      | 90 - 110    | P | 05/02/2025    | 13:47         | LB135654   |
|           | Barium   | 518    | 520        | 100      | 90 - 110    | P | 05/02/2025    | 13:47         | LB135654   |
|           | Cadmium  | 493    | 510        | 97       | 90 - 110    | P | 05/02/2025    | 13:47         | LB135654   |
|           | Chromium | 503    | 520        | 97       | 90 - 110    | P | 05/02/2025    | 13:47         | LB135654   |
|           | Lead     | 966    | 1000       | 97       | 90 - 110    | P | 05/02/2025    | 13:47         | LB135654   |
|           | Selenium | 1040   | 1000       | 104      | 90 - 110    | P | 05/02/2025    | 13:47         | LB135654   |
|           | Silver   | 230    | 250        | 92       | 90 - 110    | P | 05/02/2025    | 13:47         | LB135654   |



- 2a -

|                                       |                    |                  |              |                                                            |
|---------------------------------------|--------------------|------------------|--------------|------------------------------------------------------------|
| <b>Client:</b>                        | <u>CDM Smith</u>   | <b>SDG No.:</b>  | <u>Q1915</u> |                                                            |
| <b>Contract:</b>                      | <u>CAMP02</u>      | <b>Lab Code:</b> | <u>CHEM</u>  | <b>Case No.:</b> <u>Q1915</u> <b>SAS No.:</b> <u>Q1915</u> |
| <b>Initial Calibration Source:</b>    | <u>EPA</u>         |                  |              |                                                            |
| <b>Continuing Calibration Source:</b> | Inorganic Ventures |                  |              |                                                            |

| Sample ID | Analyte  | Result | True Value | %        | Acceptance  | M | Analysis Date | Analysis Time | Run Number |
|-----------|----------|--------|------------|----------|-------------|---|---------------|---------------|------------|
|           |          | ug/L   |            | Recovery | Window (%R) |   |               |               |            |
| LLICV01   | Arsenic  | 19.0   | 20.0       | 95       | 80 - 120    | P | 05/02/2025    | 15:03         | LB135654   |
|           | Barium   | 81.5   | 100        | 82       | 80 - 120    | P | 05/02/2025    | 15:03         | LB135654   |
|           | Cadmium  | 5.51   | 6.0        | 92       | 80 - 120    | P | 05/02/2025    | 15:03         | LB135654   |
|           | Chromium | 10.1   | 10.0       | 101      | 80 - 120    | P | 05/02/2025    | 15:03         | LB135654   |
|           | Lead     | 11.1   | 12.0       | 93       | 80 - 120    | P | 05/02/2025    | 15:03         | LB135654   |
|           | Selenium | 16.8   | 20.0       | 84       | 80 - 120    | P | 05/02/2025    | 15:03         | LB135654   |
|           | Silver   | 10.8   | 10.0       | 108      | 80 - 120    | P | 05/02/2025    | 15:03         | LB135654   |

**Metals**

- 2a -

**INITIAL AND CONTINUING CALIBRATION VERIFICATION**

Client: CDM Smith SDG No.: Q1915  
Contract: CAMP02 Lab Code: CHEM Case No.: Q1915 SAS No.: Q1915  
Initial Calibration Source: EPA  
Continuing Calibration Source: Inorganic Ventures

| Sample ID | Analyte  | Result<br>ug/L | True Value | %<br>Recovery | Acceptance<br>Window (%R) | M | Analysis<br>Date | Analysis<br>Time | Run<br>Number |
|-----------|----------|----------------|------------|---------------|---------------------------|---|------------------|------------------|---------------|
| CCV01     | Arsenic  | 5450           | 5000       | 109           | 90 - 110                  | P | 05/02/2025       | 16:01            | LB135654      |
|           | Barium   | 9540           | 10000      | 95            | 90 - 110                  | P | 05/02/2025       | 16:01            | LB135654      |
|           | Cadmium  | 2440           | 2500       | 98            | 90 - 110                  | P | 05/02/2025       | 16:01            | LB135654      |
|           | Chromium | 1010           | 1000       | 101           | 90 - 110                  | P | 05/02/2025       | 16:01            | LB135654      |
|           | Lead     | 4820           | 5000       | 96            | 90 - 110                  | P | 05/02/2025       | 16:01            | LB135654      |
|           | Selenium | 5460           | 5000       | 109           | 90 - 110                  | P | 05/02/2025       | 16:01            | LB135654      |
|           | Silver   | 1270           | 1250       | 102           | 90 - 110                  | P | 05/02/2025       | 16:01            | LB135654      |
| CCV02     | Arsenic  | 5240           | 5000       | 105           | 90 - 110                  | P | 05/02/2025       | 16:34            | LB135654      |
|           | Barium   | 9720           | 10000      | 97            | 90 - 110                  | P | 05/02/2025       | 16:34            | LB135654      |
|           | Cadmium  | 2390           | 2500       | 96            | 90 - 110                  | P | 05/02/2025       | 16:34            | LB135654      |
|           | Chromium | 1000           | 1000       | 100           | 90 - 110                  | P | 05/02/2025       | 16:34            | LB135654      |
|           | Lead     | 4740           | 5000       | 95            | 90 - 110                  | P | 05/02/2025       | 16:34            | LB135654      |
|           | Selenium | 5240           | 5000       | 105           | 90 - 110                  | P | 05/02/2025       | 16:34            | LB135654      |
|           | Silver   | 1260           | 1250       | 101           | 90 - 110                  | P | 05/02/2025       | 16:34            | LB135654      |



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

**Metals**

**- 2b -**

**CRDL STANDARD FOR AA & ICP**

**Client:** CDM Smith **SDG No.:** Q1915  
**Contract:** CAMP02 **Lab Code:** CHEM **Case No.:** Q1915 **SAS No.:** Q1915  
**Initial Calibration Source:** \_\_\_\_\_  
**Continuing Calibration Source:** \_\_\_\_\_

| Sample ID    | Analyte  | Result<br>ug/L | True Value<br>ug/L | %<br>Recovery | Acceptance<br>Window (%R) | M  | Analysis<br>Date | Analysis<br>Time | Run<br>Number |
|--------------|----------|----------------|--------------------|---------------|---------------------------|----|------------------|------------------|---------------|
| <b>CRA</b>   | Mercury  | 0.17           | 0.2                | 86            | 40 - 160                  | CV | 05/01/2025       | 12:05            | LB135623      |
| <b>CRI01</b> | Arsenic  | 23.3           | 20.0               | 116           | 40 - 160                  | P  | 05/01/2025       | 14:16            | LB135636      |
|              | Barium   | 93.6           | 100                | 94            | 40 - 160                  | P  | 05/01/2025       | 14:16            | LB135636      |
|              | Cadmium  | 6.36           | 6.0                | 106           | 40 - 160                  | P  | 05/01/2025       | 14:16            | LB135636      |
|              | Chromium | 10.6           | 10.0               | 106           | 40 - 160                  | P  | 05/01/2025       | 14:16            | LB135636      |
|              | Lead     | 13.3           | 12.0               | 111           | 40 - 160                  | P  | 05/01/2025       | 14:16            | LB135636      |
|              | Selenium | 23.1           | 20.0               | 115           | 40 - 160                  | P  | 05/01/2025       | 14:16            | LB135636      |
|              | Silver   | 10.6           | 10.0               | 106           | 40 - 160                  | P  | 05/01/2025       | 14:16            | LB135636      |
| <b>CRI01</b> | Arsenic  | 21.5           | 20.0               | 108           | 40 - 160                  | P  | 05/02/2025       | 15:12            | LB135654      |
|              | Barium   | 80.2           | 100                | 80            | 40 - 160                  | P  | 05/02/2025       | 15:12            | LB135654      |
|              | Cadmium  | 5.66           | 6.0                | 94            | 40 - 160                  | P  | 05/02/2025       | 15:12            | LB135654      |
|              | Chromium | 10.6           | 10.0               | 106           | 40 - 160                  | P  | 05/02/2025       | 15:12            | LB135654      |
|              | Lead     | 12.1           | 12.0               | 101           | 40 - 160                  | P  | 05/02/2025       | 15:12            | LB135654      |
|              | Selenium | 23.5           | 20.0               | 117           | 40 - 160                  | P  | 05/02/2025       | 15:12            | LB135654      |
|              | Silver   | 10.7           | 10.0               | 107           | 40 - 160                  | P  | 05/02/2025       | 15:12            | LB135654      |



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

**Metals**

**- 3a -**

**INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY**

| Client:   | CDM Smith |                |                     |              | SDG No.:  | Q1915 |                  |                  |               |
|-----------|-----------|----------------|---------------------|--------------|-----------|-------|------------------|------------------|---------------|
| Contract: | CAMP02    | Lab Code:      | CHEM                |              | Case No.: | Q1915 | SAS No.:         | Q1915            |               |
| Sample ID | Analyte   | Result<br>ug/L | Acceptance<br>Limit | Conc<br>Qual | CRQL      | M     | Analysis<br>Date | Analysis<br>Time | Run<br>Number |
| ICB112    | Mercury   | 0.20           | +/-0.20             | U            | 0.20      | CV    | 05/01/2025       | 11:49            | LB135623      |

**Metals**

- 3a -

**INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY**

**Client:** CDM Smith **SDG No.:** Q1915  
**Contract:** CAMP02 **Lab Code:** CHEM **Case No.:** Q1915 **SAS No.:** Q1915

| Sample ID | Analyte | Result<br>ug/L | Acceptance<br>Limit | Conc<br>Qual | CRQL | M  | Analysis<br>Date | Analysis<br>Time | Run<br>Number |
|-----------|---------|----------------|---------------------|--------------|------|----|------------------|------------------|---------------|
| CCB62     | Mercury | 0.20           | +/-0.20             | U            | 0.20 | CV | 05/01/2025       | 12:01            | LB135623      |
| CCB63     | Mercury | 0.20           | +/-0.20             | U            | 0.20 | CV | 05/01/2025       | 12:51            | LB135623      |
| CCB64     | Mercury | 0.20           | +/-0.20             | U            | 0.20 | CV | 05/01/2025       | 13:23            | LB135623      |
| CCB65     | Mercury | 0.20           | +/-0.20             | U            | 0.20 | CV | 05/01/2025       | 14:02            | LB135623      |
| CCB66     | Mercury | 0.20           | +/-0.20             | U            | 0.20 | CV | 05/01/2025       | 14:40            | LB135623      |
| CCB67     | Mercury | 0.20           | +/-0.20             | U            | 0.20 | CV | 05/01/2025       | 15:25            | LB135623      |

**Metals**

- 3a -

**INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY**

**Client:** CDM Smith **SDG No.:** Q1915  
**Contract:** CAMP02 **Lab Code:** CHEM **Case No.:** Q1915 **SAS No.:** Q1915

| Sample ID | Analyte  | Result<br>ug/L | Acceptance<br>Limit | Conc<br>Qual | CRQL | M | Analysis<br>Date | Analysis<br>Time | Run<br>Number |
|-----------|----------|----------------|---------------------|--------------|------|---|------------------|------------------|---------------|
| ICB01     | Arsenic  | 20.0           | +/-20.0             | U            | 20.0 | P | 05/01/2025       | 14:11            | LB135636      |
|           | Barium   | 100            | +/-100              | U            | 100  | P | 05/01/2025       | 14:11            | LB135636      |
|           | Cadmium  | 6.00           | +/-6.00             | U            | 6.00 | P | 05/01/2025       | 14:11            | LB135636      |
|           | Chromium | 10.0           | +/-10.0             | U            | 10.0 | P | 05/01/2025       | 14:11            | LB135636      |
|           | Lead     | 12.0           | +/-12.0             | U            | 12.0 | P | 05/01/2025       | 14:11            | LB135636      |
|           | Selenium | 20.0           | +/-20.0             | U            | 20.0 | P | 05/01/2025       | 14:11            | LB135636      |
|           | Silver   | 10.0           | +/-10.0             | U            | 10.0 | P | 05/01/2025       | 14:11            | LB135636      |

**Metals**

- 3a -

**INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY**

| <b>Client:</b> CDM Smith |                       | <b>SDG No.:</b> Q1915  |                       |              |      |   |                  |                  |               |
|--------------------------|-----------------------|------------------------|-----------------------|--------------|------|---|------------------|------------------|---------------|
| <b>Contract:</b> CAMP02  | <b>Lab Code:</b> CHEM | <b>Case No.:</b> Q1915 | <b>SAS No.:</b> Q1915 |              |      |   |                  |                  |               |
| Sample ID                | Analyte               | Result<br>ug/L         | Acceptance<br>Limit   | Conc<br>Qual | CRQL | M | Analysis<br>Date | Analysis<br>Time | Run<br>Number |
| CCB01                    | Arsenic               | 20.0                   | +/-20.0               | U            | 20.0 | P | 05/01/2025       | 15:12            | LB135636      |
|                          | Barium                | 100                    | +/-100                | U            | 100  | P | 05/01/2025       | 15:12            | LB135636      |
|                          | Cadmium               | 6.00                   | +/-6.00               | U            | 6.00 | P | 05/01/2025       | 15:12            | LB135636      |
|                          | Chromium              | 10.0                   | +/-10.0               | U            | 10.0 | P | 05/01/2025       | 15:12            | LB135636      |
|                          | Lead                  | 12.0                   | +/-12.0               | U            | 12.0 | P | 05/01/2025       | 15:12            | LB135636      |
|                          | Selenium              | 20.0                   | +/-20.0               | U            | 20.0 | P | 05/01/2025       | 15:12            | LB135636      |
|                          | Silver                | 10.0                   | +/-10.0               | U            | 10.0 | P | 05/01/2025       | 15:12            | LB135636      |
| CCB02                    | Arsenic               | 20.0                   | +/-20.0               | U            | 20.0 | P | 05/01/2025       | 16:04            | LB135636      |
|                          | Barium                | 100                    | +/-100                | U            | 100  | P | 05/01/2025       | 16:04            | LB135636      |
|                          | Cadmium               | 0.60                   | +/-6.00               | J            | 6.00 | P | 05/01/2025       | 16:04            | LB135636      |
|                          | Chromium              | 10.0                   | +/-10.0               | U            | 10.0 | P | 05/01/2025       | 16:04            | LB135636      |
|                          | Lead                  | 12.0                   | +/-12.0               | U            | 12.0 | P | 05/01/2025       | 16:04            | LB135636      |
|                          | Selenium              | 20.0                   | +/-20.0               | U            | 20.0 | P | 05/01/2025       | 16:04            | LB135636      |
|                          | Silver                | 10.0                   | +/-10.0               | U            | 10.0 | P | 05/01/2025       | 16:04            | LB135636      |
| CCB03                    | Arsenic               | 20.0                   | +/-20.0               | U            | 20.0 | P | 05/01/2025       | 17:07            | LB135636      |
|                          | Barium                | 100                    | +/-100                | U            | 100  | P | 05/01/2025       | 17:07            | LB135636      |
|                          | Cadmium               | 0.88                   | +/-6.00               | J            | 6.00 | P | 05/01/2025       | 17:07            | LB135636      |
|                          | Chromium              | 10.0                   | +/-10.0               | U            | 10.0 | P | 05/01/2025       | 17:07            | LB135636      |
|                          | Lead                  | 3.14                   | +/-12.0               | J            | 12.0 | P | 05/01/2025       | 17:07            | LB135636      |
|                          | Selenium              | 20.0                   | +/-20.0               | U            | 20.0 | P | 05/01/2025       | 17:07            | LB135636      |
|                          | Silver                | 10.0                   | +/-10.0               | U            | 10.0 | P | 05/01/2025       | 17:07            | LB135636      |
| CCB04                    | Arsenic               | 20.0                   | +/-20.0               | U            | 20.0 | P | 05/01/2025       | 17:53            | LB135636      |
|                          | Barium                | 100                    | +/-100                | U            | 100  | P | 05/01/2025       | 17:53            | LB135636      |
|                          | Cadmium               | 0.92                   | +/-6.00               | J            | 6.00 | P | 05/01/2025       | 17:53            | LB135636      |
|                          | Chromium              | 10.0                   | +/-10.0               | U            | 10.0 | P | 05/01/2025       | 17:53            | LB135636      |
|                          | Lead                  | 2.63                   | +/-12.0               | J            | 12.0 | P | 05/01/2025       | 17:53            | LB135636      |
|                          | Selenium              | 20.0                   | +/-20.0               | U            | 20.0 | P | 05/01/2025       | 17:53            | LB135636      |
|                          | Silver                | 10.0                   | +/-10.0               | U            | 10.0 | P | 05/01/2025       | 17:53            | LB135636      |
| CCB05                    | Arsenic               | 20.0                   | +/-20.0               | U            | 20.0 | P | 05/01/2025       | 18:40            | LB135636      |
|                          | Barium                | 100                    | +/-100                | U            | 100  | P | 05/01/2025       | 18:40            | LB135636      |
|                          | Cadmium               | 0.89                   | +/-6.00               | J            | 6.00 | P | 05/01/2025       | 18:40            | LB135636      |
|                          | Chromium              | 10.0                   | +/-10.0               | U            | 10.0 | P | 05/01/2025       | 18:40            | LB135636      |
|                          | Lead                  | 12.0                   | +/-12.0               | U            | 12.0 | P | 05/01/2025       | 18:40            | LB135636      |
|                          | Selenium              | 20.0                   | +/-20.0               | U            | 20.0 | P | 05/01/2025       | 18:40            | LB135636      |
|                          | Silver                | 10.0                   | +/-10.0               | U            | 10.0 | P | 05/01/2025       | 18:40            | LB135636      |
| CCB06                    | Arsenic               | 20.0                   | +/-20.0               | U            | 20.0 | P | 05/01/2025       | 19:27            | LB135636      |
|                          | Barium                | 100                    | +/-100                | U            | 100  | P | 05/01/2025       | 19:27            | LB135636      |
|                          | Cadmium               | 6.00                   | +/-6.00               | U            | 6.00 | P | 05/01/2025       | 19:27            | LB135636      |
|                          | Chromium              | 10.0                   | +/-10.0               | U            | 10.0 | P | 05/01/2025       | 19:27            | LB135636      |

**Metals**

- 3a -

**INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY**

**Client:** CDM Smith **SDG No.:** Q1915  
**Contract:** CAMP02 **Lab Code:** CHEM **Case No.:** Q1915 **SAS No.:** Q1915

| Sample ID | Analyte  | Result<br>ug/L | Acceptance<br>Limit | Conc<br>Qual | CRQL | M | Analysis<br>Date | Analysis<br>Time | Run<br>Number |
|-----------|----------|----------------|---------------------|--------------|------|---|------------------|------------------|---------------|
| CCB06     | Lead     | 12.0           | +/-12.0             | U            | 12.0 | P | 05/01/2025       | 19:27            | LB135636      |
|           | Selenium | 20.0           | +/-20.0             | U            | 20.0 | P | 05/01/2025       | 19:27            | LB135636      |
|           | Silver   | 10.0           | +/-10.0             | U            | 10.0 | P | 05/01/2025       | 19:27            | LB135636      |
| CCB07     | Arsenic  | 20.0           | +/-20.0             | U            | 20.0 | P | 05/01/2025       | 20:15            | LB135636      |
|           | Barium   | 100            | +/-100              | U            | 100  | P | 05/01/2025       | 20:15            | LB135636      |
|           | Cadmium  | 6.00           | +/-6.00             | U            | 6.00 | P | 05/01/2025       | 20:15            | LB135636      |
|           | Chromium | 10.0           | +/-10.0             | U            | 10.0 | P | 05/01/2025       | 20:15            | LB135636      |
|           | Lead     | 12.0           | +/-12.0             | U            | 12.0 | P | 05/01/2025       | 20:15            | LB135636      |
|           | Selenium | 20.0           | +/-20.0             | U            | 20.0 | P | 05/01/2025       | 20:15            | LB135636      |
|           | Silver   | 10.0           | +/-10.0             | U            | 10.0 | P | 05/01/2025       | 20:15            | LB135636      |
| CCB08     | Arsenic  | 20.0           | +/-20.0             | U            | 20.0 | P | 05/01/2025       | 20:28            | LB135636      |
|           | Barium   | 100            | +/-100              | U            | 100  | P | 05/01/2025       | 20:28            | LB135636      |
|           | Cadmium  | 6.00           | +/-6.00             | U            | 6.00 | P | 05/01/2025       | 20:28            | LB135636      |
|           | Chromium | 10.0           | +/-10.0             | U            | 10.0 | P | 05/01/2025       | 20:28            | LB135636      |
|           | Lead     | 12.0           | +/-12.0             | U            | 12.0 | P | 05/01/2025       | 20:28            | LB135636      |
|           | Selenium | 20.0           | +/-20.0             | U            | 20.0 | P | 05/01/2025       | 20:28            | LB135636      |
|           | Silver   | 10.0           | +/-10.0             | U            | 10.0 | P | 05/01/2025       | 20:28            | LB135636      |

**Metals**

- 3a -

**INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY**

**Client:** CDM Smith **SDG No.:** Q1915  
**Contract:** CAMP02 **Lab Code:** CHEM **Case No.:** Q1915 **SAS No.:** Q1915

| Sample ID | Analyte  | Result<br>ug/L | Acceptance<br>Limit | Conc<br>Qual | CRQL | M | Analysis<br>Date | Analysis<br>Time | Run<br>Number |
|-----------|----------|----------------|---------------------|--------------|------|---|------------------|------------------|---------------|
| ICB01     | Arsenic  | 20.0           | +/-20.0             | U            | 20.0 | P | 05/02/2025       | 15:08            | LB135654      |
|           | Barium   | 100            | +/-100              | U            | 100  | P | 05/02/2025       | 15:08            | LB135654      |
|           | Cadmium  | 6.00           | +/-6.00             | U            | 6.00 | P | 05/02/2025       | 15:08            | LB135654      |
|           | Chromium | 10.0           | +/-10.0             | U            | 10.0 | P | 05/02/2025       | 15:08            | LB135654      |
|           | Lead     | 12.0           | +/-12.0             | U            | 12.0 | P | 05/02/2025       | 15:08            | LB135654      |
|           | Selenium | 20.0           | +/-20.0             | U            | 20.0 | P | 05/02/2025       | 15:08            | LB135654      |
|           | Silver   | 10.0           | +/-10.0             | U            | 10.0 | P | 05/02/2025       | 15:08            | LB135654      |

**Metals**

- 3a -

**INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY**

**Client:** CDM Smith **SDG No.:** Q1915  
**Contract:** CAMP02 **Lab Code:** CHEM **Case No.:** Q1915 **SAS No.:** Q1915

| Sample ID | Analyte  | Result<br>ug/L | Acceptance<br>Limit | Conc<br>Qual | CRQL | M | Analysis<br>Date | Analysis<br>Time | Run<br>Number |
|-----------|----------|----------------|---------------------|--------------|------|---|------------------|------------------|---------------|
| CCB01     | Arsenic  | 20.0           | +/-20.0             | U            | 20.0 | P | 05/02/2025       | 16:05            | LB135654      |
|           | Barium   | 100            | +/-100              | U            | 100  | P | 05/02/2025       | 16:05            | LB135654      |
|           | Cadmium  | 6.00           | +/-6.00             | U            | 6.00 | P | 05/02/2025       | 16:05            | LB135654      |
|           | Chromium | 10.0           | +/-10.0             | U            | 10.0 | P | 05/02/2025       | 16:05            | LB135654      |
|           | Lead     | 12.0           | +/-12.0             | U            | 12.0 | P | 05/02/2025       | 16:05            | LB135654      |
|           | Selenium | 20.0           | +/-20.0             | U            | 20.0 | P | 05/02/2025       | 16:05            | LB135654      |
|           | Silver   | 10.0           | +/-10.0             | U            | 10.0 | P | 05/02/2025       | 16:05            | LB135654      |
| CCB02     | Arsenic  | 20.0           | +/-20.0             | U            | 20.0 | P | 05/02/2025       | 16:38            | LB135654      |
|           | Barium   | 100            | +/-100              | U            | 100  | P | 05/02/2025       | 16:38            | LB135654      |
|           | Cadmium  | 6.00           | +/-6.00             | U            | 6.00 | P | 05/02/2025       | 16:38            | LB135654      |
|           | Chromium | 10.0           | +/-10.0             | U            | 10.0 | P | 05/02/2025       | 16:38            | LB135654      |
|           | Lead     | 12.0           | +/-12.0             | U            | 12.0 | P | 05/02/2025       | 16:38            | LB135654      |
|           | Selenium | 20.0           | +/-20.0             | U            | 20.0 | P | 05/02/2025       | 16:38            | LB135654      |
|           | Silver   | 10.0           | +/-10.0             | U            | 10.0 | P | 05/02/2025       | 16:38            | LB135654      |

**Metals**  
**- 3b -**  
**PREPARATION BLANK SUMMARY**

**Client:** CDM Smith

**SDG No.:** Q1915

**Instrument:** CV1

| Sample ID         | Analyte | Result<br>(ug/L) | Acceptance<br>Limit | Conc<br>Qual         | CRQL<br>ug/L    | M  | Analysis<br>Date  | Analysis<br>Time  | Run      |
|-------------------|---------|------------------|---------------------|----------------------|-----------------|----|-------------------|-------------------|----------|
| <b>PB167774TB</b> |         | <b>WATER</b>     |                     | <b>Batch Number:</b> | <b>PB167806</b> |    | <b>Prep Date:</b> | <b>04/30/2025</b> |          |
|                   | Mercury | 2.00             | <2.00               | U                    | 2.00            | CV | 05/01/2025        | 14:45             | LB135623 |
| Sample ID         | Analyte | Result<br>(ug/L) | Acceptance<br>Limit | Conc<br>Qual         | CRQL<br>ug/L    | M  | Analysis<br>Date  | Analysis<br>Time  | Run      |
| <b>PB167806BL</b> |         | <b>WATER</b>     |                     | <b>Batch Number:</b> | <b>PB167806</b> |    | <b>Prep Date:</b> | <b>04/30/2025</b> |          |
|                   | Mercury | 0.20             | <0.20               | U                    | 0.20            | CV | 05/01/2025        | 12:28             | LB135623 |

**Metals**  
**- 3b -**  
**PREPARATION BLANK SUMMARY**

**Client:** CDM Smith

**SDG No.:** Q1915

**Instrument:** P4

| Sample ID  | Analyte  | Result<br>(ug/L) | Acceptance<br>Limit | Conc<br>Qual  | CRQL<br>ug/L | M | Analysis<br>Date | Analysis<br>Time | Run      |
|------------|----------|------------------|---------------------|---------------|--------------|---|------------------|------------------|----------|
| PB167774TB |          | WATER            |                     | Batch Number: | PB167808     |   | Prep Date:       | 04/30/2025       |          |
|            | Arsenic  | 100              | <100                | U             | 100          | P | 05/01/2025       | 16:37            | LB135636 |
|            | Barium   | 500              | <500                | U             | 500          | P | 05/01/2025       | 16:37            | LB135636 |
|            | Cadmium  | 30.0             | <30.0               | U             | 30.0         | P | 05/01/2025       | 16:37            | LB135636 |
|            | Chromium | 50.0             | <50.0               | U             | 50.0         | P | 05/01/2025       | 16:37            | LB135636 |
|            | Lead     | 60.0             | <60.0               | U             | 60.0         | P | 05/01/2025       | 16:37            | LB135636 |
|            | Selenium | 100              | <100                | U             | 100          | P | 05/01/2025       | 16:37            | LB135636 |
|            | Silver   | 50.0             | <50.0               | U             | 50.0         | P | 05/01/2025       | 16:37            | LB135636 |
| Sample ID  | Analyte  | Result<br>(ug/L) | Acceptance<br>Limit | Conc<br>Qual  | CRQL<br>ug/L | M | Analysis<br>Date | Analysis<br>Time | Run      |
| PB167805TB |          | WATER            |                     | Batch Number: | PB167808     |   | Prep Date:       | 04/30/2025       |          |
|            | Arsenic  | 100              | <100                | U             | 100          | P | 05/01/2025       | 20:20            | LB135636 |
|            | Barium   | 500              | <500                | U             | 500          | P | 05/01/2025       | 20:20            | LB135636 |
|            | Cadmium  | 30.0             | <30.0               | U             | 30.0         | P | 05/01/2025       | 20:20            | LB135636 |
|            | Chromium | 15.9             | <50.0               | J             | 50.0         | P | 05/01/2025       | 20:20            | LB135636 |
|            | Lead     | 60.0             | <60.0               | U             | 60.0         | P | 05/01/2025       | 20:20            | LB135636 |
|            | Selenium | 100              | <100                | U             | 100          | P | 05/01/2025       | 20:20            | LB135636 |
|            | Silver   | 50.0             | <50.0               | U             | 50.0         | P | 05/01/2025       | 20:20            | LB135636 |
| Sample ID  | Analyte  | Result<br>(ug/L) | Acceptance<br>Limit | Conc<br>Qual  | CRQL<br>ug/L | M | Analysis<br>Date | Analysis<br>Time | Run      |
| PB167808BL |          | WATER            |                     | Batch Number: | PB167808     |   | Prep Date:       | 04/30/2025       |          |
|            | Arsenic  | 100              | <100                | U             | 100          | P | 05/01/2025       | 16:23            | LB135636 |
|            | Barium   | 500              | <500                | U             | 500          | P | 05/01/2025       | 16:23            | LB135636 |
|            | Cadmium  | 30.0             | <30.0               | U             | 30.0         | P | 05/01/2025       | 16:23            | LB135636 |
|            | Chromium | 50.0             | <50.0               | U             | 50.0         | P | 05/01/2025       | 16:23            | LB135636 |
|            | Lead     | 60.0             | <60.0               | U             | 60.0         | P | 05/01/2025       | 16:23            | LB135636 |
|            | Selenium | 100              | <100                | U             | 100          | P | 05/01/2025       | 16:23            | LB135636 |
|            | Silver   | 50.0             | <50.0               | U             | 50.0         | P | 05/01/2025       | 16:23            | LB135636 |

**Metals**  
- 4 -  
**INTERFERENCE CHECK SAMPLE**

|                                 |                                 |
|---------------------------------|---------------------------------|
| <b>Client:</b> <u>CDM Smith</u> | <b>SDG No.:</b> <u>Q1915</u>    |
| <b>Contract:</b> <u>CAMP02</u>  | <b>Lab Code:</b> <u>CHEM</u>    |
| <b>ICS Source:</b> <u>EPA</u>   | <b>Case No.:</b> <u>Q1915</u>   |
|                                 | <b>SAS No.:</b> <u>Q1915</u>    |
|                                 | <b>Instrument ID:</b> <u>P4</u> |

| Sample ID | Analyte  | Result<br>ug/L | True Value<br>ug/L | %<br>Recovery | Low<br>Limit<br>(ug/L) | High<br>Limit<br>(ug/L) | Analysis<br>Date | Analysis<br>Time | Run<br>Number |
|-----------|----------|----------------|--------------------|---------------|------------------------|-------------------------|------------------|------------------|---------------|
| ICSA01    | Arsenic  | 2.11           |                    |               | -20                    | 20                      | 05/01/2025       | 14:35            | LB135636      |
|           | Barium   | 0.52           | 6.0                | 9             | -94                    | 106                     | 05/01/2025       | 14:35            | LB135636      |
|           | Cadmium  | -4.57          | 1.0                | 457           | -5                     | 7                       | 05/01/2025       | 14:35            | LB135636      |
|           | Chromium | 53.0           | 52.0               | 102           | 42                     | 62                      | 05/01/2025       | 14:35            | LB135636      |
|           | Lead     | -4.15          |                    |               | -12                    | 12                      | 05/01/2025       | 14:35            | LB135636      |
|           | Selenium | -9.38          |                    |               | -20                    | 20                      | 05/01/2025       | 14:35            | LB135636      |
|           | Silver   | 1.45           |                    |               | -10                    | 10                      | 05/01/2025       | 14:35            | LB135636      |
| ICSAB01   | Arsenic  | 120            | 104                | 115           | 88.4                   | 120                     | 05/01/2025       | 14:39            | LB135636      |
|           | Barium   | 487            | 537                | 91            | 437                    | 637                     | 05/01/2025       | 14:39            | LB135636      |
|           | Cadmium  | 1080           | 972                | 111           | 826                    | 1120                    | 05/01/2025       | 14:39            | LB135636      |
|           | Chromium | 583            | 542                | 108           | 460                    | 624                     | 05/01/2025       | 14:39            | LB135636      |
|           | Lead     | 52.5           | 49.0               | 107           | 37                     | 61                      | 05/01/2025       | 14:39            | LB135636      |
|           | Selenium | 45.9           | 46.0               | 100           | 26                     | 66                      | 05/01/2025       | 14:39            | LB135636      |
|           | Silver   | 203            | 201                | 101           | 170                    | 232                     | 05/01/2025       | 14:39            | LB135636      |
| ICSA01    | Arsenic  | 0.098          |                    |               | -20                    | 20                      | 05/02/2025       | 15:30            | LB135654      |
|           | Barium   | -5.67          | 6.0                | 94            | -94                    | 106                     | 05/02/2025       | 15:30            | LB135654      |
|           | Cadmium  | -2.89          | 1.0                | 289           | -5                     | 7                       | 05/02/2025       | 15:30            | LB135654      |
|           | Chromium | 53.8           | 52.0               | 104           | 42                     | 62                      | 05/02/2025       | 15:30            | LB135654      |
|           | Lead     | 4.14           |                    |               | -12                    | 12                      | 05/02/2025       | 15:30            | LB135654      |
|           | Selenium | -1.90          |                    |               | -20                    | 20                      | 05/02/2025       | 15:30            | LB135654      |
|           | Silver   | -0.66          |                    |               | -10                    | 10                      | 05/02/2025       | 15:30            | LB135654      |
| ICSAB01   | Arsenic  | 115            | 104                | 111           | 88.4                   | 120                     | 05/02/2025       | 15:46            | LB135654      |
|           | Barium   | 464            | 537                | 86            | 437                    | 637                     | 05/02/2025       | 15:46            | LB135654      |
|           | Cadmium  | 996            | 972                | 102           | 826                    | 1120                    | 05/02/2025       | 15:46            | LB135654      |
|           | Chromium | 560            | 542                | 103           | 460                    | 624                     | 05/02/2025       | 15:46            | LB135654      |
|           | Lead     | 51.7           | 49.0               | 106           | 37                     | 61                      | 05/02/2025       | 15:46            | LB135654      |
|           | Selenium | 57.3           | 46.0               | 125           | 26                     | 66                      | 05/02/2025       | 15:46            | LB135654      |
|           | Silver   | 193            | 201                | 96            | 170                    | 232                     | 05/02/2025       | 15:46            | LB135654      |



# METAL QC DATA

metals  
- 5a -  
MATRIX SPIKE SUMMARY

client: CDM Smith level: low sdg no.: Q1915  
contract: CAMP02 lab code: CHEM case no.: Q1915 sas no.: Q1915  
matrix: Water sample id: Q1901-08 client id: B-167-SB01MS  
Percent Solids for Sample: NA Spiked ID: Q1901-08MS Percent Solids for Spike Sample: NA

| Analyte | Units | Acceptance<br>Limit %R | Spiked<br>Result | C | Sample<br>Result | C | Spike<br>Added | %<br>Recovery | Qual | M  |
|---------|-------|------------------------|------------------|---|------------------|---|----------------|---------------|------|----|
| Mercury | ug/L  | 75 - 125               | 39.1             |   | 2.00             | U | 40.0           | 98            |      | CV |

**metals**  
**- 5a -**  
**MATRIX SPIKE DUPLICATE SUMMARY**

|                                      |                               |                                              |
|--------------------------------------|-------------------------------|----------------------------------------------|
| <b>client:</b> CDM Smith             | <b>level:</b> low             | <b>sdg no.:</b> Q1915                        |
| <b>contract:</b> CAMP02              | <b>lab code:</b> CHEM         | <b>case no.:</b> Q1915 <b>sas no.:</b> Q1915 |
| <b>matrix:</b> Water                 | <b>sample id:</b> Q1901-08    | <b>client id:</b> B-167-SB01MSD              |
| <b>Percent Solids for Sample:</b> NA | <b>Spiked ID:</b> Q1901-08MSD | <b>Percent Solids for Spike Sample:</b> NA   |

| Analyte | Units | Acceptance<br>Limit %R | MSD<br>Result | C | Sample<br>Result | C | Spike<br>Added | %<br>Recovery | Qual | M  |
|---------|-------|------------------------|---------------|---|------------------|---|----------------|---------------|------|----|
| Mercury | ug/L  | 75 - 125               | 40.9          |   | 2.00             | U | 40.0           | 102           |      | CV |

**metals**  
**- 5a -**  
**MATRIX SPIKE SUMMARY**

|                                   |                  |                   |                   |                                         |                         |
|-----------------------------------|------------------|-------------------|-------------------|-----------------------------------------|-------------------------|
| <b>client:</b>                    | <u>CDM Smith</u> | <b>level:</b>     | <u>low</u>        | <b>sdg no.:</b>                         | <u>Q1915</u>            |
| <b>contract:</b>                  | <u>CAMP02</u>    | <b>lab code:</b>  | <u>CHEM</u>       | <b>case no.:</b>                        | <u>Q1915</u>            |
| <b>matrix:</b>                    | <u>Water</u>     | <b>sample id:</b> | <u>Q1913-02</u>   | <b>client id:</b>                       | <u>WC-12-A-202504MS</u> |
| <b>Percent Solids for Sample:</b> | <u>NA</u>        | <b>Spiked ID:</b> | <u>Q1913-02MS</u> | <b>Percent Solids for Spike Sample:</b> | <u>NA</u>               |

| Analyte  | Units | Acceptance<br>Limit %R | Spiked<br>Result | C | Sample<br>Result | C | Spike<br>Added | %<br>Recovery | Qual | M |
|----------|-------|------------------------|------------------|---|------------------|---|----------------|---------------|------|---|
| Arsenic  | ug/L  | 75 - 125               | 4220             |   | 100              | U | 4000           | 106           |      | P |
| Barium   | ug/L  | 75 - 125               | 1020             |   | 500              | U | 1000           | 102           |      | P |
| Cadmium  | ug/L  | 75 - 125               | 943              |   | 30.0             | U | 1000           | 94            |      | P |
| Chromium | ug/L  | 75 - 125               | 2180             |   | 122              |   | 2000           | 103           |      | P |
| Lead     | ug/L  | 75 - 125               | 4570             |   | 60.0             | U | 5000           | 91            |      | P |
| Selenium | ug/L  | 75 - 125               | 10100            |   | 100              | U | 10000          | 101           |      | P |
| Silver   | ug/L  | 75 - 125               | 385              |   | 50.0             | U | 380            | 101           |      | P |

**metals**  
**- 5a -**  
**MATRIX SPIKE DUPLICATE SUMMARY**

|                                   |                  |                   |                    |                                         |                          |
|-----------------------------------|------------------|-------------------|--------------------|-----------------------------------------|--------------------------|
| <b>client:</b>                    | <u>CDM Smith</u> | <b>level:</b>     | <u>low</u>         | <b>sdg no.:</b>                         | <u>Q1915</u>             |
| <b>contract:</b>                  | <u>CAMP02</u>    | <b>lab code:</b>  | <u>CHEM</u>        | <b>case no.:</b>                        | <u>Q1915</u>             |
| <b>matrix:</b>                    | <u>Water</u>     | <b>sample id:</b> | <u>Q1913-02</u>    | <b>client id:</b>                       | <u>WC-12-A-202504MSD</u> |
| <b>Percent Solids for Sample:</b> | <u>NA</u>        | <b>Spiked ID:</b> | <u>Q1913-02MSD</u> | <b>Percent Solids for Spike Sample:</b> | <u>NA</u>                |

| Analyte  | Units | Acceptance<br>Limit %R | MSD<br>Result | C | Sample<br>Result | C | Spike<br>Added | %<br>Recovery | Qual | M |
|----------|-------|------------------------|---------------|---|------------------|---|----------------|---------------|------|---|
| Arsenic  | ug/L  | 75 - 125               | 4060          |   | 100              | U | 4000           | 102           |      | P |
| Barium   | ug/L  | 75 - 125               | 965           |   | 500              | U | 1000           | 96            |      | P |
| Cadmium  | ug/L  | 75 - 125               | 908           |   | 30.0             | U | 1000           | 91            |      | P |
| Chromium | ug/L  | 75 - 125               | 2100          |   | 122              |   | 2000           | 99            |      | P |
| Lead     | ug/L  | 75 - 125               | 4400          |   | 60.0             | U | 5000           | 88            |      | P |
| Selenium | ug/L  | 75 - 125               | 9630          |   | 100              | U | 10000          | 96            |      | P |
| Silver   | ug/L  | 75 - 125               | 366           |   | 50.0             | U | 380            | 96            |      | P |

**Metals**  
**- 5b -**

**Client:** CDM Smith **SDG No.:** Q1915  
**Contract:** CAMP02 **Lab Code:** CHEM **Case No.:** Q1915 **SAS No.:** Q1915  
**Matrix:** **Level:** LOW **Client ID:**  
**Sample ID:** **Spiked ID:**

| Analyte | Units | Acceptance<br>Limit %R | C | Sample<br>Result | C | Spike<br>Added | %<br>Recovery | Qual | M |
|---------|-------|------------------------|---|------------------|---|----------------|---------------|------|---|
|---------|-------|------------------------|---|------------------|---|----------------|---------------|------|---|

.....

**Metals**

- 6 -

**DUPLICATE SAMPLE SUMMARY**

|                                   |                  |                     |                 |                                         |                      |
|-----------------------------------|------------------|---------------------|-----------------|-----------------------------------------|----------------------|
| <b>Client:</b>                    | <u>CDM Smith</u> | <b>Level:</b>       | <u>LOW</u>      | <b>SDG No.:</b>                         | <u>Q1915</u>         |
| <b>Contract:</b>                  | <u>CAMP02</u>    | <b>Lab Code:</b>    | <u>CHEM</u>     | <b>Case No.:</b>                        | <u>Q1915</u>         |
| <b>Matrix:</b>                    | <u>Water</u>     | <b>Sample ID:</b>   | <u>Q1901-08</u> | <b>Client ID:</b>                       | <u>B-167-SB01DUP</u> |
| <b>Percent Solids for Sample:</b> | NA               | <b>Duplicate ID</b> | Q1901-08DUP     | <b>Percent Solids for Spike Sample:</b> | NA                   |

| Analyte | Units | Acceptance<br>Limit | Sample<br>Result | C | Duplicate<br>Result | C | RPD | Qual | M  |
|---------|-------|---------------------|------------------|---|---------------------|---|-----|------|----|
| Mercury | ug/L  | 20                  | 2.00             | U | 2.00                | U |     |      | CV |

**Metals**

- 6 -

**DUPLICATE SAMPLE SUMMARY**

|                                   |                  |                     |                   |                                         |                      |
|-----------------------------------|------------------|---------------------|-------------------|-----------------------------------------|----------------------|
| <b>Client:</b>                    | <u>CDM Smith</u> | <b>Level:</b>       | <u>LOW</u>        | <b>SDG No.:</b>                         | <u>Q1915</u>         |
| <b>Contract:</b>                  | <u>CAMP02</u>    | <b>Lab Code:</b>    | <u>CHEM</u>       | <b>Case No.:</b>                        | <u>Q1915</u>         |
| <b>Matrix:</b>                    | <u>Water</u>     | <b>Sample ID:</b>   | <u>Q1901-08MS</u> | <b>Client ID:</b>                       | <u>B-167-SB01MSD</u> |
| <b>Percent Solids for Sample:</b> | NA               | <b>Duplicate ID</b> | Q1901-08MSD       | <b>Percent Solids for Spike Sample:</b> | NA                   |

| Analyte | Units | Acceptance Limit | Sample Result | C | Duplicate Result | C | RPD | Qual | M  |
|---------|-------|------------------|---------------|---|------------------|---|-----|------|----|
| Mercury | ug/L  | 20               | 39.1          |   | 40.9             |   | 4   |      | CV |

**Metals**

- 6 -

**DUPLICATE SAMPLE SUMMARY**

**Client:** CDM Smith **Level:** LOW **SDG No.:** Q1915  
**Contract:** CAMP02 **Lab Code:** CHEM **Case No.:** Q1915 **SAS No.:** Q1915  
**Matrix:** Water **Sample ID:** Q1913-02 **Client ID:** WC-12-A-202504DUP  
**Percent Solids for Sample:** NA **Duplicate ID** Q1913-02DUP **Percent Solids for Spike Sample:** NA

| Analyte  | Units | Acceptance Limit | Sample Result | C | Duplicate Result | C | RPD | Qual | M |
|----------|-------|------------------|---------------|---|------------------|---|-----|------|---|
| Arsenic  | ug/L  | 20               | 100           | U | 100              | U |     |      | P |
| Barium   | ug/L  | 20               | 500           | U | 500              | U |     |      | P |
| Cadmium  | ug/L  | 20               | 30.0          | U | 30.0             | U |     |      | P |
| Chromium | ug/L  | 20               | 122           |   | 113              |   | 8   |      | P |
| Lead     | ug/L  | 20               | 60.0          | U | 60.0             | U |     |      | P |
| Selenium | ug/L  | 20               | 100           | U | 100              | U |     |      | P |
| Silver   | ug/L  | 20               | 50.0          | U | 50.0             | U |     |      | P |

**Metals**

- 6 -

**DUPLICATE SAMPLE SUMMARY**

**Client:** CDM Smith **Level:** LOW **SDG No.:** Q1915  
**Contract:** CAMP02 **Lab Code:** CHEM **Case No.:** Q1915 **SAS No.:** Q1915  
**Matrix:** Water **Sample ID:** Q1913-02MS **Client ID:** WC-12-A-202504MSD  
**Percent Solids for Sample:** NA **Duplicate ID** Q1913-02MSD **Percent Solids for Spike Sample:** NA

| Analyte  | Units | Acceptance Limit | Sample Result | C | Duplicate Result | C | RPD | Qual | M |
|----------|-------|------------------|---------------|---|------------------|---|-----|------|---|
| Arsenic  | ug/L  | 20               | 4220          |   | 4060             |   | 4   |      | P |
| Barium   | ug/L  | 20               | 1020          |   | 965              |   | 6   |      | P |
| Cadmium  | ug/L  | 20               | 943           |   | 908              |   | 4   |      | P |
| Chromium | ug/L  | 20               | 2180          |   | 2100             |   | 4   |      | P |
| Lead     | ug/L  | 20               | 4570          |   | 4400             |   | 4   |      | P |
| Selenium | ug/L  | 20               | 10100         |   | 9630             |   | 5   |      | P |
| Silver   | ug/L  | 20               | 385           |   | 366              |   | 5   |      | P |

**Metals**

- 7 -

**LABORATORY CONTROL SAMPLE SUMMARY**

**Client:** CDM Smith **SDG No.:** Q1915  
**Contract:** CAMP02 **Lab Code:** CHEM **Case No.:** Q1915 **SAS No.:** Q1915

| Analyte               | Units | True Value | Result | C | %<br>Recovery | Acceptance<br>Limits | M  |
|-----------------------|-------|------------|--------|---|---------------|----------------------|----|
| PB167806BS<br>Mercury | ug/L  | 4.0        | 3.34   |   | 84            | 80 - 120             | CV |

## Metals

- 7 -

### LABORATORY CONTROL SAMPLE SUMMARY

Client: CDM Smith SDG No.: Q1915  
Contract: CAMP02 Lab Code: CHEM Case No.: Q1915 SAS No.: Q1915

| Analyte    | Units | True Value | Result | C | % Recovery | Acceptance Limits | M |
|------------|-------|------------|--------|---|------------|-------------------|---|
| PB167808BS |       |            |        |   |            |                   |   |
| Arsenic    | ug/L  | 4000       | 3770   |   | 94         | 80 - 120          | P |
| Barium     | ug/L  | 1000       | 826    |   | 83         | 80 - 120          | P |
| Cadmium    | ug/L  | 1000       | 943    |   | 94         | 80 - 120          | P |
| Chromium   | ug/L  | 2000       | 1870   |   | 94         | 80 - 120          | P |
| Lead       | ug/L  | 5000       | 4630   |   | 93         | 80 - 120          | P |
| Selenium   | ug/L  | 10000      | 9600   |   | 96         | 80 - 120          | P |
| Silver     | ug/L  | 380        | 346    |   | 91         | 80 - 120          | P |

**Metals**  
**-9 -**  
**ICP SERIAL DILUTIONS**

SAMPLE NO.

B-167-SB01L

Lab Name: Chemtech Consulting Group

Contract: CAMP02

Lab Code: CHEM

Lb No.: lb135623

Lab Sample ID : Q1901-08L

SDG No.: Q1915

Matrix (soil/water): Water

Level (low/med): LOW

Concentration Units: ug/L

| Analyte | Initial Sample<br>Result (I)<br>C | Serial Dilution<br>Result (S)<br>C | % Differ-<br>ence | Q | M  |
|---------|-----------------------------------|------------------------------------|-------------------|---|----|
| Mercury | 2.00 U                            | 10.0 U                             |                   |   | CV |

**Metals**  
**-9 -**  
**ICP SERIAL DILUTIONS**

**SAMPLE NO.**

WC-12-A-202504L

**Lab Name:** Chemtech Consulting Group **Contract:** CAMP02  
**Lab Code:** CHEM **Lb No.:** lb135654 **Lab Sample ID :** Q1913-02L **SDG No.:** Q1915  
**Matrix (soil/water):** Water **Level (low/med):** LOW  
**Concentration Units:** ug/L

| Analyte  | Initial Sample Result (I) |   | Serial Dilution Result (S) |   | % Difference | Q | M |
|----------|---------------------------|---|----------------------------|---|--------------|---|---|
|          |                           | C |                            | C |              |   |   |
| Arsenic  | 100                       | U | 500                        | U |              |   | P |
| Barium   | 500                       | U | 2500                       | U |              |   | P |
| Cadmium  | 30.0                      | U | 150                        | U |              |   | P |
| Chromium | 122                       |   | 122                        | J | 0            |   | P |
| Lead     | 60.0                      | U | 300                        | U |              |   | P |
| Selenium | 100                       | U | 500                        | U |              |   | P |
| Silver   | 50.0                      | U | 250                        | U |              |   | P |



# METAL PREPARATION & INSTRUMENT DATA

**Metals**

- 11 -

**ICP INTERELEMENT CORRECTION FACTORS**

**Client:** CDM Smith

**SDG No.:** Q1915

**Contract:** CAMP02

**Lab Code:** CHEM

**Case No.:** Q1915

**SAS No.:** Q1915

**Instrument ID:** \_\_\_\_\_

**Date:** \_\_\_\_\_

**Interelement Correction Factors (apparent ppb analyte/ppm interferent )**

| Analyte  | Wave-<br>Length<br>(nm) | ICP Interelement Correction Factors For: |           |            |           |           |
|----------|-------------------------|------------------------------------------|-----------|------------|-----------|-----------|
|          |                         | Al                                       | Ca        | Fe         | Mg        | Ag        |
| Arsenic  | 193.759                 | 0.0000000                                | 0.0000000 | -0.0000440 | 0.0000000 | 0.0000000 |
| Barium   | 493.409                 | 0.0000000                                | 0.0000000 | 0.0000000  | 0.0000000 | 0.0000000 |
| Cadmium  | 226.502                 | 0.0000000                                | 0.0000000 | 0.0000930  | 0.0000000 | 0.0000000 |
| Chromium | 267.716                 | 0.0000000                                | 0.0000000 | 0.0000000  | 0.0000000 | 0.0000000 |
| Lead     | 220.353                 | -0.0000920                               | 0.0000000 | 0.0000380  | 0.0000000 | 0.0000000 |
| Selenium | 196.090                 | 0.0000000                                | 0.0000000 | -0.0001440 | 0.0000000 | 0.0000000 |
| Silver   | 328.068                 | 0.0000000                                | 0.0000000 | -0.0001490 | 0.0000000 | 0.0000000 |

**Metals**

- 11 -

**ICP INTERELEMENT CORRECTION FACTORS**

**Client:** CDM Smith

**SDG No.:** Q1915

**Contract:** CAMP02

**Lab Code:** CHEM

**Case No.:** Q1915

**SAS No.:** Q1915

**Instrument ID:** \_\_\_\_\_

**Date:** \_\_\_\_\_

**Interement Correction Factors (apparent ppb analyte/ppm interferent )**

| Analyte  | Wave-<br>Length<br>(nm) | ICP Interement Correction Factors For: |           |           |           |            |
|----------|-------------------------|----------------------------------------|-----------|-----------|-----------|------------|
|          |                         | As                                     | Ba        | Be        | Cd        | Co         |
| Arsenic  | 193.759                 | 0.0000000                              | 0.0000000 | 0.0000000 | 0.0000000 | 0.0000000  |
| Barium   | 493.409                 | 0.0000000                              | 0.0000000 | 0.0000000 | 0.0000000 | 0.0000000  |
| Cadmium  | 226.502                 | 0.0000000                              | 0.0000000 | 0.0000000 | 0.0000000 | 0.0002870  |
| Chromium | 267.716                 | 0.0000000                              | 0.0000000 | 0.0000000 | 0.0000000 | 0.0000000  |
| Lead     | 220.353                 | 0.0000000                              | 0.0003170 | 0.0000000 | 0.0000000 | 0.0000000  |
| Selenium | 196.090                 | 0.0000000                              | 0.0000000 | 0.0000000 | 0.0000000 | -0.0003570 |
| Silver   | 328.068                 | 0.0000000                              | 0.0000000 | 0.0000000 | 0.0000000 | 0.0000000  |

**Metals**

- 11 -

**ICP INTERELEMENT CORRECTION FACTORS**

**Client:** CDM Smith

**SDG No.:** Q1915

**Contract:** CAMP02

**Lab Code:** CHEM

**Case No.:** Q1915

**SAS No.:** Q1915

**Instrument ID:**

**Date:**

**Interelement Correction Factors (apparent ppb analyte/ppm interferent )**

| Analyte  | Wave-<br>Length<br>(nm) | ICP Interelement Correction Factors For: |           |           |           |            |
|----------|-------------------------|------------------------------------------|-----------|-----------|-----------|------------|
|          |                         | Cr                                       | Cu        | K         | Mn        | Mo         |
| Arsenic  | 193.759                 | -0.0029000                               | 0.0000000 | 0.0000000 | 0.0000000 | 0.0004900  |
| Barium   | 493.409                 | 0.0000000                                | 0.0000000 | 0.0000000 | 0.0000000 | 0.0000000  |
| Cadmium  | 226.502                 | 0.0000000                                | 0.0000000 | 0.0000000 | 0.0000000 | 0.0000000  |
| Chromium | 267.716                 | 0.0000000                                | 0.0000000 | 0.0000070 | 0.0002200 | 0.0000000  |
| Lead     | 220.353                 | 0.0000000                                | 0.0000000 | 0.0000000 | 0.0001400 | -0.0008600 |
| Selenium | 196.090                 | 0.0000000                                | 0.0000000 | 0.0000000 | 0.0007460 | 0.0000000  |
| Silver   | 328.068                 | 0.0000000                                | 0.0000000 | 0.0000000 | 0.0000000 | -0.0000120 |

**Metals**

- 11 -

**ICP INTERELEMENT CORRECTION FACTORS**

**Client:** CDM Smith **SDG No.:** Q1915  
**Contract:** CAMP02 **Lab Code:** CHEM **Case No.:** Q1915 **SAS No.:** Q1915  
**Instrument ID:** \_\_\_\_\_ **Date:** \_\_\_\_\_  
**Interelement Correction Factors (apparent ppb analyte/ppm interferent )**

| Analyte  | Wave-<br>Length<br>(nm) | ICP Interelement Correction Factors For: |           |           |           |           |
|----------|-------------------------|------------------------------------------|-----------|-----------|-----------|-----------|
|          |                         | Na                                       | Ni        | Pb        | Sb        | Se        |
| Arsenic  | 193.759                 | 0.0000000                                | 0.0000000 | 0.0000000 | 0.0000000 | 0.0000000 |
| Barium   | 493.409                 | 0.0000000                                | 0.0000000 | 0.0000000 | 0.0000000 | 0.0000000 |
| Cadmium  | 226.502                 | 0.0000000                                | 0.0000000 | 0.0000000 | 0.0000000 | 0.0000000 |
| Chromium | 267.716                 | 0.0000000                                | 0.0000000 | 0.0000000 | 0.0000000 | 0.0000000 |
| Lead     | 220.353                 | 0.0000000                                | 0.0006580 | 0.0000000 | 0.0000000 | 0.0001290 |
| Selenium | 196.090                 | 0.0000000                                | 0.0000000 | 0.0003330 | 0.0000000 | 0.0000000 |
| Silver   | 328.068                 | 0.0000000                                | 0.0000000 | 0.0000000 | 0.0000000 | 0.0000000 |

**Metals**

- 11 -

**ICP INTERELEMENT CORRECTION FACTORS**

**Client:** CDM Smith

**SDG No.:** Q1915

**Contract:** CAMP02

**Lab Code:** CHEM

**Case No.:** Q1915

**SAS No.:** Q1915

**Instrument ID:**

**Date:**

**Interelement Correction Factors (apparent ppb analyte/ppm interferent )**

| Analyte  | Wave-<br>Length<br>(nm) | ICP Interelement Correction Factors For: |            |           |           |           |
|----------|-------------------------|------------------------------------------|------------|-----------|-----------|-----------|
|          |                         | Sn                                       | Ti         | Tl        | V         | Zn        |
| Arsenic  | 193.759                 | 0.0000000                                | 0.0000000  | 0.0000000 | 0.0000000 | 0.0000000 |
| Barium   | 493.409                 | 0.0000000                                | 0.0000000  | 0.0000000 | 0.0000000 | 0.0000000 |
| Cadmium  | 226.502                 | 0.0000000                                | 0.0000630  | 0.0001280 | 0.0000000 | 0.0000000 |
| Chromium | 267.716                 | 0.0000000                                | 0.0000000  | 0.0000000 | 0.0001110 | 0.0000000 |
| Lead     | 220.353                 | 0.0000000                                | -0.0003610 | 0.0000000 | 0.0000000 | 0.0000000 |
| Selenium | 196.090                 | 0.0000000                                | 0.0000000  | 0.0000000 | 0.0000000 | 0.0000000 |
| Silver   | 328.068                 | 0.0000000                                | -0.0007420 | 0.0000000 | 0.0000000 | 0.0000000 |

# METAL PREPARATION & ANALYICAL SUMMARY

**Metals**

- 13 -

**SAMPLE PREPARATION SUMMARY**

|                  |                  |                  |              |
|------------------|------------------|------------------|--------------|
| <b>Client:</b>   | <u>CDM Smith</u> | <b>SDG No.:</b>  | <u>Q1915</u> |
| <b>Contract:</b> | <u>CAMP02</u>    | <b>Lab Code:</b> | <u>CHEM</u>  |
|                  |                  | <b>Method:</b>   | <u></u>      |
|                  |                  | <b>Case No.:</b> | <u>Q1915</u> |
|                  |                  | <b>SAS No.:</b>  | <u>Q1915</u> |

| Sample ID                     | Client ID     | Sample Type | Matrix | Prep Date  | Initial Sample Size(mL) | Final Sample Volume (mL) | Percent Solids |
|-------------------------------|---------------|-------------|--------|------------|-------------------------|--------------------------|----------------|
| <b>Batch Number: PB167806</b> |               |             |        |            |                         |                          |                |
| PB167774TB                    | PB167774TB    | MB          | WATER  | 04/30/2025 | 3.0                     | 30.0                     |                |
| PB167806BL                    | PB167806BL    | MB          | WATER  | 04/30/2025 | 30.0                    | 30.0                     |                |
| PB167806BS                    | PB167806BS    | LCS         | WATER  | 04/30/2025 | 30.0                    | 30.0                     |                |
| Q1901-08DUP                   | B-167-SB01DUP | DUP         | WATER  | 04/30/2025 | 3.0                     | 30.0                     |                |
| Q1901-08MS                    | B-167-SB01MS  | MS          | WATER  | 04/30/2025 | 3.0                     | 30.0                     |                |
| Q1901-08MSD                   | B-167-SB01MSD | MSD         | WATER  | 04/30/2025 | 3.0                     | 30.0                     |                |
| Q1915-01                      | WC-04282025   | SAM         | WATER  | 04/30/2025 | 3.0                     | 30.0                     |                |

**Metals**

- 13 -

**SAMPLE PREPARATION SUMMARY**

|                  |                  |                  |              |
|------------------|------------------|------------------|--------------|
| <b>Client:</b>   | <u>CDM Smith</u> | <b>SDG No.:</b>  | <u>Q1915</u> |
| <b>Contract:</b> | <u>CAMP02</u>    | <b>Lab Code:</b> | <u>CHEM</u>  |
|                  |                  | <b>Method:</b>   | <u></u>      |
|                  |                  | <b>Case No.:</b> | <u>Q1915</u> |
|                  |                  | <b>SAS No.:</b>  | <u>Q1915</u> |

| Sample ID                     | Client ID         | Sample Type | Matrix | Prep Date  | Initial Sample Size(mL) | Final Sample Volume (mL) | Percent Solids |
|-------------------------------|-------------------|-------------|--------|------------|-------------------------|--------------------------|----------------|
| <b>Batch Number: PB167808</b> |                   |             |        |            |                         |                          |                |
| PB167774TB                    | PB167774TB        | MB          | WATER  | 04/30/2025 | 5.0                     | 25.0                     |                |
| PB167805TB                    | PB167805TB        | MB          | WATER  | 04/30/2025 | 5.0                     | 25.0                     |                |
| PB167808BL                    | PB167808BL        | MB          | WATER  | 04/30/2025 | 5.0                     | 25.0                     |                |
| PB167808BS                    | PB167808BS        | LCS         | WATER  | 04/30/2025 | 5.0                     | 25.0                     |                |
| Q1913-02DUP                   | WC-12-A-202504DUP | DUP         | WATER  | 04/30/2025 | 5.0                     | 25.0                     |                |
| Q1913-02MS                    | WC-12-A-202504MS  | MS          | WATER  | 04/30/2025 | 5.0                     | 25.0                     |                |
| Q1913-02MSD                   | WC-12-A-202504MSD | MSD         | WATER  | 04/30/2025 | 5.0                     | 25.0                     |                |
| Q1915-01                      | WC-04282025       | SAM         | WATER  | 04/30/2025 | 5.0                     | 25.0                     |                |

**metals**  
**- 14 -**  
**ANALYSIS RUN LOG**

**Client:** CDM Smith **Contract:** CAMP02

**Lab code:** CHEM **Case no.:** Q1915 **Sas no.:** Q1915 **Sdg no.:** Q1915

**Instrument id number:**                      **Method:**                      **Run number:** LB135623

**Start date:** 05/01/2025 **End date:** 05/01/2025

| Lab sample id. | Client Sample Id | d/f | Time | Parameter list |
|----------------|------------------|-----|------|----------------|
| S0             | S0               | 1   | 1117 | HG             |
| S0.2           | S0.2             | 1   | 1119 | HG             |
| S2.5           | S2.5             | 1   | 1122 | HG             |
| S5             | S5               | 1   | 1126 | HG             |
| S7.5           | S7.5             | 1   | 1131 | HG             |
| S10            | S10              | 1   | 1136 | HG             |
| ICV112         | ICV112           | 1   | 1147 | HG             |
| ICB112         | ICB112           | 1   | 1149 | HG             |
| CCV62          | CCV62            | 1   | 1158 | HG             |
| CCB62          | CCB62            | 1   | 1201 | HG             |
| CRA            | CRA              | 1   | 1205 | HG             |
| PB167806BL     | PB167806BL       | 1   | 1228 | HG             |
| PB167806BS     | PB167806BS       | 1   | 1230 | HG             |
| Q1901-08DUP    | B-167-SB01DUP    | 1   | 1235 | HG             |
| Q1901-08MS     | B-167-SB01MS     | 1   | 1239 | HG             |
| Q1901-08MSD    | B-167-SB01MSD    | 1   | 1241 | HG             |
| CCV63          | CCV63            | 1   | 1249 | HG             |
| CCB63          | CCB63            | 1   | 1251 | HG             |
| CCV64          | CCV64            | 1   | 1319 | HG             |
| CCB64          | CCB64            | 1   | 1323 | HG             |
| CCV65          | CCV65            | 1   | 1358 | HG             |
| CCB65          | CCB65            | 1   | 1402 | HG             |
| CCV66          | CCV66            | 1   | 1429 | HG             |
| CCB66          | CCB66            | 1   | 1440 | HG             |
| Q1915-01       | WC-04282025      | 1   | 1443 | HG             |
| PB167774TB     | PB167774TB       | 1   | 1445 | HG             |
| Q1901-08L      | B-167-SB01L      | 5   | 1449 | HG             |
| CCV67          | CCV67            | 1   | 1523 | HG             |
| CCB67          | CCB67            | 1   | 1525 | HG             |

**metals**  
**- 14 -**  
**ANALYSIS RUN LOG**

**Client:** CDM Smith **Contract:** CAMP02

**Lab code:** CHEM **Case no.:** Q1915 **Sas no.:** Q1915 **Sdg no.:** Q1915

**Instrument id number:**                      **Method:**                      **Run number:** LB135636

**Start date:** 05/01/2025 **End date:** 05/01/2025

| Lab sample id. | Client Sample Id | d/f | Time | Parameter list       |
|----------------|------------------|-----|------|----------------------|
| S0             | S0               | 1   | 1227 | Ag,As,Ba,Cd,Cr,Pb,Se |
| S1             | S1               | 1   | 1231 | Ag,As,Ba,Cd,Cr,Pb,Se |
| S2             | S2               | 1   | 1236 | Ag,As,Ba,Cd,Cr,Pb,Se |
| S3             | S3               | 1   | 1240 | Ag,As,Ba,Cd,Cr,Pb,Se |
| S4             | S4               | 1   | 1244 | Ag,As,Ba,Cd,Cr,Pb,Se |
| S5             | S5               | 1   | 1248 | Ag,As,Ba,Cd,Cr,Pb,Se |
| ICV01          | ICV01            | 1   | 1344 | Ag,As,Ba,Cd,Cr,Pb,Se |
| LLICV01        | LLICV01          | 1   | 1401 | Ag,As,Ba,Cd,Cr,Pb,Se |
| ICB01          | ICB01            | 1   | 1411 | Ag,As,Ba,Cd,Cr,Pb,Se |
| CRI01          | CRI01            | 1   | 1416 | Ag,As,Ba,Cd,Cr,Pb,Se |
| ICSA01         | ICSA01           | 1   | 1435 | Ag,As,Ba,Cd,Cr,Pb,Se |
| ICSAB01        | ICSAB01          | 1   | 1439 | Ag,As,Ba,Cd,Cr,Pb,Se |
| CCV01          | CCV01            | 1   | 1505 | Ag,As,Ba,Cd,Cr,Pb,Se |
| CCB01          | CCB01            | 1   | 1512 | Ag,As,Ba,Cd,Cr,Pb,Se |
| CCV02          | CCV02            | 1   | 1600 | Ag,As,Ba,Cd,Cr,Pb,Se |
| CCB02          | CCB02            | 1   | 1604 | Ag,As,Ba,Cd,Cr,Pb,Se |
| PB167808BL     | PB167808BL       | 1   | 1623 | Ag,As,Ba,Cd,Cr,Pb,Se |
| PB167808BS     | PB167808BS       | 1   | 1633 | Ag,As,Ba,Cd,Cr,Pb,Se |
| PB167774TB     | PB167774TB       | 1   | 1637 | Ag,As,Ba,Cd,Cr,Pb,Se |
| CCV03          | CCV03            | 1   | 1703 | Ag,As,Ba,Cd,Cr,Pb,Se |
| CCB03          | CCB03            | 1   | 1707 | Ag,As,Ba,Cd,Cr,Pb,Se |
| CCV04          | CCV04            | 1   | 1749 | Ag,As,Ba,Cd,Cr,Pb,Se |
| CCB04          | CCB04            | 1   | 1753 | Ag,As,Ba,Cd,Cr,Pb,Se |
| CCV05          | CCV05            | 1   | 1836 | Ag,As,Ba,Cd,Cr,Pb,Se |
| CCB05          | CCB05            | 1   | 1840 | Ag,As,Ba,Cd,Cr,Pb,Se |
| CCV06          | CCV06            | 1   | 1923 | Ag,As,Ba,Cd,Cr,Pb,Se |
| CCB06          | CCB06            | 1   | 1927 | Ag,As,Ba,Cd,Cr,Pb,Se |
| Q1915-01       | WC-04282025      | 1   | 2007 | Ag,As,Ba,Cd,Cr,Pb,Se |
| CCV07          | CCV07            | 1   | 2011 | Ag,As,Ba,Cd,Cr,Pb,Se |
| CCB07          | CCB07            | 1   | 2015 | Ag,As,Ba,Cd,Cr,Pb,Se |
| PB167805TB     | PB167805TB       | 1   | 2020 | Ag,As,Ba,Cd,Cr,Pb,Se |
| CCV08          | CCV08            | 1   | 2024 | Ag,As,Ba,Cd,Cr,Pb,Se |
| CCB08          | CCB08            | 1   | 2028 | Ag,As,Ba,Cd,Cr,Pb,Se |

**metals**  
**- 14 -**  
**ANALYSIS RUN LOG**

**Client:** CDM Smith **Contract:** CAMP02

**Lab code:** CHEM **Case no.:** Q1915 **Sas no.:** Q1915 **Sdg no.:** Q1915

**Instrument id number:**                      **Method:**                      **Run number:** LB135654

**Start date:** 05/02/2025 **End date:** 05/02/2025

| Lab sample id. | Client Sample Id  | d/f | Time | Parameter list       |
|----------------|-------------------|-----|------|----------------------|
| S0             | S0                | 1   | 1234 | Ag,As,Ba,Cd,Cr,Pb,Se |
| S1             | S1                | 1   | 1238 | Ag,As,Ba,Cd,Cr,Pb,Se |
| S2             | S2                | 1   | 1242 | Ag,As,Ba,Cd,Cr,Pb,Se |
| S3             | S3                | 1   | 1246 | Ag,As,Ba,Cd,Cr,Pb,Se |
| S4             | S4                | 1   | 1251 | Ag,As,Ba,Cd,Cr,Pb,Se |
| S5             | S5                | 1   | 1255 | Ag,As,Ba,Cd,Cr,Pb,Se |
| ICV01          | ICV01             | 1   | 1347 | Ag,As,Ba,Cd,Cr,Pb,Se |
| LLICV01        | LLICV01           | 1   | 1503 | Ag,As,Ba,Cd,Cr,Pb,Se |
| ICB01          | ICB01             | 1   | 1508 | Ag,As,Ba,Cd,Cr,Pb,Se |
| CRI01          | CRI01             | 1   | 1512 | Ag,As,Ba,Cd,Cr,Pb,Se |
| ICSA01         | ICSA01            | 1   | 1530 | Ag,As,Ba,Cd,Cr,Pb,Se |
| ICSAB01        | ICSAB01           | 1   | 1546 | Ag,As,Ba,Cd,Cr,Pb,Se |
| CCV01          | CCV01             | 1   | 1601 | Ag,As,Ba,Cd,Cr,Pb,Se |
| CCB01          | CCB01             | 1   | 1605 | Ag,As,Ba,Cd,Cr,Pb,Se |
| Q1913-02DUP    | WC-12-A-202504DUP | 1   | 1613 | Ag,As,Ba,Cd,Cr,Pb,Se |
| Q1913-02L      | WC-12-A-202504L   | 5   | 1618 | Ag,As,Ba,Cd,Cr,Pb,Se |
| Q1913-02MS     | WC-12-A-202504MS  | 1   | 1622 | Ag,As,Ba,Cd,Cr,Pb,Se |
| Q1913-02MSD    | WC-12-A-202504MSD | 1   | 1626 | Ag,As,Ba,Cd,Cr,Pb,Se |
| CCV02          | CCV02             | 1   | 1634 | Ag,As,Ba,Cd,Cr,Pb,Se |
| CCB02          | CCB02             | 1   | 1638 | Ag,As,Ba,Cd,Cr,Pb,Se |

LAB CHRONICLE

|          |                    |            |                              |
|----------|--------------------|------------|------------------------------|
| OrderID: | Q1915              | OrderDate: | 4/29/2025 2:29:00 PM         |
| Client:  | CDM Smith          | Project:   | Con Ed UTEN Mount Vernon, NY |
| Contact: | Marcie Ann Encinas | Location:  | L41                          |

| LabID    | ClientID    | Matrix | Test             | Method | Sample Date       | Prep Date | Anal Date         | Received |
|----------|-------------|--------|------------------|--------|-------------------|-----------|-------------------|----------|
| Q1915-01 | WC-04282025 | SOIL   |                  |        | 04/28/25<br>14:15 |           |                   | 04/29/25 |
|          |             |        | Corrosivity      | 9045D  |                   |           | 04/29/25<br>18:00 |          |
|          |             |        | Ignitability     | 1030   |                   |           | 05/01/25<br>12:38 |          |
|          |             |        | Reactive Cyanide | 9012B  |                   | 04/30/25  | 04/30/25<br>11:54 |          |
|          |             |        | Reactive Sulfide | 9034   |                   | 05/01/25  | 05/01/25<br>11:20 |          |



# SAMPLE DATA

A

B

C

D

## Report of Analysis

|                   |                              |                 |                |
|-------------------|------------------------------|-----------------|----------------|
| Client:           | CDM Smith                    | Date Collected: | 04/28/25 14:15 |
| Project:          | Con Ed UTEN Mount Vernon, NY | Date Received:  | 04/29/25       |
| Client Sample ID: | WC-04282025                  | SDG No.:        | Q1915          |
| Lab Sample ID:    | Q1915-01                     | Matrix:         | SOIL           |
|                   |                              | % Solid:        | 100            |

| Parameter        | Conc. | Qua. | DF | MDL    | LOQ / CRQL | Units | Prep Date      | Date Ana.      | Ana Met. |
|------------------|-------|------|----|--------|------------|-------|----------------|----------------|----------|
| Corrosivity      | 8.41  | H    | 1  | 0      | 0          | pH    |                | 04/29/25 18:00 | 9045D    |
| Ignitability     | NO    |      | 1  | 0      | 0          | oC    |                | 05/01/25 12:38 | 1030     |
| Reactive Cyanide | 0.050 | U    | 1  | 0.0084 | 0.050      | mg/Kg | 04/30/25 08:50 | 04/30/25 11:54 | 9012B    |
| Reactive Sulfide | 1.58  | J    | 1  | 0.20   | 10.0       | mg/Kg | 05/01/25 08:50 | 05/01/25 11:20 | 9034     |

Comments: pH result reported at temperature 22.5 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

# QC RESULT SUMMARY

## Initial and Continuing Calibration Verification

**Client:** CDM Smith

**SDG No.:** Q1915

**Project:** Con Ed UTEN Mount Vernon, NY

**RunNo.:** LB135607

| Analyte                   |      | Units | Result | True Value | %<br>Recovery | Acceptance<br>Window (%R) | Analysis<br>Date |
|---------------------------|------|-------|--------|------------|---------------|---------------------------|------------------|
| Sample ID:<br>Corrosivity | ICV  | pH    | 6.99   | 7          | 100           | 90-110                    | 04/29/2025       |
| Sample ID:<br>Corrosivity | CCV1 | pH    | 2.01   | 2.00       | 101           | 90-110                    | 04/29/2025       |
| Sample ID:<br>Corrosivity | CCV2 | pH    | 12.02  | 12.00      | 100           | 90-110                    | 04/29/2025       |

## Initial and Continuing Calibration Verification

**Client:** CDM Smith

**SDG No.:** Q1915

**Project:** Con Ed UTEN Mount Vernon, NY

**RunNo.:** LB135608

| Analyte                                    | Units | Result | True Value | % Recovery | Acceptance Window (%R) | Analysis Date |
|--------------------------------------------|-------|--------|------------|------------|------------------------|---------------|
| Sample ID: <b>ICV1</b><br>Reactive Cyanide | mg/L  | 0.092  | 0.099      | 93         | 85-115                 | 04/30/2025    |
| Sample ID: <b>CCV1</b><br>Reactive Cyanide | mg/L  | 0.25   | 0.25       | 100        | 90-110                 | 04/30/2025    |
| Sample ID: <b>CCV2</b><br>Reactive Cyanide | mg/L  | 0.23   | 0.25       | 92         | 90-110                 | 04/30/2025    |
| Sample ID: <b>CCV3</b><br>Reactive Cyanide | mg/L  | 0.25   | 0.25       | 100        | 90-110                 | 04/30/2025    |

### Initial and Continuing Calibration Blank Summary

**Client:** CDM Smith

**SDG No.:** Q1915

**Project:** Con Ed UTEN Mount Vernon, NY

**RunNo.:** LB135608

| Analyte                                    | Units | Result   | Acceptance Limits | Conc Qual | MDL     | RDL   | Analysis Date |
|--------------------------------------------|-------|----------|-------------------|-----------|---------|-------|---------------|
| Sample ID: <b>ICB1</b><br>Reactive Cyanide | mg/L  | < 0.0025 | 0.0025            | U         | 0.00096 | 0.005 | 04/30/2025    |
| Sample ID: <b>CCB1</b><br>Reactive Cyanide | mg/L  | < 0.0025 | 0.0025            | U         | 0.00096 | 0.005 | 04/30/2025    |
| Sample ID: <b>CCB2</b><br>Reactive Cyanide | mg/L  | < 0.0025 | 0.0025            | U         | 0.00096 | 0.005 | 04/30/2025    |
| Sample ID: <b>CCB3</b><br>Reactive Cyanide | mg/L  | < 0.0025 | 0.0025            | U         | 0.00096 | 0.005 | 04/30/2025    |

## Preparation Blank Summary

**Client:** CDM Smith

**SDG No.:** Q1915

**Project:** Con Ed UTEN Mount Vernon, NY

| Analyte                      | Units | Result   | Acceptance<br>Limits | Conc<br>Qual | MDL    | RDL  | Analysis<br>Date |
|------------------------------|-------|----------|----------------------|--------------|--------|------|------------------|
| Sample ID: <b>PB167792BL</b> |       |          |                      |              |        |      |                  |
| Reactive Cyanide             | mg/Kg | < 0.0250 | 0.0250               | U            | 0.0084 | 0.05 | 04/30/2025       |
| Sample ID: <b>PB167811BL</b> |       |          |                      |              |        |      |                  |
| Reactive Sulfide             | mg/Kg | < 5.0000 | 5.0000               | U            | 0.201  | 10   | 05/01/2025       |

## Duplicate Sample Summary

|                   |                              |                                         |          |
|-------------------|------------------------------|-----------------------------------------|----------|
| <b>Client:</b>    | CDM Smith                    | <b>SDG No.:</b>                         | Q1915    |
| <b>Project:</b>   | Con Ed UTEN Mount Vernon, NY | <b>Sample ID:</b>                       | Q1905-04 |
| <b>Client ID:</b> | MH-GDUP                      | <b>Percent Solids for Spike Sample:</b> | 100      |

| Analyte          | Units | Acceptance Limit | Sample Result | Conc. Qualifier | Duplicate Result | Conc. Qualifier | Dilution Factor | RPD/AD | Qual | Analysis Date |
|------------------|-------|------------------|---------------|-----------------|------------------|-----------------|-----------------|--------|------|---------------|
| Reactive Cyanide | mg/Kg | +/-20            | 0.0083        | U               | 0.0083           | U               | 1               | 0      |      | 04/30/2025    |
| Reactive Sulfide | mg/Kg | +/-20            | 3.16          | J               | 3.16             | J               | 1               | 0      |      | 05/01/2025    |

## Duplicate Sample Summary

|                   |                              |                                         |          |
|-------------------|------------------------------|-----------------------------------------|----------|
| <b>Client:</b>    | CDM Smith                    | <b>SDG No.:</b>                         | Q1915    |
| <b>Project:</b>   | Con Ed UTEN Mount Vernon, NY | <b>Sample ID:</b>                       | Q1912-01 |
| <b>Client ID:</b> | MH-EDUP                      | <b>Percent Solids for Spike Sample:</b> | 92.5     |

| Analyte      | Units | Acceptance Limit | Sample Result | Conc. Qualifier | Duplicate Result | Conc. Qualifier | Dilution Factor | RPD/AD | Qual | Analysis Date |
|--------------|-------|------------------|---------------|-----------------|------------------|-----------------|-----------------|--------|------|---------------|
| Ignitability | oC    | +/-20            | NO            |                 | NO               |                 | 1               | 0      |      | 05/01/2025    |

## Duplicate Sample Summary

|                   |                              |                                         |          |
|-------------------|------------------------------|-----------------------------------------|----------|
| <b>Client:</b>    | CDM Smith                    | <b>SDG No.:</b>                         | Q1915    |
| <b>Project:</b>   | Con Ed UTEN Mount Vernon, NY | <b>Sample ID:</b>                       | Q1915-01 |
| <b>Client ID:</b> | WC-04282025DUP               | <b>Percent Solids for Spike Sample:</b> | 100      |

| Analyte     | Units | Acceptance<br>Limit | Sample<br>Result | Conc.<br>Qualifier | Duplicate<br>Result | Conc.<br>Qualifier | Dilution<br>Factor | RPD/<br>AD | Qual | Analysis<br>Date |
|-------------|-------|---------------------|------------------|--------------------|---------------------|--------------------|--------------------|------------|------|------------------|
| Corrosivity | pH    | +/-20               | 8.41             |                    | 8.42                |                    | 1                  | 0.12       |      | 04/29/2025       |



# SHIPPING DOCUMENTS

CLIENT INFORMATION

REPORT TO BE SENT TO:

COMPANY: CSM Smith  
ADDRESS: 110 Fieldcrest Ave #8 6th Flr  
CITY Edison STATE: NJ ZIP: 08837  
ATTENTION: M Encinas  
PHONE: 732 590 4697 FAX:

CLIENT PROJECT INFORMATION

PROJECT NAME: UTEN VST  
PROJECT NO.: LOCATION: MT Vernon NJ  
PROJECT MANAGER: M. Encinas  
e-mail: Encinas M@cdm.com  
PHONE: 732 590 4697 FAX:

CLIENT BILLING INFORMATION

BILL TO: CSM Smith PO#:   
ADDRESS: 110 Fieldcrest Ave #8 6th Flr  
CITY Edison STATE: NJ ZIP: 08837  
ATTENTION: M. Encinas PHONE: 732 590 4697

ANALYSIS

DATA TURNAROUND INFORMATION

FAX (RUSH) \_\_\_\_\_ DAYS\*  
HARDCOPY (DATA PACKAGE): \_\_\_\_\_ DAYS\*  
EDD: \_\_\_\_\_ DAYS\*  
\*TO BE APPROVED BY CHEMTECH  
STANDARD HARDCOPY TURNAROUND TIME IS 10 BUSINESS

DATA DELIVERABLE INFORMATION

☐ Level 1 (Results Only) ☐ Level 4 (QC + Full Raw Data)  
☐ Level 2 (Results + QC) ☐ NJ Reduced ☐ US EPA CLP  
☐ Level 3 (Results + QC) ☐ NYS ASP A ☐ NYS ASP B  
+ Raw Data ☐ Other \_\_\_\_\_  
☐ EDD FORMAT

1. TCLP VOC  
2. TCLP SVOC  
3. TCLP metals  
4. liquids  
5. compositing  
6. leachability  
7. leachability  
8. leachability  
9. leachability

PRESERVATIVES

COMMENTS

| ALLIANCE<br>SAMPLE<br>ID | PROJECT<br>SAMPLE IDENTIFICATION | SAMPLE<br>MATRIX | SAMPLE<br>TYPE                      |             | SAMPLE<br>COLLECTION |             | # OF BOTTLES | PRESERVATIVES                       |                                     |                                     |                                     |                                     |                                     |   |   |   | COMMENTS<br>← Specify Preservatives<br>A-HCl D-NaOH<br>B-HNO3 E-ICE<br>C-H2SO4 F-OTHER |
|--------------------------|----------------------------------|------------------|-------------------------------------|-------------|----------------------|-------------|--------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|---|---|---|----------------------------------------------------------------------------------------|
|                          |                                  |                  | COMP                                | GRAB        | DATE                 | TIME        |              | 1                                   | 2                                   | 3                                   | 4                                   | 5                                   | 6                                   | 7 | 8 | 9 |                                                                                        |
| 1.                       | <u>WC 04282025</u>               | <u>Soil</u>      | <input checked="" type="checkbox"/> | <u>grab</u> | <u>4/28/25</u>       | <u>1415</u> | <u>4</u>     | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |   |   |   |                                                                                        |
| 2.                       |                                  |                  |                                     |             |                      |             |              |                                     |                                     |                                     |                                     |                                     |                                     |   |   |   |                                                                                        |
| 3.                       |                                  |                  |                                     |             |                      |             |              |                                     |                                     |                                     |                                     |                                     |                                     |   |   |   |                                                                                        |
| 4.                       |                                  |                  |                                     |             |                      |             |              |                                     |                                     |                                     |                                     |                                     |                                     |   |   |   |                                                                                        |
| 5.                       |                                  |                  |                                     |             |                      |             |              |                                     |                                     |                                     |                                     |                                     |                                     |   |   |   |                                                                                        |
| 6.                       |                                  |                  |                                     |             |                      |             |              |                                     |                                     |                                     |                                     |                                     |                                     |   |   |   |                                                                                        |
| 7.                       |                                  |                  |                                     |             |                      |             |              |                                     |                                     |                                     |                                     |                                     |                                     |   |   |   |                                                                                        |
| 8.                       |                                  |                  |                                     |             |                      |             |              |                                     |                                     |                                     |                                     |                                     |                                     |   |   |   |                                                                                        |
| 9.                       |                                  |                  |                                     |             |                      |             |              |                                     |                                     |                                     |                                     |                                     |                                     |   |   |   |                                                                                        |
| 10.                      |                                  |                  |                                     |             |                      |             |              |                                     |                                     |                                     |                                     |                                     |                                     |   |   |   |                                                                                        |

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY

|                                                   |                                   |                                                |                                                                                                                                                                           |
|---------------------------------------------------|-----------------------------------|------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| RELINQUISHED BY SAMPLER:<br>1. <u>[Signature]</u> | DATE/TIME:<br><u>4/24/25 1345</u> | RECEIVED BY:<br><u>[Signature]</u> <u>1345</u> | Conditions of bottles or coolers at receipt: <input type="checkbox"/> COMPLIANT <input type="checkbox"/> NON COMPLIANT <input type="checkbox"/> COOLER TEMP <u>2.5</u> °C |
| RELINQUISHED BY SAMPLER:<br>2. <u>[Signature]</u> | DATE/TIME:                        | RECEIVED BY:                                   | Temp <u>2.5</u> °C Adjustment factor + D IR Gun #1                                                                                                                        |
| RELINQUISHED BY SAMPLER:<br>3. <u>[Signature]</u> | DATE/TIME: <u>4-29-25</u>         | RECEIVED BY:                                   | Page ____ of                                                                                                                                                              |
|                                                   |                                   |                                                | CLIENT: <input type="checkbox"/> Hand Delivered <input type="checkbox"/> Other                                                                                            |
|                                                   |                                   |                                                | Shipment Complete<br><input type="checkbox"/> YES <input type="checkbox"/> NO                                                                                             |

---

**From:** Chenenko, Ricky A. <[chenenkora@cdmsmith.com](mailto:chenenkora@cdmsmith.com)>  
**Sent:** Wednesday, May 14, 2025 1:16 PM  
**To:** Yazmeen Gomez; yazmeen; Jordan Hedvat  
**Cc:** Encinas, Marcie (Puskarik)  
**Subject:** RE: Lab report Q1914

EXTERNAL EMAIL - This email was sent by a person from outside your organization. Exercise caution when clicking links, opening attachments or taking further action, before validating its authenticity.

Secured by Check Point

Thanks very much.

---

**From:** Yazmeen Gomez <[Yazmeen.Gomez@alliancetg.com](mailto:Yazmeen.Gomez@alliancetg.com)>  
**Sent:** Wednesday, May 14, 2025 1:07 PM  
**To:** Chenenko, Ricky A. <[chenenkora@cdmsmith.com](mailto:chenenkora@cdmsmith.com)>; yazmeen <[yazmeen@chemtech.net](mailto:yazmeen@chemtech.net)>; Jordan Hedvat <[Jordan.Hedvat@AllianceTG.com](mailto:Jordan.Hedvat@AllianceTG.com)>  
**Cc:** Encinas, Marcie (Puskarik) <[EncinasMA@cdmsmith.com](mailto:EncinasMA@cdmsmith.com)>  
**Subject:** RE: Lab report Q1914

You don't often get email from [yazmeen.gomez@alliancetg.com](mailto:yazmeen.gomez@alliancetg.com). [Learn why this is important](#)

Ricky,

I have let QA/QC know to create NYS B reports.

They should be uploaded by EOB.

**Best Regards,**



**Yazmeen** Gomez  
**Sr. Project Manager**  
**An Alliance Technical Group Company**  
**Main:** 908-789-8900  
**Direct:** 908-728-3147  
**Address:** 284 Sheffield St, Ste 1, Mountainside, NJ 07092  
[www.alliancetg.com](http://www.alliancetg.com)     

---

**From:** Chenenko, Ricky A. <[chenenkora@cdmsmith.com](mailto:chenenkora@cdmsmith.com)>  
**Sent:** Wednesday, May 14, 2025 11:53 AM  
**To:** yazmeen <[yazmeen@chemtech.net](mailto:yazmeen@chemtech.net)>; Jordan Hedvat <[jordan.hedvat@alliancetg.com](mailto:jordan.hedvat@alliancetg.com)>  
**Cc:** Encinas, Marcie (Puskarik) <[EncinasMA@cdmsmith.com](mailto:EncinasMA@cdmsmith.com)>  
**Subject:** Lab report Q1914

EXTERNAL EMAIL - This email was sent by a person from outside your organization. Exercise caution when clicking links, opening attachments or taking further action, before validating its authenticity.

**Secured by Check Point**

Yazmeen,

Can we get the ASP B report for Q1914? I think I checked off ASP A by mistake.

Thanks,

Ricky

### Laboratory Certification

| Certified By         | License No.      |
|----------------------|------------------|
|                      |                  |
| CAS EPA CLP Contract | 68HERH20D0011    |
|                      |                  |
| Connecticut          | PH-0830          |
|                      |                  |
| DOD ELAP (ANAB)      | L2219            |
|                      |                  |
| Maine                | 2024021          |
|                      |                  |
| Maryland             | 296              |
|                      |                  |
| New Hampshire        | 255424 Rev 1     |
|                      |                  |
| New Jersey           | 20012            |
|                      |                  |
| New York             | 11376            |
|                      |                  |
| Pennsylvania         | 68-00548         |
|                      |                  |
| Soil Permit          | 525-24-234-08441 |
|                      |                  |
| Texas                | T104704488       |