

NO

1.00

1 0

1

1.00

U

Ignitability

Paint Filter

oC

ml/100gm

05/01/25 12:45 1030

05/01/25 09:05 9095B

## **Report of Analysis**

Client:	PSEG			Ι	Date Collected:	04/30/25 1	0:00
Project:	PSEG Elizabeth- Roselle Poles			Ι	Date Received: 04/30/25		
Client Sample ID:	WC-12			S	SDG No.:	Q1916	
Lab Sample ID:	Q1916-01			Ν	Matrix:	SOIL	
				0	% Solid:	100	
Parameter	Conc. Qua.	DF MDL	LOQ / CRQL	Units(Dry Weig	ht) Prep Date	Date Ana.	Ana Met.
Hexavalent Chromium	0.39 U	1 0.069	0.39	mg/Kg	04/30/25 12:40	04/30/25 16:15	7196A

0

1.00

- U = Not Detected
- LOQ = Limit of Quantitation
- MDL = Method Detection Limit
- LOD = Limit of Detection
- D = Dilution
- Q = indicates LCS control criteria did not meet requirements
- H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

- E = Indicates the reported value is estimated because of the presence of interference.
- OR = Over Range
- N =Spiked sample recovery not within control limits

<sup>\* =</sup> indicates the duplicate analysis is not within control limits.