

Client Contact Information				Bottle Order ID : B2504018				Courier :				_____ of _____ COCs							
Client ID : TETR16 Project ID : R3624 R36900				Sampler Name(s) : S. Belding				Analysis				Matrix							
Customer Name : Tetra Tech, EMI Address : 240 Continental Drive, Suite 200 City : Newark State : DE Zip Code : 19713 Country :				Project Manager : AVA HEISS				AIR ANALYSIS CHAIN-OF-CUSTODY Individual Certified											
				Phone Number : 302-738-7551															
				Fax Number : 302-454-5980															
				Site Details: See comments for sample ID															
Analysis Turnaround Time				Standard : 10 business days OR				Data Package Type :											
Rush (Specify): _____ Days				EDD Type :															
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15			Indoor/Ambient Air	Soil Gas
See Comment	4/28/15 4/29/15	1438	1430	-30	-10			-30	-7.8	10478	10197	6 L	4.16	VL042309.D	X			X	
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) Sub									
		Ambient	Maximum	Minimum															
Start																			
Stop																			
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.									
		Ambient	Maximum	Minimum															
Start																			
Stop																			
Special Instructions/QC Requirements & Comments : EBE 706 SL 1401 - 2005 0426																			
Suspected Contamination: High Medium Low PID Readings:																			
Sampling site (State):																			
Quick Connector required : NO																			
Canisters Shipped by: Sam					Date/Time: 04/05/15					Canisters Received by: CP					Date/Time: 4/30/25 1255				
Samples Relinquished by: Sam Belding					Date/Time: 4/29/25					Received by:					Date/Time:				
Relinquished by:					Date/Time:					Received by:					Date/Time:				
B2504018 - 3																			

Client Contact Information				Bottle Order ID : B2504018				Courier :				_____ of _____ COCs						
Client ID : TETR16				Project ID : R36724 R36900				Sampler Name(s) : S. Belding				Analysis		Matrix				
Customer Name : Tetra Tech, EMI Address : 240 Continental Drive, Suite 200				Project Manager : AVA HEISS				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified				TO-15	Indoor/Ambient Air	Soil Gas				
				Phone Number : 302-738-7551														
				Fax Number : 302-454-5980														
				Site Details: <i>See comments for sample ID</i>														
City : Newark				Analysis Turnaround Time				Data Package Type :										
State : DE				Standard : 10 business days OR				EDD Type :										
Zip Code : 19713				Rush (Specify): Days														
Country :																		
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID				
<i>See end</i>	<i>1/18/15</i>	<i>1007</i>	<i>1030</i>	<i>-30</i>	<i>-12</i>			<i>-30</i>	<i>-5.5</i>	<i>10520</i>	<i>10267</i>	<i>6 L</i>	<i>4.16</i>	<i>VL042308.D</i>	<i>X</i>		<i>X</i>	
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <i>[Signature]</i>								
		Ambient	Maximum	Minimum														
Start																		
Stop																		
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.								
		Ambient	Maximum	Minimum														
Start																		
Stop																		
Special Instructions/QC Requirements & Comments : BBR-P3-SC-1A01-20250428																		
Suspected Contamination: High Medium Low PID Readings:																		
Sampling site (State):																		
Quick Connector required : <i>No</i>																		
Canisters Shipped by: <i>Sam</i>				Date/Time: <i>04/15/25</i>				Canisters Received by: <i>OP</i>				Date/Time: <i>4/30/25 1255</i>				B2504018 - 4		
Samples Relinquished by: <i>Sam Belding</i>				Date/Time: <i>4/29/25</i>				Received by:				Date/Time:						
Relinquished by:				Date/Time:				Received by:				Date/Time:						

Library basement

Client Contact Information				Bottle Order ID : B2504018				Courier :				_____ of _____ COCs																	
Client ID : TETR16				Project ID : R36724 <i>R36900</i>				Sampler Name(s) : <i>Sam Belding</i>				Analysis		Matrix															
Customer Name : Tetra Tech, EMI Address : 240 Continental Drive, Suite 200 City : Newark State : DE Zip Code : 19713 Country :				Project Manager : AVA HEISS				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																					
				Phone Number : 302-738-7551																									
				Fax Number : 302-454-5980																									
				Site Details: <i>See comments for sample ID</i>																									
				Analysis Turnaround Time				Data Package Type :																					
				Standard : 10 business days OR				EDD Type :																					
Country :				Rush (Specify): _____ Days																									
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas												
<i>See comment</i>	<i>4/28/25</i> <i>4/29/25</i>	<i>1310</i>	<i>1227</i>	<i>20</i>	<i>-7</i>			<i>-30</i>	<i>-6.7</i>	<i>10240</i>	<i>10283</i>	<i>6 L</i>	<i>4.16</i>	<i>VL042308.D</i>	<i>X</i>		<i>X</i>												
Temperature (Fahrenheit) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				GC/MS Analyst Signature (TO-15) <i>Sam</i>							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Pressure (Inches of Hg) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Special Instructions/QC Requirements & Comments : <i>EBB-P04-SC-SS01-20250428</i>																													
Suspected Contamination: High Medium Low PID Readings:																													
Sampling site (State):																													
Quick Connector required : <i>NO</i>																													
Canisters Shipped by: <i>Sam</i>				Date/Time: <i>04/13/25</i>				Canisters Received by: <i>CP</i>				Date/Time: <i>4/30/25 1258</i>																	
Samples Relinquished by: <i>Sam Belding</i>				Date/Time: <i>4/29/25</i>				Received by:				Date/Time:																	
Relinquished by:				Date/Time:				Received by:				Date/Time:																	
B2504018 - 7																													

Client Contact Information				Bottle Order ID : B2504018				Courier :				_____ of _____ COCs						
Client ID : TETR16				Project ID : R36724 R56900				Sampler Name(s) : S. Belding				Analysis		Matrix				
Customer Name : Tetra Tech, EMI Address : 240 Continental Drive, Suite 200 City : Newark State : DE Zip Code : 19713 Country :				Project Manager : AVA HEISS				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified										
				Phone Number : 302-738-7551														
				Fax Number : 302-454-5980														
				Site Details: <i>See comments for Sample IP</i>														
Analysis Turnaround Time				Standard : 10 business days OR				Data Package Type :										
Rush (Specify): _____ Days				EDD Type :														
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15		Indoor/Ambient Air	Soil Gas
<i>See notes</i>	4/12/25 4/12/25	0000	1030	-30	58 -12 7			-30	-5.9	10626 10478	10320	6 L	4.16	VL042308.D	X			X
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <i>[Signature]</i>								
		Ambient	Maximum	Minimum														
Start																		
Stop																		
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.								
		Ambient	Maximum	Minimum														
Start																		
Stop																		
Special Instructions/QC Requirements & Comments : EBR-103-SC-SS01-20250428																		
Suspected Contamination: High Medium Low PID Readings:																		
Sampling site (State):																		
Quick Connector required : NO																		
Canisters Shipped by: Sam				Date/Time: 04/15/25				Canisters Received by: CP				Date/Time: 4/30/25 1258				B2504018 - 10		
Samples Relinquished by: Sam Belding				Date/Time: 4/12/25				Received by:				Date/Time:						
Relinquished by:				Date/Time:				Received by:				Date/Time:						

Client Contact Information				Bottle Order ID : B2504018				Courier :				_____ of _____ COCs															
Client ID : TETR16 Project ID : 336724 R56900				Sampler Name(s) :				Analysis				Matrix															
Customer Name : Tetra Tech, EMI Address : 240 Continental Drive, Suite 200 City : Newark State : DE Zip Code : 19713 Country :				Project Manager : AVA HEISS				AIR ANALYSIS CHAIN-OF-CUSTODY Individual Certified				TO-15 Indoor/Ambient Air Soil Gas															
				Phone Number : 302-738-7551																							
				Fax Number : 302-454-5980																							
				Site Details: <i>See comments for sample ID</i>																							
Analysis Turnaround Time				Data Package Type :				EDD Type :																			
Standard : 10 business days OR				Rush (Specify): _____ Days																							
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID													
<i>See comments</i>	<i>4/28/25</i> <i>4/29/25</i>	<i>1345</i>	<i>1240</i>	<i>-28</i>	<i>-5</i>			<i>-30</i>	<i>-7.5</i>	<i>10515</i>	<i>10445</i>	<i>6 L</i>	<i>4.16</i>	<i>VL042308.D</i>	<i>X</i>												
Temperature (Fahrenheit) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				GC/MS Analyst Signature (TO-15) 					
	Ambient	Maximum	Minimum																								
Start																											
Stop																											
Pressure (Inches of Hg) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.					
	Ambient	Maximum	Minimum																								
Start																											
Stop																											
Special Instructions/QC Requirements & Comments : <i>EBR- P07-SC-IDA01-20250428</i>																											
Suspected Contamination: High Medium Low PID Readings:																											
Sampling site (State):																											
Quick Connector required : <i>NO</i>																											
Canisters Shipped by: <i>Sam</i>				Date/Time: <i>4/21/25</i>				Canisters Received by:				Date/Time:															
Samples Relinquished by: <i>Sam Belding</i>				Date/Time: <i>4/29/25</i>				Received by: <i>al</i>				Date/Time: <i>4/30/25 1255</i>															
Relinquished by: .				Date/Time:				Received by:				Date/Time:															

Client Contact Information				Bottle Order ID : B2504018				Courier :				_____ of _____ COCs									
Client ID : TETR16 Project ID : R36724 R36900				Sampler Name(s) : S. Belding				Analysis				Matrix									
Customer Name : Tetra Tech, EMI Address : 240 Continental Drive, Suite 200 City : Newark State : DE Zip Code : 19713 Country :				Project Manager : AVA HEISS				AIR ANALYSIS CHAIN-OF-CUSTODY Individual Certified													
				Phone Number : 302-738-7551																	
				Fax Number : 302-454-5980																	
				Site Details: see comments for sample ID																	
Analysis Turnaround Time				Standard : 10 business days OR				Data Package Type :													
Rush (Specify): _____ Days				EDD Type :																	
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15				Indoor/Ambient Air	Soil Gas	
<i>See comments</i>	<i>4/28/25</i> <i>4/29/25</i>	<i>1318</i>	<i>1045</i>	<i>-30</i>	<i>-3</i>			<i>-30</i>	<i>-2.2</i>	<i>10482</i>	<i>10607</i>	<i>6 L</i>	<i>4.16</i>	<i>VL042310.D</i>	<i>X</i>			<i>X</i>			
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <i>[Signature]</i>											
		Ambient	Maximum	Minimum																	
Start																					
Stop																					
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.											
		Ambient	Maximum	Minimum																	
Start																					
Stop																					
Special Instructions/QC Requirements & Comments : EBR-704-SC-IA01-20250428																					
Suspected Contamination: High Medium Low PID Readings:																					
Sampling site (State):																					
Quick Connector required : <i>No</i>																					
Canisters Shipped by: <i>Sam</i>				Date/Time: <i>04/25/25</i>				Canisters Received by: <i>OP</i>				Date/Time: <i>4/30/25 1255</i>				B2504018 - 15					
Samples Relinquished by: <i>Sam Belding</i>				Date/Time: <i>4/29/25</i>				Received by:				Date/Time:									
Relinquished by:				Date/Time:				Received by:				Date/Time:									