

ANALYTICAL RESULTS SUMMARY

VOLATILE ORGANICS

PROJECT NAME : R36900

TETRA TECH, EMI

240 Continental Drive, Suite 200

Newark, DE - 19713

Phone No: 302-738-7551

ORDER ID : Q1927

ATTENTION : Ava Heiss



Laboratory Certification ID # 20012



1) Signature Page	3
2) Case Narrative	4
2.1) TO-15- Case Narrative	4
3) Qualifier Page	14
4) QA Checklist	15
5) TO-15 Data	16
6) Shipping Document	86
6.1) CHAIN OF CUSTODY	87
6.2) Lab Certificate	96
6.3) Internal COC	97
6.4) Air sample Pressure And Dilution Log Book	98
6.5) Storage Location	99

Cover Page

Order ID : Q1927

Project ID : R36900

Client : Tetra Tech, EMI

Lab Sample Number

Q1927-01
Q1927-02
Q1927-03
Q1927-04
Q1927-05
Q1927-06

Client Sample Number

EBR-P06-SC-IA01-20250428
EBR-P03-SC-IA01-20250428
EBR-P04-SC-SS01-20250428
EBR-P03-SC-SS01-20250428
EBR-P07-SC-IA01-20250428
EBR-P04-SC-IA01-20250428

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : _____

Date: 5/10/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012

CASE NARRATIVE

Tetra Tech, EMI
Project Name: R36900
Project # N/A
Order ID # Q1927
Test Name: TO-15

A. Number of Samples and Date of Receipt:

6 Air samples were received on 04/30/2025.

B. Parameters

According to the Chain of Custody document, the following analyses were requested:
TO-15. This data package contains results for TO-15.

C. Analytical Techniques:

The analysis performed on instrument MSVOA_L were done using GC column RTX-1, which is 60 meters, 0.32 mm id, 1.0 um df, Restek Cat. #10157. The Trap was supplied by Entech, glass bead and Tenax , Entech 7100A Preconcentrator. The analysis of TO-15 was based on method TO-15.

D. QA/ QC Samples:

The Holding Times were met for all analysis.
The Surrogate recoveries met the acceptable criteria.
The Internal Standards Areas met the acceptable requirements.
The Retention Times were acceptable for all samples.

The RPD for {Q1927-01DUP} with File ID: VL042477.D met criteria except for Chloromethane[26.9%], Methylene Chloride[26.7%] due to difference in results of original and DUP.

The Blank Spike met requirements for all samples.
The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements except for Naphthalene have more than 30% RSD in the Initial Calibration with dated 05/01/2025 with L Instrument but as per method two compounds as allowed to be fail.
The Continuous Calibration met the requirements.
The Tuning criteria met requirements.

Sample EBR-P03-SC-SS01-20250428 was diluted due to high concentration.

E. Additional Comments:

The Sample # EBR-P03-SC-IA01-20250428, EBR-P04-SC-SS01-20250428, EBR-P03-SC-SS01-20250428DL and EBR-P07-SC-IA01-20250428 have the concentration of target compound below Method detection limits, therefore it is not reported as Hit in Form1.

The not QT review data is reported in the Miscellaneous.
The Form 6 is not included in the data package because the Initial Calibration was performed using 7 points.

The Manual Integrations are performed for the followings.

Manual Integration Report			
Sequence	VL050125	Instrument	MSVOA_I

Sample ID	File ID	Parameter	Review By	Review On	Supervised By	Supervised On	Reason
VSTDICCC010	VL042458.D	1,4-Dioxane	SAM	5/2/2025 7:56:35 AM	MMDadoda	5/5/2025 2:55:42 PM	Peak Integrated by Software incorrectly
VSTDICCC010	VL042458.D	m/p-Xylene	SAM	5/2/2025 7:56:35 AM	MMDadoda	5/5/2025 2:55:42 PM	Peak Integrated by Software incorrectly
VSTDICC002	VL042459.D	1,1,2-Trichloroethane	SAM	5/2/2025 7:56:42 AM	MMDadoda	5/5/2025 2:55:44 PM	Peak Integrated by Software incorrectly
VSTDICC002	VL042459.D	1,4-Dioxane	SAM	5/2/2025 7:56:42 AM	MMDadoda	5/5/2025 2:55:44 PM	Peak Integrated by Software incorrectly
VSTDICC002	VL042459.D	Heptane	SAM	5/2/2025 7:56:42 AM	MMDadoda	5/5/2025 2:55:44 PM	Peak Integrated by Software incorrectly
VSTDICC002	VL042459.D	m/p-Xylene	SAM	5/2/2025 7:56:42 AM	MMDadoda	5/5/2025 2:55:44 PM	Peak Integrated by Software incorrectly
VSTDICC002	VL042459.D	Methyl Methacrylate	SAM	5/2/2025 7:56:42 AM	MMDadoda	5/5/2025 2:55:44 PM	Peak Integrated by

							Software incorrectly
VSTDICC002	VL042459.D	t-1,3-Dichloropropene	SAM	5/2/2025 7:56:42 AM	MMDadoda	5/5/2025 2:55:44 PM	Peak Integrated by Software incorrectly
VSTDICC002	VL042459.D	Tetrahydrofuran	SAM	5/2/2025 7:56:42 AM	MMDadoda	5/5/2025 2:55:44 PM	Peak Integrated by Software incorrectly
VSTDICC002	VL042459.D	Trichloroethene	SAM	5/2/2025 7:56:42 AM	MMDadoda	5/5/2025 2:55:44 PM	Peak Integrated by Software incorrectly
VSTDICC001	VL042460.D	1,1,2-Trichloroethane	SAM	5/2/2025 7:58:04 AM	MMDadoda	5/5/2025 2:55:47 PM	Peak Integrated by Software incorrectly
VSTDICC001	VL042460.D	Trichloroethene	SAM	5/2/2025 7:58:04 AM	MMDadoda	5/5/2025 2:55:47 PM	Peak Integrated by Software incorrectly
VSTDICC001	VL042460.D	Trichlorofluoromethane	SAM	5/2/2025 7:58:04 AM	MMDadoda	5/5/2025 2:55:47 PM	Peak Integrated by Software incorrectly
VSTDICC0.5	VL042461.D	1,1,1-Trichloroethane	SAM	5/2/2025 7:56:59 AM	MMDadoda	5/5/2025 2:55:50 PM	Peak Integrated by Software incorrectly
VSTDICC0.5	VL042461.D	1,1,2-Trichloroethane	SAM	5/2/2025 7:56:59 AM	MMDadoda	5/5/2025 2:55:50 PM	Peak Integrated by Software incorrectly
VSTDICC0.5	VL042461.D	1,2-Dichloropropane	SAM	5/2/2025 7:56:59 AM	MMDadoda	5/5/2025 2:55:50 PM	Peak Integrated by Software incorrectly
VSTDICC0.5	VL042461.D	1,4-Dioxane	SAM	5/2/2025 7:56:59 AM	MMDadoda	5/5/2025 2:55:50 PM	Peak Integrated by Software incorrectly
VSTDICC0.5	VL042461.D	2,2,4-Trimethylpentane	SAM	5/2/2025 7:56:59 AM	MMDadoda	5/5/2025 2:55:50 PM	Peak Integrated by

							Software incorrectly
VSTDICC0.5	VL042461.D	2-Hexanone	SAM	5/2/2025 7:56:59 AM	MMDadoda	5/5/2025 2:55:50 PM	Peak Integrated by Software incorrectly
VSTDICC0.5	VL042461.D	4-Methyl-2-Pentanone	SAM	5/2/2025 7:56:59 AM	MMDadoda	5/5/2025 2:55:50 PM	Peak Integrated by Software incorrectly
VSTDICC0.5	VL042461.D	Benzyl Chloride	SAM	5/2/2025 7:56:59 AM	MMDadoda	5/5/2025 2:55:50 PM	Peak Integrated by Software incorrectly
VSTDICC0.5	VL042461.D	cis-1,2-Dichloroethene	SAM	5/2/2025 7:56:59 AM	MMDadoda	5/5/2025 2:55:50 PM	Peak Integrated by Software incorrectly
VSTDICC0.5	VL042461.D	cis-1,3-Dichloropropene	SAM	5/2/2025 7:56:59 AM	MMDadoda	5/5/2025 2:55:50 PM	Peak Integrated by Software incorrectly
VSTDICC0.5	VL042461.D	Tetrahydrofuran	SAM	5/2/2025 7:56:59 AM	MMDadoda	5/5/2025 2:55:50 PM	Peak Integrated by Software incorrectly
VSTDICC0.5	VL042461.D	Toluene	SAM	5/2/2025 7:56:59 AM	MMDadoda	5/5/2025 2:55:50 PM	Peak Integrated by Software incorrectly
VSTDICC0.5	VL042461.D	Trichloroethene	SAM	5/2/2025 7:56:59 AM	MMDadoda	5/5/2025 2:55:50 PM	Peak Integrated by Software incorrectly
VSTDICC0.1	VL042462.D	1,1,1-Trichloroethane	SAM	5/2/2025 7:58:46 AM	MMDadoda	5/5/2025 2:55:52 PM	Peak Integrated by Software incorrectly
VSTDICC0.1	VL042462.D	1,2-Dibromoethane	SAM	5/2/2025 7:58:46 AM	MMDadoda	5/5/2025 2:55:52 PM	Peak Integrated by Software incorrectly
VSTDICC0.1	VL042462.D	Naphthalene	SAM	5/2/2025 7:58:46 AM	MMDadoda	5/5/2025 2:55:52 PM	Peak Integrated by

							Software incorrectly
VSTDICC0.1	VL042462.D	Tetrachloroethene	SAM	5/2/2025 7:58:46 AM	MMDadoda	5/5/2025 2:55:52 PM	Peak Integrated by Software incorrectly
VSTDICC0.1	VL042462.D	Trichloroethene	SAM	5/2/2025 7:58:46 AM	MMDadoda	5/5/2025 2:55:52 PM	Peak Integrated by Software incorrectly
VSTDICC015	VL042465.D	cis-1,3-Dichloropropene	SAM	5/2/2025 7:58:52 AM	MMDadoda	5/5/2025 2:56:22 PM	Peak Integrated by Software incorrectly
VSTDICC015	VL042465.D	m/p-Xylene	SAM	5/2/2025 7:58:52 AM	MMDadoda	5/5/2025 2:56:22 PM	Peak Integrated by Software incorrectly
VSTDICC0.03	VL042466.D	1,1,1-Trichloroethane	SAM	5/2/2025 7:58:22 AM	MMDadoda	5/5/2025 2:56:24 PM	Peak Integrated by Software incorrectly
VSTDICC0.03	VL042466.D	1,1,2,2-Tetrachloroethane	SAM	5/2/2025 7:58:22 AM	MMDadoda	5/5/2025 2:56:24 PM	Peak Integrated by Software incorrectly
VSTDICC0.03	VL042466.D	Carbon Tetrachloride	SAM	5/2/2025 7:58:22 AM	MMDadoda	5/5/2025 2:56:24 PM	Peak Integrated by Software incorrectly
VSTDICC0.03	VL042466.D	Tetrachloroethene	SAM	5/2/2025 7:58:22 AM	MMDadoda	5/5/2025 2:56:24 PM	Peak Integrated by Software incorrectly
VSTDICV010	VL042467.D	1,4-Dioxane	SAM	5/2/2025 7:56:48 AM	MMDadoda	5/5/2025 2:56:26 PM	Peak Integrated by Software incorrectly
VSTDICV010	VL042467.D	m/p-Xylene	SAM	5/2/2025 7:56:48 AM	MMDadoda	5/5/2025 2:56:26 PM	Peak Integrated by Software incorrectly
VSTDICV010	VL042467.D	t-1,3-Dichloropropene	SAM	5/2/2025 7:56:48 AM	MMDadoda	5/5/2025 2:56:26 PM	Peak Integrated by

							Software incorrectly
Sequence		VL050525	Instrument				MSVOA_I
Sample ID	File ID	Parameter	Review By	Review On	Supervised By	Supervised On	Reason
VSTDCCC010	VL042469.D	m/p-Xylene	SAM	5/6/2025 10:20:33 AM	MMDadoda	5/6/2025 12:41:48 PM	Peak Integrated by Software incorrectly
VL0505ABS01	VL042471.D	Heptane	SAM	5/6/2025 10:20:39 AM	MMDadoda	5/6/2025 12:41:46 PM	Peak Integrated by Software incorrectly
VL0505ABS01	VL042471.D	m/p-Xylene	SAM	5/6/2025 10:20:39 AM	MMDadoda	5/6/2025 12:41:46 PM	Peak Integrated by Software incorrectly
VL0505ABS01	VL042471.D	Trichloroethene	SAM	5/6/2025 10:20:39 AM	MMDadoda	5/6/2025 12:41:46 PM	Peak Integrated by Software incorrectly
Q1927-04DL	VL042473.D	Heptane	SAM	5/6/2025 10:20:43 AM	MMDadoda	5/6/2025 12:41:44 PM	Peak Integrated by Software incorrectly
Q1927-04DL	VL042473.D	m/p-Xylene	SAM	5/6/2025 10:20:43 AM	MMDadoda	5/6/2025 12:41:44 PM	Peak Integrated by Software incorrectly
Q1927-04DL	VL042473.D	Propene	SAM	5/6/2025 10:20:43 AM	MMDadoda	5/6/2025 12:41:44 PM	Peak Integrated by Software incorrectly
Q1927-03	VL042474.D	1,1,1-Trichloroethane	SAM	5/6/2025 10:21:15 AM	MMDadoda	5/6/2025 12:41:42 PM	Peak Integrated by Software incorrectly
Q1927-03	VL042474.D	Benzene	SAM	5/6/2025 10:21:15 AM	MMDadoda	5/6/2025 12:41:42 PM	Peak Integrated by Software incorrectly
Q1927-03	VL042474.D	Carbon Tetrachloride	SAM	5/6/2025 10:21:15 AM	MMDadoda	5/6/2025 12:41:42 PM	Peak Integrated by Software incorrectly
Q1927-03	VL042474.D	Chlorodifluoromethane	SAM	5/6/2025 10:21:15 AM	MMDadoda	5/6/2025 12:41:42 PM	Peak Integrated by Software incorrectly
Q1927-03	VL042474.D	Hexane	SAM	5/6/2025 10:21:15 AM	MMDadoda	5/6/2025 12:41:42 PM	Peak Integrated by Software incorrectly

Q1927-03	VL042474.D	m/p-Xylene	SAM	5/6/2025 10:21:15 AM	MMDadoda	5/6/2025 12:41:42 PM	Peak Integrated by Software incorrectly
Q1927-03	VL042474.D	Toluene	SAM	5/6/2025 10:21:15 AM	MMDadoda	5/6/2025 12:41:42 PM	Peak Integrated by Software incorrectly
Q1927-04	VL042475.D	Carbon Tetrachloride	SAM	5/6/2025 10:20:48 AM	MMDadoda	5/6/2025 12:42:07 PM	Peak Integrated by Software incorrectly
Q1927-04	VL042475.D	Chlorodifluoromethane	SAM	5/6/2025 10:20:48 AM	MMDadoda	5/6/2025 12:42:07 PM	Peak Integrated by Software incorrectly
Q1927-04	VL042475.D	Chloroform	SAM	5/6/2025 10:20:48 AM	MMDadoda	5/6/2025 12:42:07 PM	Peak Integrated by Software incorrectly
Q1927-04	VL042475.D	Toluene	SAM	5/6/2025 10:20:48 AM	MMDadoda	5/6/2025 12:42:07 PM	Peak Integrated by Software incorrectly
Q1927-01	VL042476.D	Carbon Tetrachloride	SAM	5/6/2025 10:21:10 AM	MMDadoda	5/6/2025 12:42:09 PM	Peak Integrated by Software incorrectly
Q1927-01	VL042476.D	Chlorodifluoromethane	SAM	5/6/2025 10:21:10 AM	MMDadoda	5/6/2025 12:42:09 PM	Peak Integrated by Software incorrectly
Q1927-01	VL042476.D	Ethyl Benzene	SAM	5/6/2025 10:21:10 AM	MMDadoda	5/6/2025 12:42:09 PM	Peak Integrated by Software incorrectly
Q1927-01	VL042476.D	Hexane	SAM	5/6/2025 10:21:10 AM	MMDadoda	5/6/2025 12:42:09 PM	Peak Integrated by Software incorrectly
Q1927-01	VL042476.D	m/p-Xylene	SAM	5/6/2025 10:21:10 AM	MMDadoda	5/6/2025 12:42:09 PM	Peak Integrated by Software incorrectly
Q1927-01	VL042476.D	o-Xylene	SAM	5/6/2025 10:21:10 AM	MMDadoda	5/6/2025 12:42:09 PM	Peak Integrated by Software incorrectly
Q1927-01	VL042476.D	Propene	SAM	5/6/2025 10:21:10 AM	MMDadoda	5/6/2025 12:42:09 PM	Peak Integrated by Software incorrectly
Q1927-01	VL042476.D	Styrene	SAM	5/6/2025 10:21:10	MMDadoda	5/6/2025 12:42:09 PM	Peak Integrated by

				AM			Software incorrectly
Q1927-01	VL042476.D	Tetrachloroethene	SAM	5/6/2025 10:21:10 AM	MMDadoda	5/6/2025 12:42:09 PM	Peak Integrated by Software incorrectly
Q1927-01	VL042476.D	Toluene	SAM	5/6/2025 10:21:10 AM	MMDadoda	5/6/2025 12:42:09 PM	Peak Integrated by Software incorrectly
Q1927-01DUP	VL042477.D	Chlorodifluoromethane	SAM	5/6/2025 10:22:09 AM	MMDadoda	5/6/2025 12:42:10 PM	Peak Integrated by Software incorrectly
Q1927-01DUP	VL042477.D	Ethyl Benzene	SAM	5/6/2025 10:22:09 AM	MMDadoda	5/6/2025 12:42:10 PM	Peak Integrated by Software incorrectly
Q1927-01DUP	VL042477.D	m/p-Xylene	SAM	5/6/2025 10:22:09 AM	MMDadoda	5/6/2025 12:42:10 PM	Peak Integrated by Software incorrectly
Q1927-01DUP	VL042477.D	o-Xylene	SAM	5/6/2025 10:22:09 AM	MMDadoda	5/6/2025 12:42:10 PM	Peak Integrated by Software incorrectly
Q1927-01DUP	VL042477.D	Propene	SAM	5/6/2025 10:22:09 AM	MMDadoda	5/6/2025 12:42:10 PM	Peak Integrated by Software incorrectly
Q1927-01DUP	VL042477.D	Tetrachloroethene	SAM	5/6/2025 10:22:09 AM	MMDadoda	5/6/2025 12:42:10 PM	Peak Integrated by Software incorrectly
Q1927-01DUP	VL042477.D	Toluene	SAM	5/6/2025 10:22:09 AM	MMDadoda	5/6/2025 12:42:10 PM	Peak Integrated by Software incorrectly
Q1927-01DUP	VL042477.D	Trichlorofluoromethane	SAM	5/6/2025 10:22:09 AM	MMDadoda	5/6/2025 12:42:10 PM	Peak Integrated by Software incorrectly
Q1927-02	VL042479.D	Benzene	SAM	5/6/2025 10:21:44 AM	MMDadoda	5/6/2025 12:42:14 PM	Peak Integrated by Software incorrectly
Q1927-02	VL042479.D	Carbon Tetrachloride	SAM	5/6/2025 10:21:44 AM	MMDadoda	5/6/2025 12:42:14 PM	Peak Integrated by Software incorrectly
Q1927-02	VL042479.D	Chlorodifluoromethane	SAM	5/6/2025 10:21:44 AM	MMDadoda	5/6/2025 12:42:14 PM	Peak Integrated by Software incorrectly

Q1927-02	VL042479.D	Ethyl Benzene	SAM	5/6/2025 10:21:44 AM	MMDadoda	5/6/2025 12:42:14 PM	Peak Integrated by Software incorrectly
Q1927-02	VL042479.D	Hexane	SAM	5/6/2025 10:21:44 AM	MMDadoda	5/6/2025 12:42:14 PM	Peak Integrated by Software incorrectly
Q1927-02	VL042479.D	Isopropyl Alcohol	SAM	5/6/2025 10:21:44 AM	MMDadoda	5/6/2025 12:42:14 PM	Peak Integrated by Software incorrectly
Q1927-02	VL042479.D	m/p-Xylene	SAM	5/6/2025 10:21:44 AM	MMDadoda	5/6/2025 12:42:14 PM	Peak Integrated by Software incorrectly
Q1927-02	VL042479.D	o-Xylene	SAM	5/6/2025 10:21:44 AM	MMDadoda	5/6/2025 12:42:14 PM	Peak Integrated by Software incorrectly
Q1927-02	VL042479.D	Propene	SAM	5/6/2025 10:21:44 AM	MMDadoda	5/6/2025 12:42:14 PM	Peak Integrated by Software incorrectly
Q1927-02	VL042479.D	Toluene	SAM	5/6/2025 10:21:44 AM	MMDadoda	5/6/2025 12:42:14 PM	Peak Integrated by Software incorrectly
Q1927-05	VL042481.D	Benzene	SAM	5/6/2025 10:21:49 AM	MMDadoda	5/6/2025 12:42:17 PM	Peak Integrated by Software incorrectly
Q1927-05	VL042481.D	Carbon Tetrachloride	SAM	5/6/2025 10:21:49 AM	MMDadoda	5/6/2025 12:42:17 PM	Peak Integrated by Software incorrectly
Q1927-05	VL042481.D	Chlorodifluoromethane	SAM	5/6/2025 10:21:49 AM	MMDadoda	5/6/2025 12:42:17 PM	Peak Integrated by Software incorrectly
Q1927-05	VL042481.D	Hexane	SAM	5/6/2025 10:21:49 AM	MMDadoda	5/6/2025 12:42:17 PM	Peak Integrated by Software incorrectly
Q1927-05	VL042481.D	m/p-Xylene	SAM	5/6/2025 10:21:49 AM	MMDadoda	5/6/2025 12:42:17 PM	Peak Integrated by Software incorrectly
Q1927-05	VL042481.D	Propene	SAM	5/6/2025 10:21:49 AM	MMDadoda	5/6/2025 12:42:17 PM	Peak Integrated by Software incorrectly
Q1927-05	VL042481.D	Tetrahydrofuran	SAM	5/6/2025 10:21:49	MMDadoda	5/6/2025 12:42:17 PM	Peak Integrated by

				AM			Software incorrectly
Q1927-05	VL042481.D	Toluene	SAM	5/6/2025 10:21:49 AM	MMDadoda	5/6/2025 12:42:17 PM	Peak Integrated by Software incorrectly
Q1927-06	VL042483.D	Benzene	SAM	5/6/2025 10:21:20 AM	MMDadoda	5/6/2025 12:42:21 PM	Peak Integrated by Software incorrectly
Q1927-06	VL042483.D	Carbon Tetrachloride	SAM	5/6/2025 10:21:20 AM	MMDadoda	5/6/2025 12:42:21 PM	Peak Integrated by Software incorrectly
Q1927-06	VL042483.D	Chlorodifluoromethane	SAM	5/6/2025 10:21:20 AM	MMDadoda	5/6/2025 12:42:21 PM	Peak Integrated by Software incorrectly
Q1927-06	VL042483.D	Propene	SAM	5/6/2025 10:21:20 AM	MMDadoda	5/6/2025 12:42:21 PM	Peak Integrated by Software incorrectly
Q1927-06	VL042483.D	Toluene	SAM	5/6/2025 10:21:20 AM	MMDadoda	5/6/2025 12:42:21 PM	Peak Integrated by Software incorrectly

F. Manual Integration Comments:

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____

DATA REPORTING QUALIFIERS- ORGANIC

For reporting results, the following “Results Qualifiers” are used:

Value	If the result is a value greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. “10 U”. This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
ND	Indicates the analyte was analyzed for, but not detected
J	Indicates an estimated value. This flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3 ug/L was calculated report as 3 J. This flag is used when similar situation arise on any organic parameter i.e. Pest, PCB and others.
B	Indicates the analyte was found in the blank as well as the sample report as “12 B”.
E	Indicates the analyte ‘s concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide/PCB target analyte when there is >25% difference for detected concentrations between the two GC columns. The lower of the two values is reported on Form 1 and flagged with a “P”.
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
A	This flag indicates that a Tentatively Identified Compound is a suspected aldol-condensation product.
Q	Indicates the LCS did not meet the control limits requirements

APPENDIX A

QA REVIEW GENERAL DOCUMENTATION

Project #: Q1927

Completed

For thorough review, the report must have the following:

GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Custody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: SOHIL JODHANI

Date: 05/10/2025

LAB CHRONICLE

OrderID:	Q1927	OrderDate:	4/30/2025 2:09:00 PM
Client:	Tetra Tech, EMI	Project:	R36900
Contact:	Ava Heiss	Location:	Air Lab

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q1927-01	EBR-P06-SC-IA01-202 50428	Air			04/29/25			04/30/25
			TO-15	TO-15			05/05/25	
Q1927-02	EBR-P03-SC-IA01-202 50428	Air			04/29/25			04/30/25
			TO-15	TO-15			05/05/25	
Q1927-03	EBR-P04-SC-SS01-202 50428	Air			04/29/25			04/30/25
			TO-15	TO-15			05/05/25	
Q1927-04	EBR-P03-SC-SS01-202 50428	Air			04/29/25			04/30/25
			TO-15	TO-15			05/05/25	
Q1927-04DL	EBR-P03-SC-SS01-202 50428DL	Air			04/29/25			04/30/25
			TO-15	TO-15			05/05/25	
Q1927-05	EBR-P07-SC-IA01-202 50428	Air			04/29/25			04/30/25
			TO-15	TO-15			05/05/25	
Q1927-06	EBR-P04-SC-IA01-202 50428	Air			04/29/25			04/30/25
			TO-15	TO-15			05/05/25	

Hit Summary Sheet SW-846

SDG No.: Q1927
Client: Tetra Tech, EMI

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID: EBR-P06-SC-IA01-20250428								
Q1927-01	EBR-P06-SC-IA01- Air		Dichlorodifluoromethane	2.32	J	1.04	2.47	ug/m3
Q1927-01	EBR-P06-SC-IA01- Air		Chloromethane	1.22		0.21	1.03	ug/m3
Q1927-01	EBR-P06-SC-IA01- Air		Trichlorofluoromethane	1.40	J	0.90	2.81	ug/m3
Q1927-01	EBR-P06-SC-IA01- Air		Acetone	30.4		0.57	1.19	ug/m3
Q1927-01	EBR-P06-SC-IA01- Air		Methylene Chloride	4.52		0.66	1.74	ug/m3
Q1927-01	EBR-P06-SC-IA01- Air		2-Butanone	1.80		0.35	1.47	ug/m3
Q1927-01	EBR-P06-SC-IA01- Air		Carbon Tetrachloride	0.50		0.060	0.19	ug/m3
Q1927-01	EBR-P06-SC-IA01- Air		Toluene	1.36	J	0.41	1.88	ug/m3
Q1927-01	EBR-P06-SC-IA01- Air		Tetrachloroethene	0.47		0.14	0.20	ug/m3
Q1927-01	EBR-P06-SC-IA01- Air		Ethyl Benzene	0.61	J	0.52	2.17	ug/m3
Q1927-01	EBR-P06-SC-IA01- Air		m/p-Xylene	1.82	J	0.91	4.34	ug/m3
Q1927-01	EBR-P06-SC-IA01- Air		o-Xylene	0.69	J	0.52	2.17	ug/m3
Q1927-01	EBR-P06-SC-IA01- Air		Styrene	0.64	J	0.47	2.13	ug/m3
Q1927-01	EBR-P06-SC-IA01- Air		Hexane	0.85	J	0.39	1.76	ug/m3
			Total Voc :	48.6				
			Total Concentration:	48.6				
Client ID: EBR-P03-SC-IA01-20250428								
Q1927-02	EBR-P03-SC-IA01- Air		Dichlorodifluoromethane	2.67		1.04	2.47	ug/m3
Q1927-02	EBR-P03-SC-IA01- Air		Chloromethane	1.20		0.21	1.03	ug/m3
Q1927-02	EBR-P03-SC-IA01- Air		Trichlorofluoromethane	1.97	J	0.90	2.81	ug/m3
Q1927-02	EBR-P03-SC-IA01- Air		Acetone	15.9		0.57	1.19	ug/m3
Q1927-02	EBR-P03-SC-IA01- Air		Methylene Chloride	2.12		0.66	1.74	ug/m3
Q1927-02	EBR-P03-SC-IA01- Air		2-Butanone	1.74		0.35	1.47	ug/m3
Q1927-02	EBR-P03-SC-IA01- Air		Carbon Tetrachloride	0.50		0.060	0.19	ug/m3
Q1927-02	EBR-P03-SC-IA01- Air		Benzene	0.35	J	0.29	1.60	ug/m3
Q1927-02	EBR-P03-SC-IA01- Air		Toluene	3.01		0.41	1.88	ug/m3
Q1927-02	EBR-P03-SC-IA01- Air		m/p-Xylene	1.48	J	0.91	4.34	ug/m3
Q1927-02	EBR-P03-SC-IA01- Air		Hexane	0.60	J	0.39	1.76	ug/m3
			Total Voc :	31.6				
			Total Concentration:	31.6				
Client ID: EBR-P04-SC-SS01-20250428								
Q1927-03	EBR-P04-SC-SS01- Air		Dichlorodifluoromethane	2.77		1.04	2.47	ug/m3
Q1927-03	EBR-P04-SC-SS01- Air		Trichlorofluoromethane	1.57	J	0.90	2.81	ug/m3
Q1927-03	EBR-P04-SC-SS01- Air		tert-Butyl alcohol	12.7		0.58	1.52	ug/m3
Q1927-03	EBR-P04-SC-SS01- Air		Acetone	20.2		0.57	1.19	ug/m3
Q1927-03	EBR-P04-SC-SS01- Air		Carbon Disulfide	2.09		0.50	1.56	ug/m3

Hit Summary Sheet

SW-846

SDG No.: Q1927

Client: Tetra Tech, EMI

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Q1927-03	EBR-P04-SC-SS01-	Air	Methylene Chloride	2.08		0.66	1.74	ug/m3
Q1927-03	EBR-P04-SC-SS01-	Air	2-Butanone	1.50		0.35	1.47	ug/m3
Q1927-03	EBR-P04-SC-SS01-	Air	Carbon Tetrachloride	0.50		0.060	0.19	ug/m3
Q1927-03	EBR-P04-SC-SS01-	Air	Benzene	0.42	J	0.29	1.60	ug/m3
Q1927-03	EBR-P04-SC-SS01-	Air	Toluene	0.60	J	0.41	1.88	ug/m3
Q1927-03	EBR-P04-SC-SS01-	Air	Hexane	0.63	J	0.39	1.76	ug/m3
Total Voc :				45.1				
Total Concentration:				45.1				
Client ID:	EBR-P03-SC-SS01-20250428							
Q1927-04	EBR-P03-SC-SS01-	Air	Dichlorodifluoromethane	2.77		1.04	2.47	ug/m3
Q1927-04	EBR-P03-SC-SS01-	Air	Chloromethane	1.38		0.21	1.03	ug/m3
Q1927-04	EBR-P03-SC-SS01-	Air	tert-Butyl alcohol	15.5		0.58	1.52	ug/m3
Q1927-04	EBR-P03-SC-SS01-	Air	Heptane	21.3		0.45	2.05	ug/m3
Q1927-04	EBR-P03-SC-SS01-	Air	Acetone	96.4	E	0.57	1.19	ug/m3
Q1927-04	EBR-P03-SC-SS01-	Air	Carbon Disulfide	4.36		0.50	1.56	ug/m3
Q1927-04	EBR-P03-SC-SS01-	Air	Methylene Chloride	3.82		0.66	1.74	ug/m3
Q1927-04	EBR-P03-SC-SS01-	Air	2-Butanone	6.19		0.35	1.47	ug/m3
Q1927-04	EBR-P03-SC-SS01-	Air	Carbon Tetrachloride	0.38		0.060	0.19	ug/m3
Q1927-04	EBR-P03-SC-SS01-	Air	Chloroform	0.98	J	0.39	2.44	ug/m3
Q1927-04	EBR-P03-SC-SS01-	Air	Benzene	1.79		0.29	1.60	ug/m3
Q1927-04	EBR-P03-SC-SS01-	Air	Toluene	2.75		0.41	1.88	ug/m3
Q1927-04	EBR-P03-SC-SS01-	Air	Ethyl Benzene	1.69	J	0.52	2.17	ug/m3
Q1927-04	EBR-P03-SC-SS01-	Air	m/p-Xylene	6.52		0.91	4.34	ug/m3
Q1927-04	EBR-P03-SC-SS01-	Air	o-Xylene	3.00		0.52	2.17	ug/m3
Q1927-04	EBR-P03-SC-SS01-	Air	Hexane	56.4	E	0.39	1.76	ug/m3
Total Voc :				225				
Total Concentration:				225				
Client ID:	EBR-P03-SC-SS01-20250428DL							
Q1927-04DL	EBR-P03-SC-SS01-	Air	Heptane	18.9	JD	4.51	20.5	ug/m3
Q1927-04DL	EBR-P03-SC-SS01-	Air	Acetone	100	D	5.70	11.9	ug/m3
Q1927-04DL	EBR-P03-SC-SS01-	Air	Hexane	47.9	D	3.88	17.6	ug/m3
Total Voc :				167				
Total Concentration:				167				
Client ID:	EBR-P07-SC-IA01-20250428							
Q1927-05	EBR-P07-SC-IA01-	Air	Dichlorodifluoromethane	4.20		1.04	2.47	ug/m3
Q1927-05	EBR-P07-SC-IA01-	Air	Chloromethane	1.30		0.21	1.03	ug/m3
Q1927-05	EBR-P07-SC-IA01-	Air	Tetrahydrofuran	0.68	J	0.38	1.47	ug/m3
Q1927-05	EBR-P07-SC-IA01-	Air	Trichlorofluoromethane	5.62		0.90	2.81	ug/m3

Hit Summary Sheet SW-846

SDG No.: Q1927

Client: Tetra Tech, EMI

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Q1927-05	EBR-P07-SC-IA01- Air		Acetone	10.2		0.57	1.19	ug/m3
Q1927-05	EBR-P07-SC-IA01- Air		Methylene Chloride	5.56		0.66	1.74	ug/m3
Q1927-05	EBR-P07-SC-IA01- Air		2-Butanone	1.03	J	0.35	1.47	ug/m3
Q1927-05	EBR-P07-SC-IA01- Air		Carbon Tetrachloride	0.44		0.060	0.19	ug/m3
Q1927-05	EBR-P07-SC-IA01- Air		Benzene	0.32	J	0.29	1.60	ug/m3
Q1927-05	EBR-P07-SC-IA01- Air		Toluene	0.60	J	0.41	1.88	ug/m3
Q1927-05	EBR-P07-SC-IA01- Air		Hexane	0.88	J	0.39	1.76	ug/m3
			Total Voc :		30.8			
			Total Concentration:		30.8			
Client ID:	EBR-P04-SC-IA01-20250428							
Q1927-06	EBR-P04-SC-IA01- Air		Dichlorodifluoromethane	2.77		1.04	2.47	ug/m3
Q1927-06	EBR-P04-SC-IA01- Air		Chloromethane	1.20		0.21	1.03	ug/m3
Q1927-06	EBR-P04-SC-IA01- Air		Trichlorofluoromethane	1.40	J	0.90	2.81	ug/m3
Q1927-06	EBR-P04-SC-IA01- Air		Acetone	8.08		0.57	1.19	ug/m3
Q1927-06	EBR-P04-SC-IA01- Air		Methylene Chloride	1.46	J	0.66	1.74	ug/m3
Q1927-06	EBR-P04-SC-IA01- Air		2-Butanone	0.80	J	0.35	1.47	ug/m3
Q1927-06	EBR-P04-SC-IA01- Air		Carbon Tetrachloride	0.57		0.060	0.19	ug/m3
Q1927-06	EBR-P04-SC-IA01- Air		Benzene	0.35	J	0.29	1.60	ug/m3
Q1927-06	EBR-P04-SC-IA01- Air		Toluene	0.64	J	0.41	1.88	ug/m3
			Total Voc :		17.3			
			Total Concentration:		17.3			

Project : R36900

Sampling Date : 04/29/25

Field Id Number : EBR-P06-SC-IA01-2025C

Analysis Date : 05/05/25

Laboratory Id Number : Q1927-01

Target Analyts : Air Results

Chemical	Cas Number	Molecular Weight	Insert Results in PPBV	Qualifier	Generate Results in ug/m3	QAS Decision	Foot Notes
Dichlorodifluoromethane	75-71-8	120.9	0.47	J	2.32		
Chloromethane	74-87-3	50.49	0.59		1.22		
Vinyl Chloride	75-01-4	62.5	0.03	U	0.08		
Bromomethane	74-83-9	94.94	0.5	U	1.94		
Chloroethane	75-00-3	64.52	0.5	U	1.32		
Tetrahydrofuran	109-99-9	72.11	0.5	U	1.47		
Trichlorofluoromethane	75-69-4	137.4	0.25	J	1.4		
Dichlorotetrafluoroethane	76-14-2	170.9	0.5	U	3.49		
1,1,2-Trichlorotrifluoroethane	76-13-1	187.4	0.5	U	3.83		
tert-Butyl alcohol	75-65-0	74.12	0.5	U	1.52		
Heptane	142-82-5	100.2	0.5	U	2.05		
1,1-Dichloroethene	75-35-4	96.94	0.5	U	1.98		
Acetone	67-64-1	58.08	12.8		30.4		
Carbon Disulfide	75-15-0	76.14	0.5	U	1.56		
Methyl tert-Butyl Ether	1634-04-4	88.15	0.5	U	1.8		
Methylene Chloride	75-09-2	84.94	1.3		4.52		
trans-1,2-Dichloroethene	156-60-5	96.94	0.5	U	1.98		
1,1-Dichloroethane	75-34-3	98.96	0.5	U	2.02		
Cyclohexane	110-82-7	84.16	0.5	U	1.72		
2-Butanone	78-93-3	72.11	0.61		1.8		
Carbon Tetrachloride	56-23-5	153.8	0.08		0.5		
cis-1,2-Dichloroethene	156-59-2	96.94	0.5	U	1.98		
Chloroform	67-66-3	119.4	0.5	U	2.44		
1,1,1-Trichloroethane	71-55-6	133.4	0.03	U	0.16		
2,2,4-Trimethylpentane	540-84-1	114.2	0.5	U	2.34		
Benzene	71-43-2	78.11	0.5	U	1.6		
1,2-Dichloroethane	107-06-2	98.96	0.5	U	2.02		
Trichloroethene	79-01-6	131.4	0.03	U	0.16		
1,2-Dichloropropane	78-87-5	113	0.5	U	2.31		
Bromodichloromethane	75-27-4	163.8	0.5	U	3.35		
4-Methyl-2-Pentanone	108-10-1	100.2	0.5	U	2.05		
Toluene	108-88-3	92.14	0.36	J	1.36		
t-1,3-Dichloropropene	10061-02-6	111	0.5	U	2.27		
cis-1,3-Dichloropropene	10061-01-5	111	0.5	U	2.27		
1,1,2-Trichloroethane	79-00-5	133.4	0.5	U	2.73		

Project : R36900

Sampling Date : 04/29/25

Field Id Number : EBR-P06-SC-IA01-2025C

Analysis Date : 05/05/25

Laboratory Id Number : Q1927-01

Target Analyts : Air Results

Dibromochloromethane	124-48-1	208.3	0.5	U	4.26		
1,2-Dibromoethane	106-93-4	187.9	0.1	U	0.77		
Tetrachloroethene	127-18-4	165.8	0.07		0.47		
Chlorobenzene	108-90-7	112.6	0.5	U	2.3		
Ethyl Benzene	100-41-4	106.2	0.14	J	0.61		
m/p-Xylene	179601-23-1	106.2	0.42	J	1.82		
o-Xylene	95-47-6	106.2	0.16	J	0.69		
Styrene	100-42-5	104.1	0.15	J	0.64		
Bromoform	75-25-2	252.8	0.5	U	5.17		
1,1,2,2-Tetrachloroethane	79-34-5	167.9	0.03	U	0.21		
2-Chlorotoluene	95-49-8	126.6	0.5	U	2.59		
1,3,5-Trimethylbenzene	108-67-8	120.2	0.5	U	2.46		
1,2,4-Trimethylbenzene	95-63-6	120.2	0.5	U	2.46		
1,3-Dichlorobenzene	541-73-1	147	0.5	U	3.01		
1,4-Dichlorobenzene	106-46-7	147	0.5	U	3.01		
1,2-Dichlorobenzene	95-50-1	147	0.5	U	3.01		
1,2,4-Trichlorobenzene	120-82-1	181.5	0.5	U	3.71		
Hexachloro-1,3-Butadiene	87-68-3	260.8	0.5	U	5.33		
Naphthalene	91-20-3	128.17	0.1	U	0.52		
1,3-Butadiene	106-99-0	54.09	0.5	U	1.11		
4-Ethyltoluene	622-96-8	120.2	0.5	U	2.46		
Hexane	110-54-3	86.17	0.24	J	0.85		
Allyl Chloride	107-05-1	76.53	0.5	U	1.57		
1,4-Dioxane	123-91-1	88.12	0.5	U	1.8		
Methyl Methacrylate	80-62-6	100.117	0.5	U	2.05		

Project : R36900

Sampling Date : 04/29/25

Field Id Number : EBR-P03-SC-IA01-2025C

Analysis Date : 05/05/25

Laboratory Id Number : Q1927-02

Target Analyts : Air Results

Chemical	Cas Number	Molecular Weight	Insert Results in PPBV	Qualifier	Generate Results in ug/m3	QAS Decision	Foot Notes
Dichlorodifluoromethane	75-71-8	120.9	0.54		2.67		
Chloromethane	74-87-3	50.49	0.58		1.2		
Vinyl Chloride	75-01-4	62.5	0.03	U	0.08		
Bromomethane	74-83-9	94.94	0.5	U	1.94		
Chloroethane	75-00-3	64.52	0.5	U	1.32		
Tetrahydrofuran	109-99-9	72.11	0.5	U	1.47		
Trichlorofluoromethane	75-69-4	137.4	0.35	J	1.97		
Dichlorotetrafluoroethane	76-14-2	170.9	0.5	U	3.49		
1,1,2-Trichlorotrifluoroethane	76-13-1	187.4	0.5	U	3.83		
tert-Butyl alcohol	75-65-0	74.12	0.5	U	1.52		
Heptane	142-82-5	100.2	0.5	U	2.05		
1,1-Dichloroethene	75-35-4	96.94	0.5	U	1.98		
Acetone	67-64-1	58.08	6.7		15.9		
Carbon Disulfide	75-15-0	76.14	0.5	U	1.56		
Methyl tert-Butyl Ether	1634-04-4	88.15	0.5	U	1.8		
Methylene Chloride	75-09-2	84.94	0.61		2.12		
trans-1,2-Dichloroethene	156-60-5	96.94	0.5	U	1.98		
1,1-Dichloroethane	75-34-3	98.96	0.5	U	2.02		
Cyclohexane	110-82-7	84.16	0.5	U	1.72		
2-Butanone	78-93-3	72.11	0.59		1.74		
Carbon Tetrachloride	56-23-5	153.8	0.08		0.5		
cis-1,2-Dichloroethene	156-59-2	96.94	0.5	U	1.98		
Chloroform	67-66-3	119.4	0.5	U	2.44		
1,1,1-Trichloroethane	71-55-6	133.4	0.03	U	0.16		
2,2,4-Trimethylpentane	540-84-1	114.2	0.5	U	2.34		
Benzene	71-43-2	78.11	0.11	J	0.35		
1,2-Dichloroethane	107-06-2	98.96	0.5	U	2.02		
Trichloroethene	79-01-6	131.4	0.03	U	0.16		
1,2-Dichloropropane	78-87-5	113	0.5	U	2.31		
Bromodichloromethane	75-27-4	163.8	0.5	U	3.35		
4-Methyl-2-Pentanone	108-10-1	100.2	0.5	U	2.05		
Toluene	108-88-3	92.14	0.8		3.01		
t-1,3-Dichloropropene	10061-02-6	111	0.5	U	2.27		
cis-1,3-Dichloropropene	10061-01-5	111	0.5	U	2.27		
1,1,2-Trichloroethane	79-00-5	133.4	0.5	U	2.73		

Project : R36900

Sampling Date : 04/29/25

Field Id Number : EBR-P03-SC-IA01-2025C

Analysis Date : 05/05/25

Laboratory Id Number : Q1927-02

Target Analyts : Air Results

Dibromochloromethane	124-48-1	208.3	0.5	U	4.26		
1,2-Dibromoethane	106-93-4	187.9	0.1	U	0.77		
Tetrachloroethene	127-18-4	165.8	0.03	U	0.2		
Chlorobenzene	108-90-7	112.6	0.5	U	2.3		
Ethyl Benzene	100-41-4	106.2	0.5	U	2.17		
m/p-Xylene	179601-23-1	106.2	0.34	J	1.48		
o-Xylene	95-47-6	106.2	0.5	U	2.17		
Styrene	100-42-5	104.1	0.5	U	2.13		
Bromoform	75-25-2	252.8	0.5	U	5.17		
1,1,2,2-Tetrachloroethane	79-34-5	167.9	0.03	U	0.21		
2-Chlorotoluene	95-49-8	126.6	0.5	U	2.59		
1,3,5-Trimethylbenzene	108-67-8	120.2	0.5	U	2.46		
1,2,4-Trimethylbenzene	95-63-6	120.2	0.5	U	2.46		
1,3-Dichlorobenzene	541-73-1	147	0.5	U	3.01		
1,4-Dichlorobenzene	106-46-7	147	0.5	U	3.01		
1,2-Dichlorobenzene	95-50-1	147	0.5	U	3.01		
1,2,4-Trichlorobenzene	120-82-1	181.5	0.5	U	3.71		
Hexachloro-1,3-Butadiene	87-68-3	260.8	0.5	U	5.33		
Naphthalene	91-20-3	128.17	0.1	U	0.52		
1,3-Butadiene	106-99-0	54.09	0.5	U	1.11		
4-Ethyltoluene	622-96-8	120.2	0.5	U	2.46		
Hexane	110-54-3	86.17	0.17	J	0.6		
Allyl Chloride	107-05-1	76.53	0.5	U	1.57		
1,4-Dioxane	123-91-1	88.12	0.5	U	1.8		
Methyl Methacrylate	80-62-6	100.117	0.5	U	2.05		

Project : R36900

Sampling Date : 04/29/25

Field Id Number : EBR-P04-SC-SS01-2025

Analysis Date : 05/05/25

Laboratory Id Number : Q1927-03

Target Analyts : Air Results

Chemical	Cas Number	Molecular Weight	Insert Results in PPBV	Qualifier	Generate Results in ug/m3	QAS Decision	Foot Notes
Dichlorodifluoromethane	75-71-8	120.9	0.56		2.77		
Chloromethane	74-87-3	50.49	0.5	U	1.03		
Vinyl Chloride	75-01-4	62.5	0.03	U	0.08		
Bromomethane	74-83-9	94.94	0.5	U	1.94		
Chloroethane	75-00-3	64.52	0.5	U	1.32		
Tetrahydrofuran	109-99-9	72.11	0.5	U	1.47		
Trichlorofluoromethane	75-69-4	137.4	0.28	J	1.57		
Dichlorotetrafluoroethane	76-14-2	170.9	0.5	U	3.49		
1,1,2-Trichlorotrifluoroethane	76-13-1	187.4	0.5	U	3.83		
tert-Butyl alcohol	75-65-0	74.12	4.2		12.7		
Heptane	142-82-5	100.2	0.5	U	2.05		
1,1-Dichloroethene	75-35-4	96.94	0.5	U	1.98		
Acetone	67-64-1	58.08	8.5		20.2		
Carbon Disulfide	75-15-0	76.14	0.67		2.09		
Methyl tert-Butyl Ether	1634-04-4	88.15	0.5	U	1.8		
Methylene Chloride	75-09-2	84.94	0.6		2.08		
trans-1,2-Dichloroethene	156-60-5	96.94	0.5	U	1.98		
1,1-Dichloroethane	75-34-3	98.96	0.5	U	2.02		
Cyclohexane	110-82-7	84.16	0.5	U	1.72		
2-Butanone	78-93-3	72.11	0.51		1.5		
Carbon Tetrachloride	56-23-5	153.8	0.08		0.5		
cis-1,2-Dichloroethene	156-59-2	96.94	0.5	U	1.98		
Chloroform	67-66-3	119.4	0.5	U	2.44		
1,1,1-Trichloroethane	71-55-6	133.4	0.03	U	0.16		
2,2,4-Trimethylpentane	540-84-1	114.2	0.5	U	2.34		
Benzene	71-43-2	78.11	0.13	J	0.42		
1,2-Dichloroethane	107-06-2	98.96	0.5	U	2.02		
Trichloroethene	79-01-6	131.4	0.03	U	0.16		
1,2-Dichloropropane	78-87-5	113	0.5	U	2.31		
Bromodichloromethane	75-27-4	163.8	0.5	U	3.35		
4-Methyl-2-Pentanone	108-10-1	100.2	0.5	U	2.05		
Toluene	108-88-3	92.14	0.16	J	0.6		
t-1,3-Dichloropropene	10061-02-6	111	0.5	U	2.27		
cis-1,3-Dichloropropene	10061-01-5	111	0.5	U	2.27		
1,1,2-Trichloroethane	79-00-5	133.4	0.5	U	2.73		

Project : R36900

Sampling Date : 04/29/25

Field Id Number : EBR-P04-SC-SS01-2025

Analysis Date : 05/05/25

Laboratory Id Number : Q1927-03

Target Analyts : Air Results

Dibromochloromethane	124-48-1	208.3	0.5	U	4.26		
1,2-Dibromoethane	106-93-4	187.9	0.1	U	0.77		
Tetrachloroethene	127-18-4	165.8	0.03	U	0.2		
Chlorobenzene	108-90-7	112.6	0.5	U	2.3		
Ethyl Benzene	100-41-4	106.2	0.5	U	2.17		
m/p-Xylene	179601-23-1	106.2	1	U	4.34		
o-Xylene	95-47-6	106.2	0.5	U	2.17		
Styrene	100-42-5	104.1	0.5	U	2.13		
Bromoform	75-25-2	252.8	0.5	U	5.17		
1,1,2,2-Tetrachloroethane	79-34-5	167.9	0.03	U	0.21		
2-Chlorotoluene	95-49-8	126.6	0.5	U	2.59		
1,3,5-Trimethylbenzene	108-67-8	120.2	0.5	U	2.46		
1,2,4-Trimethylbenzene	95-63-6	120.2	0.5	U	2.46		
1,3-Dichlorobenzene	541-73-1	147	0.5	U	3.01		
1,4-Dichlorobenzene	106-46-7	147	0.5	U	3.01		
1,2-Dichlorobenzene	95-50-1	147	0.5	U	3.01		
1,2,4-Trichlorobenzene	120-82-1	181.5	0.5	U	3.71		
Hexachloro-1,3-Butadiene	87-68-3	260.8	0.5	U	5.33		
Naphthalene	91-20-3	128.17	0.1	U	0.52		
1,3-Butadiene	106-99-0	54.09	0.5	U	1.11		
4-Ethyltoluene	622-96-8	120.2	0.5	U	2.46		
Hexane	110-54-3	86.17	0.18	J	0.63		
Allyl Chloride	107-05-1	76.53	0.5	U	1.57		
1,4-Dioxane	123-91-1	88.12	0.5	U	1.8		
Methyl Methacrylate	80-62-6	100.117	0.5	U	2.05		

Project : R36900

Sampling Date : 04/29/25

Field Id Number : EBR-P03-SC-SS01-2025

Analysis Date : 05/05/25

Laboratory Id Number : Q1927-04

Target Analyts : Air Results

Chemical	Cas Number	Molecular Weight	Insert Results in PPBV	Qualifier	Generate Results in ug/m3	QAS Decision	Foot Notes
Dichlorodifluoromethane	75-71-8	120.9	0.56		2.77		
Chloromethane	74-87-3	50.49	0.67		1.38		
Vinyl Chloride	75-01-4	62.5	0.03	U	0.08		
Bromomethane	74-83-9	94.94	0.5	U	1.94		
Chloroethane	75-00-3	64.52	0.5	U	1.32		
Tetrahydrofuran	109-99-9	72.11	0.5	U	1.47		
Trichlorofluoromethane	75-69-4	137.4	0.5	U	2.81		
Dichlorotetrafluoroethane	76-14-2	170.9	0.5	U	3.49		
1,1,2-Trichlorotrifluoroethane	76-13-1	187.4	0.5	U	3.83		
tert-Butyl alcohol	75-65-0	74.12	5.1		15.5		
Heptane	142-82-5	100.2	5.2		21.3		
1,1-Dichloroethene	75-35-4	96.94	0.5	U	1.98		
Acetone	67-64-1	58.08	40.6	E	96.4		
Carbon Disulfide	75-15-0	76.14	1.4		4.36		
Methyl tert-Butyl Ether	1634-04-4	88.15	0.5	U	1.8		
Methylene Chloride	75-09-2	84.94	1.1		3.82		
trans-1,2-Dichloroethene	156-60-5	96.94	0.5	U	1.98		
1,1-Dichloroethane	75-34-3	98.96	0.5	U	2.02		
Cyclohexane	110-82-7	84.16	0.5	U	1.72		
2-Butanone	78-93-3	72.11	2.1		6.19		
Carbon Tetrachloride	56-23-5	153.8	0.06		0.38		
cis-1,2-Dichloroethene	156-59-2	96.94	0.5	U	1.98		
Chloroform	67-66-3	119.4	0.2	J	0.98		
1,1,1-Trichloroethane	71-55-6	133.4	0.03	U	0.16		
2,2,4-Trimethylpentane	540-84-1	114.2	0.5	U	2.34		
Benzene	71-43-2	78.11	0.56		1.79		
1,2-Dichloroethane	107-06-2	98.96	0.5	U	2.02		
Trichloroethene	79-01-6	131.4	0.03	U	0.16		
1,2-Dichloropropane	78-87-5	113	0.5	U	2.31		
Bromodichloromethane	75-27-4	163.8	0.5	U	3.35		
4-Methyl-2-Pentanone	108-10-1	100.2	0.5	U	2.05		
Toluene	108-88-3	92.14	0.73		2.75		
t-1,3-Dichloropropene	10061-02-6	111	0.5	U	2.27		
cis-1,3-Dichloropropene	10061-01-5	111	0.5	U	2.27		
1,1,2-Trichloroethane	79-00-5	133.4	0.5	U	2.73		

Project : R36900

Sampling Date : 04/29/25

Field Id Number : EBR-P03-SC-SS01-2025

Analysis Date : 05/05/25

Laboratory Id Number : Q1927-04

Target Analyts : Air Results

Dibromochloromethane	124-48-1	208.3	0.5	U	4.26		
1,2-Dibromoethane	106-93-4	187.9	0.1	U	0.77		
Tetrachloroethene	127-18-4	165.8	0.03	U	0.2		
Chlorobenzene	108-90-7	112.6	0.5	U	2.3		
Ethyl Benzene	100-41-4	106.2	0.39	J	1.69		
m/p-Xylene	179601-23-1	106.2	1.5		6.52		
o-Xylene	95-47-6	106.2	0.69		3		
Styrene	100-42-5	104.1	0.5	U	2.13		
Bromoform	75-25-2	252.8	0.5	U	5.17		
1,1,2,2-Tetrachloroethane	79-34-5	167.9	0.03	U	0.21		
2-Chlorotoluene	95-49-8	126.6	0.5	U	2.59		
1,3,5-Trimethylbenzene	108-67-8	120.2	0.5	U	2.46		
1,2,4-Trimethylbenzene	95-63-6	120.2	0.5	U	2.46		
1,3-Dichlorobenzene	541-73-1	147	0.5	U	3.01		
1,4-Dichlorobenzene	106-46-7	147	0.5	U	3.01		
1,2-Dichlorobenzene	95-50-1	147	0.5	U	3.01		
1,2,4-Trichlorobenzene	120-82-1	181.5	0.5	U	3.71		
Hexachloro-1,3-Butadiene	87-68-3	260.8	0.5	U	5.33		
Naphthalene	91-20-3	128.17	0.1	U	0.52		
1,3-Butadiene	106-99-0	54.09	0.5	U	1.11		
4-Ethyltoluene	622-96-8	120.2	0.5	U	2.46		
Hexane	110-54-3	86.17	16	E	56.4		
Allyl Chloride	107-05-1	76.53	0.5	U	1.57		
1,4-Dioxane	123-91-1	88.12	0.5	U	1.8		
Methyl Methacrylate	80-62-6	100.117	0.5	U	2.05		

Project : R36900

Sampling Date : 04/29/25

Field Id Number : EBR-P03-SC-SS01-2025

Analysis Date : 05/05/25

Laboratory Id Number : Q1927-04DL

Target Analyts : Air Results

Chemical	Cas Number	Molecular Weight	Insert Results in PPBV	Qualifier	Generate Results in ug/m3	QAS Decision	Foot Notes
Dichlorodifluoromethane	75-71-8	120.9	5	UD	24.7		
Chloromethane	74-87-3	50.49	5	UD	10.3		
Vinyl Chloride	75-01-4	62.5	0.3	UD	0.77		
Bromomethane	74-83-9	94.94	5	UD	19.4		
Chloroethane	75-00-3	64.52	5	UD	13.2		
Tetrahydrofuran	109-99-9	72.11	5	UD	14.8		
Trichlorofluoromethane	75-69-4	137.4	5	UD	28.1		
Dichlorotetrafluoroethane	76-14-2	170.9	5	UD	35.0		
1,1,2-Trichlorotrifluoroethane	76-13-1	187.4	5	UD	38.3		
tert-Butyl alcohol	75-65-0	74.12	5	UD	15.2		
Heptane	142-82-5	100.2	4.6	JD	18.8		
1,1-Dichloroethene	75-35-4	96.94	5	UD	19.8		
Acetone	67-64-1	58.08	42.3	D	100		
Carbon Disulfide	75-15-0	76.14	5	UD	15.6		
Methyl tert-Butyl Ether	1634-04-4	88.15	5	UD	18.0		
Methylene Chloride	75-09-2	84.94	5	UD	17.4		
trans-1,2-Dichloroethene	156-60-5	96.94	5	UD	19.8		
1,1-Dichloroethane	75-34-3	98.96	5	UD	20.2		
Cyclohexane	110-82-7	84.16	5	UD	17.2		
2-Butanone	78-93-3	72.11	5	UD	14.8		
Carbon Tetrachloride	56-23-5	153.8	0.3	UD	1.89		
cis-1,2-Dichloroethene	156-59-2	96.94	5	UD	19.8		
Chloroform	67-66-3	119.4	5	UD	24.4		
1,1,1-Trichloroethane	71-55-6	133.4	0.3	UD	1.64		
2,2,4-Trimethylpentane	540-84-1	114.2	5	UD	23.4		
Benzene	71-43-2	78.11	5	UD	16.0		
1,2-Dichloroethane	107-06-2	98.96	5	UD	20.2		
Trichloroethene	79-01-6	131.4	0.3	UD	1.61		
1,2-Dichloropropane	78-87-5	113	5	UD	23.1		
Bromodichloromethane	75-27-4	163.8	5	UD	33.5		
4-Methyl-2-Pentanone	108-10-1	100.2	5	UD	20.5		
Toluene	108-88-3	92.14	5	UD	18.8		
t-1,3-Dichloropropene	10061-02-6	111	5	UD	22.7		
cis-1,3-Dichloropropene	10061-01-5	111	5	UD	22.7		
1,1,2-Trichloroethane	79-00-5	133.4	5	UD	27.3		

Project : R36900

Sampling Date : 04/29/25

Field Id Number : EBR-P03-SC-SS01-2025

Analysis Date : 05/05/25

Laboratory Id Number : Q1927-04DL

Target Analyts : Air Results

Dibromochloromethane	124-48-1	208.3	5	UD	42.6		
1,2-Dibromoethane	106-93-4	187.9	1	UD	7.69		
Tetrachloroethene	127-18-4	165.8	0.3	UD	2.03		
Chlorobenzene	108-90-7	112.6	5	UD	23.0		
Ethyl Benzene	100-41-4	106.2	5	UD	21.7		
m/p-Xylene	179601-23-1	106.2	10	UD	43.4		
o-Xylene	95-47-6	106.2	5	UD	21.7		
Styrene	100-42-5	104.1	5	UD	21.3		
Bromoform	75-25-2	252.8	5	UD	51.7		
1,1,2,2-Tetrachloroethane	79-34-5	167.9	0.3	UD	2.06		
2-Chlorotoluene	95-49-8	126.6	5	UD	25.9		
1,3,5-Trimethylbenzene	108-67-8	120.2	5	UD	24.6		
1,2,4-Trimethylbenzene	95-63-6	120.2	5	UD	24.6		
1,3-Dichlorobenzene	541-73-1	147	5	UD	30.1		
1,4-Dichlorobenzene	106-46-7	147	5	UD	30.1		
1,2-Dichlorobenzene	95-50-1	147	5	UD	30.1		
1,2,4-Trichlorobenzene	120-82-1	181.5	5	UD	37.1		
Hexachloro-1,3-Butadiene	87-68-3	260.8	5	UD	53.3		
Naphthalene	91-20-3	128.17	1	UD	5.24		
1,3-Butadiene	106-99-0	54.09	5	UD	11.1		
4-Ethyltoluene	622-96-8	120.2	5	UD	24.6		
Hexane	110-54-3	86.17	13.6	D	47.9		
Allyl Chloride	107-05-1	76.53	5	UD	15.6		
1,4-Dioxane	123-91-1	88.12	5	UD	18.0		
Methyl Methacrylate	80-62-6	100.117	5	UD	20.5		

Project : R36900

Sampling Date : 04/29/25

Field Id Number : EBR-P07-SC-IA01-2025C

Analysis Date : 05/05/25

Laboratory Id Number : Q1927-05

Target Analyts : Air Results

Chemical	Cas Number	Molecular Weight	Insert Results in PPBV	Qualifier	Generate Results in ug/m3	QAS Decision	Foot Notes
Dichlorodifluoromethane	75-71-8	120.9	0.85		4.2		
Chloromethane	74-87-3	50.49	0.63		1.3		
Vinyl Chloride	75-01-4	62.5	0.03	U	0.08		
Bromomethane	74-83-9	94.94	0.5	U	1.94		
Chloroethane	75-00-3	64.52	0.5	U	1.32		
Tetrahydrofuran	109-99-9	72.11	0.23	J	0.68		
Trichlorofluoromethane	75-69-4	137.4	1		5.62		
Dichlorotetrafluoroethane	76-14-2	170.9	0.5	U	3.49		
1,1,2-Trichlorotrifluoroethane	76-13-1	187.4	0.5	U	3.83		
tert-Butyl alcohol	75-65-0	74.12	0.5	U	1.52		
Heptane	142-82-5	100.2	0.5	U	2.05		
1,1-Dichloroethene	75-35-4	96.94	0.5	U	1.98		
Acetone	67-64-1	58.08	4.3		10.2		
Carbon Disulfide	75-15-0	76.14	0.5	U	1.56		
Methyl tert-Butyl Ether	1634-04-4	88.15	0.5	U	1.8		
Methylene Chloride	75-09-2	84.94	1.6		5.56		
trans-1,2-Dichloroethene	156-60-5	96.94	0.5	U	1.98		
1,1-Dichloroethane	75-34-3	98.96	0.5	U	2.02		
Cyclohexane	110-82-7	84.16	0.5	U	1.72		
2-Butanone	78-93-3	72.11	0.35	J	1.03		
Carbon Tetrachloride	56-23-5	153.8	0.07		0.44		
cis-1,2-Dichloroethene	156-59-2	96.94	0.5	U	1.98		
Chloroform	67-66-3	119.4	0.5	U	2.44		
1,1,1-Trichloroethane	71-55-6	133.4	0.03	U	0.16		
2,2,4-Trimethylpentane	540-84-1	114.2	0.5	U	2.34		
Benzene	71-43-2	78.11	0.1	J	0.32		
1,2-Dichloroethane	107-06-2	98.96	0.5	U	2.02		
Trichloroethene	79-01-6	131.4	0.03	U	0.16		
1,2-Dichloropropane	78-87-5	113	0.5	U	2.31		
Bromodichloromethane	75-27-4	163.8	0.5	U	3.35		
4-Methyl-2-Pentanone	108-10-1	100.2	0.5	U	2.05		
Toluene	108-88-3	92.14	0.16	J	0.6		
t-1,3-Dichloropropene	10061-02-6	111	0.5	U	2.27		
cis-1,3-Dichloropropene	10061-01-5	111	0.5	U	2.27		
1,1,2-Trichloroethane	79-00-5	133.4	0.5	U	2.73		

Project : R36900

Sampling Date : 04/29/25

Field Id Number : EBR-P07-SC-IA01-2025C

Analysis Date : 05/05/25

Laboratory Id Number : Q1927-05

Target Analyts : Air Results

Dibromochloromethane	124-48-1	208.3	0.5	U	4.26		
1,2-Dibromoethane	106-93-4	187.9	0.1	U	0.77		
Tetrachloroethene	127-18-4	165.8	0.03	U	0.2		
Chlorobenzene	108-90-7	112.6	0.5	U	2.3		
Ethyl Benzene	100-41-4	106.2	0.5	U	2.17		
m/p-Xylene	179601-23-1	106.2	1	U	4.34		
o-Xylene	95-47-6	106.2	0.5	U	2.17		
Styrene	100-42-5	104.1	0.5	U	2.13		
Bromoform	75-25-2	252.8	0.5	U	5.17		
1,1,2,2-Tetrachloroethane	79-34-5	167.9	0.03	U	0.21		
2-Chlorotoluene	95-49-8	126.6	0.5	U	2.59		
1,3,5-Trimethylbenzene	108-67-8	120.2	0.5	U	2.46		
1,2,4-Trimethylbenzene	95-63-6	120.2	0.5	U	2.46		
1,3-Dichlorobenzene	541-73-1	147	0.5	U	3.01		
1,4-Dichlorobenzene	106-46-7	147	0.5	U	3.01		
1,2-Dichlorobenzene	95-50-1	147	0.5	U	3.01		
1,2,4-Trichlorobenzene	120-82-1	181.5	0.5	U	3.71		
Hexachloro-1,3-Butadiene	87-68-3	260.8	0.5	U	5.33		
Naphthalene	91-20-3	128.17	0.1	U	0.52		
1,3-Butadiene	106-99-0	54.09	0.5	U	1.11		
4-Ethyltoluene	622-96-8	120.2	0.5	U	2.46		
Hexane	110-54-3	86.17	0.25	J	0.88		
Allyl Chloride	107-05-1	76.53	0.5	U	1.57		
1,4-Dioxane	123-91-1	88.12	0.5	U	1.8		
Methyl Methacrylate	80-62-6	100.117	0.5	U	2.05		

Project : R36900

Sampling Date : 04/29/25

Field Id Number : EBR-P04-SC-IA01-2025C

Analysis Date : 05/05/25

Laboratory Id Number : Q1927-06

Target Analyts : Air Results

Chemical	Cas Number	Molecular Weight	Insert Results in PPBV	Qualifier	Generate Results in ug/m3	QAS Decision	Foot Notes
Dichlorodifluoromethane	75-71-8	120.9	0.56		2.77		
Chloromethane	74-87-3	50.49	0.58		1.2		
Vinyl Chloride	75-01-4	62.5	0.03	U	0.08		
Bromomethane	74-83-9	94.94	0.5	U	1.94		
Chloroethane	75-00-3	64.52	0.5	U	1.32		
Tetrahydrofuran	109-99-9	72.11	0.5	U	1.47		
Trichlorofluoromethane	75-69-4	137.4	0.25	J	1.4		
Dichlorotetrafluoroethane	76-14-2	170.9	0.5	U	3.49		
1,1,2-Trichlorotrifluoroethane	76-13-1	187.4	0.5	U	3.83		
tert-Butyl alcohol	75-65-0	74.12	0.5	U	1.52		
Heptane	142-82-5	100.2	0.5	U	2.05		
1,1-Dichloroethene	75-35-4	96.94	0.5	U	1.98		
Acetone	67-64-1	58.08	3.4		8.08		
Carbon Disulfide	75-15-0	76.14	0.5	U	1.56		
Methyl tert-Butyl Ether	1634-04-4	88.15	0.5	U	1.8		
Methylene Chloride	75-09-2	84.94	0.42	J	1.46		
trans-1,2-Dichloroethene	156-60-5	96.94	0.5	U	1.98		
1,1-Dichloroethane	75-34-3	98.96	0.5	U	2.02		
Cyclohexane	110-82-7	84.16	0.5	U	1.72		
2-Butanone	78-93-3	72.11	0.27	J	0.8		
Carbon Tetrachloride	56-23-5	153.8	0.09		0.57		
cis-1,2-Dichloroethene	156-59-2	96.94	0.5	U	1.98		
Chloroform	67-66-3	119.4	0.5	U	2.44		
1,1,1-Trichloroethane	71-55-6	133.4	0.03	U	0.16		
2,2,4-Trimethylpentane	540-84-1	114.2	0.5	U	2.34		
Benzene	71-43-2	78.11	0.11	J	0.35		
1,2-Dichloroethane	107-06-2	98.96	0.5	U	2.02		
Trichloroethene	79-01-6	131.4	0.03	U	0.16		
1,2-Dichloropropane	78-87-5	113	0.5	U	2.31		
Bromodichloromethane	75-27-4	163.8	0.5	U	3.35		
4-Methyl-2-Pentanone	108-10-1	100.2	0.5	U	2.05		
Toluene	108-88-3	92.14	0.17	J	0.64		
t-1,3-Dichloropropene	10061-02-6	111	0.5	U	2.27		
cis-1,3-Dichloropropene	10061-01-5	111	0.5	U	2.27		
1,1,2-Trichloroethane	79-00-5	133.4	0.5	U	2.73		

Project : R36900

Sampling Date : 04/29/25

Field Id Number : EBR-P04-SC-IA01-2025C

Analysis Date : 05/05/25

Laboratory Id Number : Q1927-06

Target Analyts : Air Results

Dibromochloromethane	124-48-1	208.3	0.5	U	4.26		
1,2-Dibromoethane	106-93-4	187.9	0.1	U	0.77		
Tetrachloroethene	127-18-4	165.8	0.03	U	0.2		
Chlorobenzene	108-90-7	112.6	0.5	U	2.3		
Ethyl Benzene	100-41-4	106.2	0.5	U	2.17		
m/p-Xylene	179601-23-1	106.2	1	U	4.34		
o-Xylene	95-47-6	106.2	0.5	U	2.17		
Styrene	100-42-5	104.1	0.5	U	2.13		
Bromoform	75-25-2	252.8	0.5	U	5.17		
1,1,2,2-Tetrachloroethane	79-34-5	167.9	0.03	U	0.21		
2-Chlorotoluene	95-49-8	126.6	0.5	U	2.59		
1,3,5-Trimethylbenzene	108-67-8	120.2	0.5	U	2.46		
1,2,4-Trimethylbenzene	95-63-6	120.2	0.5	U	2.46		
1,3-Dichlorobenzene	541-73-1	147	0.5	U	3.01		
1,4-Dichlorobenzene	106-46-7	147	0.5	U	3.01		
1,2-Dichlorobenzene	95-50-1	147	0.5	U	3.01		
1,2,4-Trichlorobenzene	120-82-1	181.5	0.5	U	3.71		
Hexachloro-1,3-Butadiene	87-68-3	260.8	0.5	U	5.33		
1,3-Butadiene	106-99-0	54.09	0.5	U	1.11		
Naphthalene	91-20-3	128.17	0.1	U	0.52		
4-Ethyltoluene	622-96-8	120.2	0.5	U	2.46		
Hexane	110-54-3	86.17	0.5	U	1.76		
Allyl Chloride	107-05-1	76.53	0.5	U	1.57		
1,4-Dioxane	123-91-1	88.12	0.5	U	1.8		
Methyl Methacrylate	80-62-6	100.117	0.5	U	2.05		

Method	Matrix	Parameter	Spike_Amt_ Added	Calculated MDL	MB Data	MB Datafile	New MDL TO Be Used	MDL Unit
TO-15	Air	1,1,1,2-Tetrachloroethane	0.4	0.090683682	0		0.091	ppbv
TO-15	Air	1,1,1-Trichloroethane	0.03	0.00947589	0		0.0095	ppbv
TO-15	Air	1,1,2,2-Tetrachloroethane	0.03	0.010183321	0		0.011	ppbv
TO-15	Air	1,1,2-Trichloroethane	0.4	0.070112514	0		0.071	ppbv
TO-15	Air	1,1,2-Trichlorotrifluoroethane	0.4	0.155560652	0		0.16	ppbv
TO-15	Air	1,1-Dichloroethane	0.4	0.122378743	0		0.13	ppbv
TO-15	Air	1,1-Dichloroethene	0.4	0.139735617	0		0.14	ppbv
TO-15	Air	1,2,4-Trichlorobenzene	0.4	0.084677012	0		0.085	ppbv
TO-15	Air	1,2,4-Trimethylbenzene	0.4	0.077496367	0		0.078	ppbv
TO-15	Air	1,2-Dibromoethane	0.4	0.071318853	0		0.072	ppbv
TO-15	Air	1,2-Dichlorobenzene	0.4	0.074250332	0		0.075	ppbv
TO-15	Air	1,2-Dichloroethane	0.4	0.090890005	0		0.091	ppbv
TO-15	Air	1,2-Dichloropropane	0.4	0.073346868	0.109	VL038919.D	0.11	ppbv
TO-15	Air	1,3,5-Trimethylbenzene	0.4	0.101198372	0		0.11	ppbv
TO-15	Air	1,3-Butadiene	0.4	0.124009143	0		0.13	ppbv
TO-15	Air	1,3-Dichlorobenzene	0.4	0.079013305	0		0.08	ppbv
TO-15	Air	1,4-Dichlorobenzene	0.4	0.052746151	0		0.053	ppbv
TO-15	Air	1,4-Dioxane	0.4	0.202123585	0		0.21	ppbv
TO-15	Air	2,2,4-Trimethylpentane	0.4	0.09988427	0		0.10	ppbv
TO-15	Air	2-Butanone	0.4	0.118687999	0		0.12	ppbv
TO-15	Air	2-Chlorotoluene	0.4	0.104141644	0		0.11	ppbv
TO-15	Air	2-Hexanone	0.4	0.080656229	0		0.081	ppbv
TO-15	Air	4-Ethyltoluene	0.4	0.112037051	0		0.12	ppbv
TO-15	Air	4-Methyl-2-Pentanone	0.4	0.092836933	0		0.093	ppbv
TO-15	Air	Acetone	0.4	0.234416891	0		0.24	ppbv
TO-15	Air	Allyl Chloride	0.4	0.145618654	0		0.15	ppbv
TO-15	Air	Benzene	0.4	0.086407689	0		0.087	ppbv
TO-15	Air	Benzyl Chloride	0.4	0.173895169	0		0.18	ppbv
TO-15	Air	Bromodichloromethane	0.4	0.076780313	0		0.077	ppbv
TO-15	Air	Bromoethene	0.4	0.115560124	0		0.12	ppbv
TO-15	Air	Bromoform	0.4	0.056947551	0		0.057	ppbv
TO-15	Air	Bromomethane	0.4	0.137678239	0		0.14	ppbv
TO-15	Air	Carbon Disulfide	0.4	0.157343925	0		0.16	ppbv
TO-15	Air	Carbon Tetrachloride	0.03	0.010617308	0		0.011	ppbv
TO-15	Air	Chlorobenzene	0.4	0.075202602	0		0.076	ppbv
TO-15	Air	Chlorodifluoromethane	0.4	0.087466815	0		0.088	ppbv
TO-15	Air	Chloroethane	0.4	0.163530318	0		0.17	ppbv
TO-15	Air	Chloroform	0.4	0.082232394	0		0.083	ppbv
TO-15	Air	Chloromethane	0.4	0.097292998	0		0.098	ppbv
TO-15	Air	cis-1,2-Dichloroethene	0.4	0.088332535	0		0.089	ppbv
TO-15	Air	cis-1,3-Dichloropropene	0.4	0.063248763	0		0.064	ppbv
TO-15	Air	Cyclohexane	0.4	0.217999816	0		0.22	ppbv
TO-15	Air	Dibromochloromethane	0.4	0.065703935	0		0.066	ppbv
TO-15	Air	Dichlorodifluoromethane	0.4	0.20957733	0		0.21	ppbv
TO-15	Air	Dichlorotetrafluoroethane	0.4	0.087348046	0		0.088	ppbv
TO-15	Air	Ethyl Acetate	0.4	0.078161123	0		0.079	ppbv
TO-15	Air	Ethyl Benzene	0.4	0.115413562	0		0.12	ppbv
TO-15	Air	Heptane	0.4	0.100800637	0		0.11	ppbv
TO-15	Air	Hexachloro-1,3-Butadiene	0.4	0.084169773	0		0.085	ppbv
TO-15	Air	Hexane	0.4	0.106485082	0		0.11	ppbv
TO-15	Air	Isopropyl Alcohol	0.4	0.068329134	0		0.069	ppbv
TO-15	Air	Isopropylbenzene	0.4	0.086744608	0		0.087	ppbv
TO-15	Air	m/p-Xylene	0.4	0.205831125	0		0.21	ppbv
TO-15	Air	Methyl Methacrylate	0.4	0.085528753	0		0.086	ppbv
TO-15	Air	Methyl tert-Butyl Ether	0.4	0.119546728	0		0.12	ppbv
TO-15	Air	Methylene Chloride	0.4	0.18405265	0.11	VL039022.D	0.19	ppbv
TO-15	Air	Naphthalene	0.4	0.074961199	0		0.075	ppbv
TO-15	Air	Naphthalene,2-methyl-	0.4	0.148496389	0		0.15	ppbv
TO-15	Air	n-Butylbenzene	0.4	0.08201719	0		0.083	ppbv
TO-15	Air	n-propylbenzene	0.4	0.0778963	0		0.078	ppbv
TO-15	Air	o-Xylene	0.4	0.117630235	0		0.12	ppbv
TO-15	Air	p-Isopropyltoluene	0.4	0.085704866	0		0.086	ppbv
TO-15	Air	Propene	0.4	0.143790814	0.14	VL039337.D	0.15	ppbv
TO-15	Air	sec-Butylbenzene	0.4	0.093164076	0		0.094	ppbv
TO-15	Air	Styrene	0.4	0.109444442	0		0.11	ppbv
TO-15	Air	t-1,3-Dichloropropene	0.4	0.059734415	0		0.06	ppbv
TO-15	Air	tert-Butyl alcohol	0.4	0.187711954	0		0.19	ppbv
TO-15	Air	tert-Butylbenzene	0.4	0.092760327	0		0.093	ppbv
TO-15	Air	Tetrachloroethene	0.03	0.014462962	0		0.015	ppbv
TO-15	Air	Tetrahydrofuran	0.4	0.122655048	0		0.13	ppbv
TO-15	Air	Toluene	0.4	0.109284	0		0.11	ppbv
TO-15	Air	trans-1,2-Dichloroethene	0.4	0.185264638	0		0.19	ppbv
TO-15	Air	Trichloroethene	0.03	0.016558175	0		0.017	ppbv
TO-15	Air	Trichlorofluoromethane	0.4	0.157465794	0		0.16	ppbv
TO-15	Air	Vinyl Acetate	0.4	0.152371485	0		0.16	ppbv
TO-15	Air	Vinyl Chloride	0.03	0.013585954	0		0.014	ppbv
TO-15	Air	Ethanol	0.4	0.317031286	0		0.32	ug/L

StddevVal	StudentsT Value	Instrument ID	Datafile1	Concentration1	Adate1	Datafile2	Concentration2
0.03485153	2.602	MSVOA_L	VL038602.D	0.51	03142022T18:52:00	VL038645.D	0.494
0.003641772	2.602	MSVOA_L	VL038599.D	0.03	03142022T17:01:00	VL038658.D	0.029
0.003913651	2.602	MSVOA_L	VL038599.D	0.03	03142022T17:01:00	VL038658.D	0.035
0.026945624	2.602	MSVOA_L	VL038602.D	0.44	03142022T18:52:00	VL038645.D	0.439
0.059785032	2.602	MSVOA_L	VL038602.D	0.47	03142022T18:52:00	VL038645.D	0.466
0.047032569	2.602	MSVOA_L	VL038602.D	0.45	03142022T18:52:00	VL038645.D	0.456
0.053703158	2.602	MSVOA_L	VL038602.D	0.43	03142022T18:52:00	VL038645.D	0.411
0.032543048	2.602	MSVOA_L	VL038602.D	0.3	03142022T18:52:00	VL038645.D	0.336
0.029783385	2.602	MSVOA_L	VL038602.D	0.38	03142022T18:52:00	VL038645.D	0.396
0.027409244	2.602	MSVOA_L	VL038602.D	0.38	03142022T18:52:00	VL038645.D	0.352
0.028535869	2.602	MSVOA_L	VL038602.D	0.45	03142022T18:52:00	VL038645.D	0.407
0.034930824	2.602	MSVOA_L	VL038602.D	0.41	03142022T18:52:00	VL038645.D	0.445
0.02818865	2.602	MSVOA_L	VL038602.D	0.43	03142022T18:52:00	VL038645.D	0.406
0.038892534	2.602	MSVOA_L	VL038602.D	0.33	03142022T18:52:00	VL038645.D	0.374
0.047659163	2.602	MSVOA_L	VL038602.D	0.42	03142022T18:52:00	VL038645.D	0.419
0.030366374	2.602	MSVOA_L	VL038602.D	0.42	03142022T18:52:00	VL038645.D	0.428
0.020271388	2.602	MSVOA_L	VL038602.D	0.42	03142022T18:52:00	VL038645.D	0.418
0.077680086	2.602	MSVOA_L	VL038602.D	0.46	03142022T18:52:00	VL038645.D	0.285
0.038387498	2.602	MSVOA_L	VL038602.D	0.39	03142022T18:52:00	VL038645.D	0.383
0.045614143	2.602	MSVOA_L	VL038602.D	0.4	03142022T18:52:00	VL038645.D	0.406
0.040023691	2.602	MSVOA_L	VL038602.D	0.37	03142022T18:52:00	VL038645.D	0.375
0.030997782	2.602	MSVOA_L	VL038602.D	0.3	03142022T18:52:00	VL038645.D	0.283
0.043058052	2.602	MSVOA_L	VL038602.D	0.34	03142022T18:52:00	VL038645.D	0.356
0.035679067	2.602	MSVOA_L	VL038602.D	0.3	03142022T18:52:00	VL038645.D	0.282
0.090091042	2.602	MSVOA_L	VL038602.D	0.43	03142022T18:52:00	VL038645.D	0.468
0.055964125	2.602	MSVOA_L	VL038602.D	0.4	03142022T18:52:00	VL038645.D	0.392
0.033208182	2.602	MSVOA_L	VL038602.D	0.38	03142022T18:52:00	VL038645.D	0.407
0.066831349	2.602	MSVOA_L	VL038602.D	0.44	03142022T18:52:00	VL038645.D	0.454
0.029508191	2.602	MSVOA_L	VL038602.D	0.43	03142022T18:52:00	VL038645.D	0.408
0.044412039	2.602	MSVOA_L	VL038602.D	0.42	03142022T18:52:00	VL038645.D	0.433
0.021886069	2.602	MSVOA_L	VL038602.D	0.38	03142022T18:52:00	VL038645.D	0.31
0.052912467	2.602	MSVOA_L	VL038602.D	0.43	03142022T18:52:00	VL038645.D	0.404
0.060470378	2.602	MSVOA_L	VL038602.D	0.37	03142022T18:52:00	VL038645.D	0.357
0.004080441	2.602	MSVOA_L	VL038599.D	0.03	03142022T17:01:00	VL038658.D	0.026
0.028901845	2.602	MSVOA_L	VL038602.D	0.48	03142022T18:52:00	VL038645.D	0.467
0.033615225	2.602	MSVOA_L	VL038602.D	0.45	03142022T18:52:00	VL038645.D	0.468
0.062847932	2.602	MSVOA_L	VL038602.D	0.44	03142022T18:52:00	VL038645.D	0.453
0.031603534	2.602	MSVOA_L	VL038602.D	0.45	03142022T18:52:00	VL038645.D	0.464
0.037391621	2.602	MSVOA_L	VL038602.D	0.47	03142022T18:52:00	VL038645.D	0.439
0.033947938	2.602	MSVOA_L	VL038602.D	0.36	03142022T18:52:00	VL038645.D	0.391
0.024307749	2.602	MSVOA_L	VL038602.D	0.3	03142022T18:52:00	VL038645.D	0.317
0.083781636	2.602	MSVOA_L	VL038602.D	0.42	03142022T18:52:00	VL038645.D	0.414
0.02525132	2.602	MSVOA_L	VL038602.D	0.39	03142022T18:52:00	VL038645.D	0.359
0.080544708	2.602	MSVOA_L	VL038602.D	0.49	03142022T18:52:00	VL038645.D	0.43
0.033569579	2.602	MSVOA_L	VL038602.D	0.5	03142022T18:52:00	VL038645.D	0.472
0.030038864	2.602	MSVOA_L	VL038602.D	0.39	03142022T18:52:00	VL038645.D	0.412
0.044355712	2.602	MSVOA_L	VL038602.D	0.33	03142022T18:52:00	VL038645.D	0.357
0.038739676	2.602	MSVOA_L	VL038602.D	0.35	03142022T18:52:00	VL038645.D	0.349
0.032348107	2.602	MSVOA_L	VL038602.D	0.48	03142022T18:52:00	VL038645.D	0.5
0.04092432	2.602	MSVOA_L	VL038602.D	0.37	03142022T18:52:00	VL038645.D	0.411
0.026260236	2.602	MSVOA_L	VL038602.D	0.47	03142022T18:52:00	VL038645.D	0.44
0.033337666	2.602	MSVOA_L	VL038602.D	0.4	03142022T18:52:00	VL038645.D	0.387
0.079104967	2.602	MSVOA_L	VL038602.D	0.76	03142022T18:52:00	VL038645.D	0.762
0.032870389	2.602	MSVOA_L	VL038602.D	0.31	03142022T18:52:00	VL038645.D	0.334
0.045944169	2.602	MSVOA_L	VL038602.D	0.41	03142022T18:52:00	VL038645.D	0.418
0.070735069	2.602	MSVOA_L	VL038602.D	0.49	03142022T18:52:00	VL038645.D	0.479
0.02880907	2.602	MSVOA_L	VL038602.D	0.25	03142022T18:52:00	VL038645.D	0.289
0.057070096	2.602	MSVOA_L	VL038602.D	0.14	03142022T18:52:00	VL038645.D	0.074
0.031520826	2.602	MSVOA_L	VL038602.D	0.35	03142022T18:52:00	VL038645.D	0.366
0.029937087	2.602	MSVOA_L	VL038602.D	0.37	03142022T18:52:00	VL038645.D	0.365
0.045207623	2.602	MSVOA_L	VL038602.D	0.36	03142022T18:52:00	VL038645.D	0.368
0.032938073	2.602	MSVOA_L	VL038602.D	0.35	03142022T18:52:00	VL038645.D	0.366
0.05526165	2.602	MSVOA_L	VL038602.D	0.44	03142022T18:52:00	VL038645.D	0.443
0.035804795	2.602	MSVOA_L	VL038602.D	0.38	03142022T18:52:00	VL038645.D	0.392
0.042061661	2.602	MSVOA_L	VL038602.D	0.26	03142022T18:52:00	VL038645.D	0.275
0.022957116	2.602	MSVOA_L	VL038602.D	0.27	03142022T18:52:00	VL038645.D	0.29
0.072141412	2.602	MSVOA_L	VL038602.D	0.44	03142022T18:52:00	VL038645.D	0.459
0.035649626	2.602	MSVOA_L	VL038602.D	0.37	03142022T18:52:00	VL038645.D	0.405
0.005558402	2.602	MSVOA_L	VL038599.D	0.03	03142022T17:01:00	VL038658.D	0.031
0.047138758	2.602	MSVOA_L	VL038602.D	0.3	03142022T18:52:00	VL038645.D	0.324
0.042	2.602	MSVOA_L	VL038602.D	0.31	03142022T18:52:00	VL038645.D	0.332
0.07120086	2.602	MSVOA_L	VL038602.D	0.4	03142022T18:52:00	VL038645.D	0.396
0.006363634	2.602	MSVOA_L	VL038599.D	0.03	03142022T17:01:00	VL038658.D	0.035
0.060517215	2.602	MSVOA_L	VL038602.D	0.46	03142022T18:52:00	VL038645.D	0.472
0.058559372	2.602	MSVOA_L	VL038602.D	0.4	03142022T18:52:00	VL038645.D	0.389
0.00522135	2.602	MSVOA_L	VL038599.D	0.03	03142022T17:01:00	VL038658.D	0.031
0.105747594	2.998	MSVOA_L	VL040210.D	0.438	02222023T00:52:00	VL040220.D	0.43

Adate2	Datafile3	Concentration3	Adate3	Datafile4	Concentration4	Adate4	Datafile5
03182022T03:39:00	VL039242.D	0.45	06082022T19:44:00	VL039436.D	0.45	07062022T02:26:00	VL039568.D
03212022T20:11:00	VL039329.D	0.036	06222022T20:53:00	VL039439.D	0.033	07062022T09:13:00	VL039570.D
03212022T20:11:00	VL039329.D	0.029	06222022T20:53:00	VL039439.D	0.035	07062022T09:13:00	VL039570.D
03182022T03:39:00	VL039242.D	0.417	06082022T19:44:00	VL039436.D	0.445	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.615	06082022T19:44:00	VL039436.D	0.498	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.493	06082022T19:44:00	VL039436.D	0.545	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.594	06082022T19:44:00	VL039436.D	0.485	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.318	06082022T19:44:00	VL039436.D	0.328	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.389	06082022T19:44:00	VL039436.D	0.387	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.392	06082022T19:44:00	VL039436.D	0.391	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.409	06082022T19:44:00	VL039436.D	0.393	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.494	06082022T19:44:00	VL039436.D	0.435	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.404	06082022T19:44:00	VL039436.D	0.451	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.421	06082022T19:44:00	VL039436.D	0.397	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.583	06082022T19:44:00	VL039436.D	0.486	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.409	06082022T19:44:00	VL039436.D	0.465	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.392	06082022T19:44:00	VL039436.D	0.41	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.454	06082022T19:44:00	VL039436.D	0.535	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.37	06082022T19:44:00	VL039436.D	0.425	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.438	06082022T19:44:00	VL039436.D	0.482	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.415	06082022T19:44:00	VL039436.D	0.401	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.309	06082022T19:44:00	VL039436.D	0.31	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.391	06082022T19:44:00	VL039436.D	0.393	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.371	06082022T19:44:00	VL039436.D	0.372	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.649	06082022T19:44:00	VL039436.D	0.621	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.58	06082022T19:44:00	VL039436.D	0.45	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.391	06082022T19:44:00	VL039436.D	0.429	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.328	06082022T19:44:00	VL039436.D	0.438	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.398	06082022T19:44:00	VL039436.D	0.395	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.526	06082022T19:44:00	VL039436.D	0.475	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.335	06082022T19:44:00	VL039436.D	0.322	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.535	06082022T19:44:00	VL039436.D	0.503	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.494	06082022T19:44:00	VL039436.D	0.389	07062022T02:26:00	VL039568.D
03212022T20:11:00	VL039329.D	0.028	06222022T20:53:00	VL039439.D	0.03	07062022T09:13:00	VL039570.D
03182022T03:39:00	VL039242.D	0.418	06082022T19:44:00	VL039436.D	0.473	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.489	06082022T19:44:00	VL039436.D	0.483	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.595	06082022T19:44:00	VL039436.D	0.52	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.453	06082022T19:44:00	VL039436.D	0.469	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.5	06082022T19:44:00	VL039436.D	0.482	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.403	06082022T19:44:00	VL039436.D	0.434	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.315	06082022T19:44:00	VL039436.D	0.327	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.428	06082022T19:44:00	VL039436.D	0.512	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.359	06082022T19:44:00	VL039436.D	0.37	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.618	06082022T19:44:00	VL039436.D	0.675	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.551	06082022T19:44:00	VL039436.D	0.51	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.376	06082022T19:44:00	VL039436.D	0.441	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.374	06082022T19:44:00	VL039436.D	0.381	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.33	06082022T19:44:00	VL039436.D	0.41	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.444	06082022T19:44:00	VL039436.D	0.472	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.394	06082022T19:44:00	VL039436.D	0.47	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.504	06082022T19:44:00	VL039436.D	0.465	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.425	06082022T19:44:00	VL039436.D	0.416	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.815	06082022T19:44:00	VL039436.D	0.805	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.347	06082022T19:44:00	VL039436.D	0.361	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.492	06082022T19:44:00	VL039436.D	0.452	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.684	06082022T19:44:00	VL039436.D	0.578	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.282	06082022T19:44:00	VL039436.D	0.302	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.155	06082022T19:44:00	VL039436.D	0.143	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.39	06082022T19:44:00	VL039436.D	0.374	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.394	06082022T19:44:00	VL039436.D	0.397	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.421	06082022T19:44:00	VL039436.D	0.403	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.378	06082022T19:44:00	VL039436.D	0.388	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.435	06082022T19:44:00	VL039436.D	0.521	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.411	06082022T19:44:00	VL039436.D	0.406	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.345	06082022T19:44:00	VL039436.D	0.302	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.309	06082022T19:44:00	VL039436.D	0.279	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.655	06082022T19:44:00	VL039436.D	0.505	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.403	06082022T19:44:00	VL039436.D	0.388	07062022T02:26:00	VL039568.D
03212022T20:11:00	VL039329.D	0.036	06222022T20:53:00	VL039439.D	0.034	07062022T09:13:00	VL039570.D
03182022T03:39:00	VL039242.D	0.346	06082022T19:44:00	VL039436.D	0.38	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.341	06082022T19:44:00	VL039436.D	0.37	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.64	06082022T19:44:00	VL039436.D	0.494	07062022T02:26:00	VL039568.D
03212022T20:11:00	VL039329.D	0.038	06222022T20:53:00	VL039439.D	0.034	07062022T09:13:00	VL039570.D
03182022T03:39:00	VL039242.D	0.596	06082022T19:44:00	VL039436.D	0.492	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.418	06082022T19:44:00	VL039436.D	0.437	07062022T02:26:00	VL039568.D
03212022T20:11:00	VL039329.D	0.043	06222022T20:53:00	VL039439.D	0.036	07062022T09:13:00	VL039570.D
02232023T13:12:00	VL040329.D	0.51	0412023T17:39:00	VL040349.D	0.633	04122023T23:23:00	VL040559.D

Concentration5	Adate5	Datafile6	Concentration6	Adate6	Datafile7	Concentration7	Adate7
0.433	08182022T21:04:00	VL039600.D	0.463	08262022T12:33:00	VL039709.D	0.402	10102022T23:30:00
0.03	08182022T22:24:00	VL039586.D	0.031	08252022T20:23:00	VL039711.D	0.03	10112022T00:45:00
0.03	08182022T22:24:00	VL039586.D	0.029	08252022T20:23:00	VL039711.D	0.03	10112022T00:45:00
0.404	08182022T21:04:00	VL039600.D	0.424	08262022T12:33:00	VL039709.D	0.412	10102022T23:30:00
0.448	08182022T21:04:00	VL039600.D	0.454	08262022T12:33:00	VL039709.D	0.438	10102022T23:30:00
0.426	08182022T21:04:00	VL039600.D	0.451	08262022T12:33:00	VL039709.D	0.445	10102022T23:30:00
0.394	08182022T21:04:00	VL039600.D	0.387	08262022T12:33:00	VL039709.D	0.427	10102022T23:30:00
0.314	08182022T21:04:00	VL039600.D	0.367	08262022T12:33:00	VL039709.D	0.373	10102022T23:30:00
0.342	08182022T21:04:00	VL039600.D	0.389	08262022T12:33:00	VL039709.D	0.389	10102022T23:30:00
0.361	08182022T21:04:00	VL039600.D	0.402	08262022T12:33:00	VL039709.D	0.375	10102022T23:30:00
0.408	08182022T21:04:00	VL039600.D	0.431	08262022T12:33:00	VL039709.D	0.448	10102022T23:30:00
0.411	08182022T21:04:00	VL039600.D	0.455	08262022T12:33:00	VL039709.D	0.418	10102022T23:30:00
0.444	08182022T21:04:00	VL039600.D	0.429	08262022T12:33:00	VL039709.D	0.373	10102022T23:30:00
0.331	08182022T21:04:00	VL039600.D	0.357	08262022T12:33:00	VL039709.D	0.342	10102022T23:30:00
0.405	08182022T21:04:00	VL039600.D	0.449	08262022T12:33:00	VL039709.D	0.422	10102022T23:30:00
0.368	08182022T21:04:00	VL039600.D	0.414	08262022T12:33:00	VL039709.D	0.399	10102022T23:30:00
0.404	08182022T21:04:00	VL039600.D	0.384	08262022T12:33:00	VL039709.D	0.439	10102022T23:30:00
0.373	08182022T21:04:00	VL039600.D	0.341	08262022T12:33:00	VL039709.D	0.418	10102022T23:30:00
0.348	08182022T21:04:00	VL039600.D	0.379	08262022T12:33:00	VL039709.D	0.392	10102022T23:30:00
0.314	08182022T21:04:00	VL039600.D	0.451	08262022T12:33:00	VL039709.D	0.354	10102022T23:30:00
0.312	08182022T21:04:00	VL039600.D	0.359	08262022T12:33:00	VL039709.D	0.348	10102022T23:30:00
0.27	08182022T21:04:00	VL039600.D	0.294	08262022T12:33:00	VL039709.D	0.326	10102022T23:30:00
0.284	08182022T21:04:00	VL039600.D	0.348	08262022T12:33:00	VL039709.D	0.355	10102022T23:30:00
0.322	08182022T21:04:00	VL039600.D	0.335	08262022T12:33:00	VL039709.D	0.32	10102022T23:30:00
0.363	08182022T21:04:00	VL039600.D	0.484	08262022T12:33:00	VL039709.D	0.5	10102022T23:30:00
0.418	08182022T21:04:00	VL039600.D	0.459	08262022T12:33:00	VL039709.D	0.379	10102022T23:30:00
0.345	08182022T21:04:00	VL039600.D	0.376	08262022T12:33:00	VL039709.D	0.398	10102022T23:30:00
0.394	08182022T21:04:00	VL039600.D	0.336	08262022T12:33:00	VL039709.D	0.356	10102022T23:30:00
0.382	08182022T21:04:00	VL039600.D	0.367	08262022T12:33:00	VL039709.D	0.377	10102022T23:30:00
0.408	08182022T21:04:00	VL039600.D	0.441	08262022T12:33:00	VL039709.D	0.388	10102022T23:30:00
0.305	08182022T21:04:00	VL039600.D	0.303	08262022T12:33:00	VL039709.D	0.293	10102022T23:30:00
0.364	08182022T21:04:00	VL039600.D	0.494	08262022T12:33:00	VL039709.D	0.464	10102022T23:30:00
0.399	08182022T21:04:00	VL039600.D	0.268	08262022T12:33:00	VL039709.D	0.332	10102022T23:30:00
0.03	08182022T22:24:00	VL039586.D	0.027	08252022T20:23:00	VL039711.D	0.03	10112022T00:45:00
0.431	08182022T21:04:00	VL039600.D	0.466	08262022T12:33:00	VL039709.D	0.46	10102022T23:30:00
0.456	08182022T21:04:00	VL039600.D	0.504	08262022T12:33:00	VL039709.D	0.446	10102022T23:30:00
0.462	08182022T21:04:00	VL039600.D	0.504	08262022T12:33:00	VL039709.D	0.531	10102022T23:30:00
0.423	08182022T21:04:00	VL039600.D	0.46	08262022T12:33:00	VL039709.D	0.411	10102022T23:30:00
0.392	08182022T21:04:00	VL039600.D	0.472	08262022T12:33:00	VL039709.D	0.485	10102022T23:30:00
0.36	08182022T21:04:00	VL039600.D	0.407	08262022T12:33:00	VL039709.D	0.438	10102022T23:30:00
0.277	08182022T21:04:00	VL039600.D	0.291	08262022T12:33:00	VL039709.D	0.284	10102022T23:30:00
0.376	08182022T21:04:00	VL039600.D	0.395	08262022T12:33:00	VL039709.D	0.383	10102022T23:30:00
0.339	08182022T21:04:00	VL039600.D	0.335	08262022T12:33:00	VL039709.D	0.301	10102022T23:30:00
0.62	08182022T21:04:00	VL039600.D	0.643	08262022T12:33:00	VL039709.D	0.694	10102022T23:30:00
0.454	08182022T21:04:00	VL039600.D	0.508	08262022T12:33:00	VL039709.D	0.473	10102022T23:30:00
0.341	08182022T21:04:00	VL039600.D	0.432	08262022T12:33:00	VL039709.D	0.395	10102022T23:30:00
0.297	08182022T21:04:00	VL039600.D	0.338	08262022T12:33:00	VL039709.D	0.334	10102022T23:30:00
0.347	08182022T21:04:00	VL039600.D	0.382	08262022T12:33:00	VL039709.D	0.407	10102022T23:30:00
0.447	08182022T21:04:00	VL039600.D	0.502	08262022T12:33:00	VL039709.D	0.468	10102022T23:30:00
0.385	08182022T21:04:00	VL039600.D	0.405	08262022T12:33:00	VL039709.D	0.435	10102022T23:30:00
0.458	08182022T21:04:00	VL039600.D	0.434	08262022T12:33:00	VL039709.D	0.481	10102022T23:30:00
0.361	08182022T21:04:00	VL039600.D	0.388	08262022T12:33:00	VL039709.D	0.405	10102022T23:30:00
0.673	08182022T21:04:00	VL039600.D	0.719	08262022T12:33:00	VL039709.D	0.688	10102022T23:30:00
0.3	08182022T21:04:00	VL039600.D	0.323	08262022T12:33:00	VL039709.D	0.346	10102022T23:30:00
0.337	08182022T21:04:00	VL039600.D	0.355	08262022T12:33:00	VL039709.D	0.396	10102022T23:30:00
0.536	08182022T21:04:00	VL039600.D	0.634	08262022T12:33:00	VL039709.D	0.499	10102022T23:30:00
0.28	08182022T21:04:00	VL039600.D	0.302	08262022T12:33:00	VL039709.D	0.291	10102022T23:30:00
0.158	08182022T21:04:00	VL039600.D	0.094	08262022T12:33:00	VL039709.D	0.149	10102022T23:30:00
0.321	08182022T21:04:00	VL039600.D	0.354	08262022T12:33:00	VL039709.D	0.358	10102022T23:30:00
0.332	08182022T21:04:00	VL039600.D	0.338	08262022T12:33:00	VL039709.D	0.347	10102022T23:30:00
0.315	08182022T21:04:00	VL039600.D	0.347	08262022T12:33:00	VL039709.D	0.354	10102022T23:30:00
0.316	08182022T21:04:00	VL039600.D	0.362	08262022T12:33:00	VL039709.D	0.358	10102022T23:30:00
0.499	08182022T21:04:00	VL039600.D	0.578	08262022T12:33:00	VL039709.D	0.533	10102022T23:30:00
0.359	08182022T21:04:00	VL039600.D	0.382	08262022T12:33:00	VL039709.D	0.371	10102022T23:30:00
0.23	08182022T21:04:00	VL039600.D	0.257	08262022T12:33:00	VL039709.D	0.278	10102022T23:30:00
0.252	08182022T21:04:00	VL039600.D	0.252	08262022T12:33:00	VL039709.D	0.273	10102022T23:30:00
0.384	08182022T21:04:00	VL039600.D	0.382	08262022T12:33:00	VL039709.D	0.454	10102022T23:30:00
0.345	08182022T21:04:00	VL039600.D	0.399	08262022T12:33:00	VL039709.D	0.371	10102022T23:30:00
0.03	08182022T22:24:00	VL039586.D	0.038	08252022T20:23:00	VL039711.D	0.03	10112022T00:45:00
0.299	08182022T21:04:00	VL039600.D	0.344	08262022T12:33:00	VL039709.D	0.389	10102022T23:30:00
0.288	08182022T21:04:00	VL039600.D	0.296	08262022T12:33:00	VL039709.D	0.33	10102022T23:30:00
0.375	08182022T21:04:00	VL039600.D	0.466	08262022T12:33:00	VL039709.D	0.437	10102022T23:30:00
0.03	08182022T22:24:00	VL039586.D	0.031	08252022T20:23:00	VL039711.D	0.04	10112022T00:45:00
0.436	08182022T21:04:00	VL039600.D	0.47	08262022T12:33:00	VL039709.D	0.385	10102022T23:30:00
0.42	08182022T21:04:00	VL039600.D	0.483	08262022T12:33:00	VL039709.D	0.363	10102022T23:30:00
0.03	08182022T22:24:00	VL039586.D	0.029	08252022T20:23:00	VL039711.D	0.03	10112022T00:45:00
0.636	07272023T03:27:00	VL040579.D	0.42	07312023T19:20:00	VL040747.D	0.607	10042023T19:33:00

Datafile8	Concentration8	Adate8	Datafile9	Concentration9	Adate9	Datafile10	Concentration10
VL040134.D	0.42	01302023T15:54:00	VL040210.D	0.383	02222023T00:52:00	VL040220.D	0.42
VL040136.D	0.03	01302023T17:08:00	VL040222.D	0.038	02232023T14:26:00	VL040223.D	0.033
VL040136.D	0.03	01302023T17:08:00	VL040222.D	0.032	02232023T14:26:00	VL040223.D	0.027
VL040134.D	0.41	01302023T15:54:00	VL040210.D	0.395	02222023T00:52:00	VL040220.D	0.43
VL040134.D	0.38	01302023T15:54:00	VL040210.D	0.476	02222023T00:52:00	VL040220.D	0.47
VL040134.D	0.38	01302023T15:54:00	VL040210.D	0.436	02222023T00:52:00	VL040220.D	0.45
VL040134.D	0.4	01302023T15:54:00	VL040210.D	0.452	02222023T00:52:00	VL040220.D	0.45
VL040134.D	0.32	01302023T15:54:00	VL040210.D	0.299	02222023T00:52:00	VL040220.D	0.32
VL040134.D	0.37	01302023T15:54:00	VL040210.D	0.375	02222023T00:52:00	VL040220.D	0.37
VL040134.D	0.39	01302023T15:54:00	VL040210.D	0.38	02222023T00:52:00	VL040220.D	0.38
VL040134.D	0.38	01302023T15:54:00	VL040210.D	0.378	02222023T00:52:00	VL040220.D	0.43
VL040134.D	0.4	01302023T15:54:00	VL040210.D	0.434	02222023T00:52:00	VL040220.D	0.44
VL040134.D	0.41	01302023T15:54:00	VL040210.D	0.432	02222023T00:52:00	VL040220.D	0.43
VL040134.D	0.35	01302023T15:54:00	VL040210.D	0.344	02222023T00:52:00	VL040220.D	0.34
VL040134.D	0.43	01302023T15:54:00	VL040210.D	0.396	02222023T00:52:00	VL040220.D	0.41
VL040134.D	0.37	01302023T15:54:00	VL040210.D	0.395	02222023T00:52:00	VL040220.D	0.42
VL040134.D	0.4	01302023T15:54:00	VL040210.D	0.402	02222023T00:52:00	VL040220.D	0.4
VL040134.D	0.41	01302023T15:54:00	VL040210.D	0.387	02222023T00:52:00	VL040220.D	0.43
VL040134.D	0.39	01302023T15:54:00	VL040210.D	0.352	02222023T00:52:00	VL040220.D	0.38
VL040134.D	0.38	01302023T15:54:00	VL040210.D	0.416	02222023T00:52:00	VL040220.D	0.44
VL040134.D	0.36	01302023T15:54:00	VL040210.D	0.34	02222023T00:52:00	VL040220.D	0.36
VL040134.D	0.32	01302023T15:54:00	VL040210.D	0.318	02222023T00:52:00	VL040220.D	0.34
VL040134.D	0.35	01302023T15:54:00	VL040210.D	0.321	02222023T00:52:00	VL040220.D	0.36
VL040134.D	0.36	01302023T15:54:00	VL040210.D	0.337	02222023T00:52:00	VL040220.D	0.37
VL040134.D	0.45	01302023T15:54:00	VL040210.D	0.482	02222023T00:52:00	VL040220.D	0.5
VL040134.D	0.36	01302023T15:54:00	VL040210.D	0.411	02222023T00:52:00	VL040220.D	0.45
VL040134.D	0.38	01302023T15:54:00	VL040210.D	0.359	02222023T00:52:00	VL040220.D	0.39
VL040134.D	0.29	01302023T15:54:00	VL040210.D	0.311	02222023T00:52:00	VL040220.D	0.38
VL040134.D	0.37	01302023T15:54:00	VL040210.D	0.378	02222023T00:52:00	VL040220.D	0.38
VL040134.D	0.37	01302023T15:54:00	VL040210.D	0.413	02222023T00:52:00	VL040220.D	0.42
VL040134.D	0.32	01302023T15:54:00	VL040210.D	0.32	02222023T00:52:00	VL040220.D	0.33
VL040134.D	0.4	01302023T15:54:00	VL040210.D	0.408	02222023T00:52:00	VL040220.D	0.49
VL040134.D	0.31	01302023T15:54:00	VL040210.D	0.391	02222023T00:52:00	VL040220.D	0.37
VL040136.D	0.03	01302023T17:08:00	VL040222.D	0.033	02232023T14:26:00	VL040223.D	0.037
VL040134.D	0.44	01302023T15:54:00	VL040210.D	0.414	02222023T00:52:00	VL040220.D	0.45
VL040134.D	0.43	01302023T15:54:00	VL040210.D	0.474	02222023T00:52:00	VL040220.D	0.46
VL040134.D	0.37	01302023T15:54:00	VL040210.D	0.416	02222023T00:52:00	VL040220.D	0.44
VL040134.D	0.47	01302023T15:54:00	VL040210.D	0.445	02222023T00:52:00	VL040220.D	0.42
VL040134.D	0.46	01302023T15:54:00	VL040210.D	0.443	02222023T00:52:00	VL040220.D	0.47
VL040134.D	0.38	01302023T15:54:00	VL040210.D	0.435	02222023T00:52:00	VL040220.D	0.38
VL040134.D	0.33	01302023T15:54:00	VL040210.D	0.284	02222023T00:52:00	VL040220.D	0.34
VL040134.D	0.49	01302023T15:54:00	VL040210.D	0.521	02222023T00:52:00	VL040220.D	0.34
VL040134.D	0.35	01302023T15:54:00	VL040210.D	0.343	02222023T00:52:00	VL040220.D	0.34
VL040134.D	0.48	01302023T15:54:00	VL040210.D	0.497	02222023T00:52:00	VL040220.D	0.49
VL040134.D	0.43	01302023T15:54:00	VL040210.D	0.431	02222023T00:52:00	VL040220.D	0.46
VL040134.D	0.39	01302023T15:54:00	VL040210.D	0.398	02222023T00:52:00	VL040220.D	0.42
VL040134.D	0.36	01302023T15:54:00	VL040210.D	0.309	02222023T00:52:00	VL040220.D	0.33
VL040134.D	0.34	01302023T15:54:00	VL040210.D	0.336	02222023T00:52:00	VL040220.D	0.37
VL040134.D	0.43	01302023T15:54:00	VL040210.D	0.421	02222023T00:52:00	VL040220.D	0.44
VL040134.D	0.41	01302023T15:54:00	VL040210.D	0.4	02222023T00:52:00	VL040220.D	0.41
VL040134.D	0.4	01302023T15:54:00	VL040210.D	0.479	02222023T00:52:00	VL040220.D	0.48
VL040134.D	0.38	01302023T15:54:00	VL040210.D	0.361	02222023T00:52:00	VL040220.D	0.4
VL040134.D	0.71	01302023T15:54:00	VL040210.D	0.699	02222023T00:52:00	VL040220.D	0.75
VL040134.D	0.35	01302023T15:54:00	VL040210.D	0.314	02222023T00:52:00	VL040220.D	0.35
VL040134.D	0.38	01302023T15:54:00	VL040210.D	0.421	02222023T00:52:00	VL040220.D	0.41
VL040134.D	0.44	01302023T15:54:00	VL040210.D	0.558	02222023T00:52:00	VL040220.D	0.57
VL040134.D	0.27	01302023T15:54:00	VL040210.D	0.246	02222023T00:52:00	VL040220.D	0.27
VL040134.D	0.19	01302023T15:54:00	VL040210.D	0.116	02222023T00:52:00	VL040220.D	0.21
VL040134.D	0.34	01302023T15:54:00	VL040210.D	0.349	02222023T00:52:00	VL040220.D	0.35
VL040134.D	0.34	01302023T15:54:00	VL040210.D	0.354	02222023T00:52:00	VL040220.D	0.36
VL040134.D	0.34	01302023T15:54:00	VL040210.D	0.331	02222023T00:52:00	VL040220.D	0.36
VL040134.D	0.33	01302023T15:54:00	VL040210.D	0.329	02222023T00:52:00	VL040220.D	0.34
VL040134.D	0.42	01302023T15:54:00	VL040210.D	0.432	02222023T00:52:00	VL040220.D	0.43
VL040134.D	0.36	01302023T15:54:00	VL040210.D	0.352	02222023T00:52:00	VL040220.D	0.37
VL040134.D	0.29	01302023T15:54:00	VL040210.D	0.262	02222023T00:52:00	VL040220.D	0.27
VL040134.D	0.3	01302023T15:54:00	VL040210.D	0.292	02222023T00:52:00	VL040220.D	0.3
VL040134.D	0.4	01302023T15:54:00	VL040210.D	0.395	02222023T00:52:00	VL040220.D	0.44
VL040134.D	0.35	01302023T15:54:00	VL040210.D	0.349	02222023T00:52:00	VL040220.D	0.36
VL040136.D	0.03	01302023T17:08:00	VL040222.D	0.029	02232023T14:26:00	VL040223.D	0.031
VL040134.D	0.42	01302023T15:54:00	VL040210.D	0.368	02222023T00:52:00	VL040220.D	0.42
VL040134.D	0.34	01302023T15:54:00	VL040210.D	0.297	02222023T00:52:00	VL040220.D	0.33
VL040134.D	0.35	01302023T15:54:00	VL040210.D	0.397	02222023T00:52:00	VL040220.D	0.42
VL040136.D	0.03	01302023T17:08:00	VL040222.D	0.027	02232023T14:26:00	VL040223.D	0.028
VL040134.D	0.4	01302023T15:54:00	VL040210.D	0.451	02222023T00:52:00	VL040220.D	0.45
VL040134.D	0.39	01302023T15:54:00	VL040210.D	0.438	02222023T00:52:00	VL040220.D	0.4
VL040136.D	0.03	01302023T17:08:00	VL040222.D	0.033	02232023T14:26:00	VL040223.D	0.038
VL040805.D	0.675	10252023T18:12:00					

A
B
C
D
E
F
G
H
I

Concentration13	Adate13	Datafile14	Concentration14	Adate14	Datafile15	Concentration15	Adate15
0.48	07272023T03:27:00	VL040579.D	0.42	07312023T19:20:00	VL040747.D	0.488	10042023T19:33:00
0.03	07312023T17:18:00	VL040581.D	0.031	07312023T20:41:00	VL040772.D	0.035	10122023T01:48:00
0.031	07312023T17:18:00	VL040581.D	0.026	07312023T20:41:00	VL040772.D	0.029	10122023T01:48:00
0.459	07272023T03:27:00	VL040579.D	0.36	07312023T19:20:00	VL040747.D	0.405	10042023T19:33:00
0.573	07272023T03:27:00	VL040579.D	0.5	07312023T19:20:00	VL040747.D	0.557	10042023T19:33:00
0.535	07272023T03:27:00	VL040579.D	0.43	07312023T19:20:00	VL040747.D	0.527	10042023T19:33:00
0.527	07272023T03:27:00	VL040579.D	0.42	07312023T19:20:00	VL040747.D	0.481	10042023T19:33:00
0.33	07272023T03:27:00	VL040579.D	0.23	07312023T19:20:00	VL040747.D	0.305	10042023T19:33:00
0.389	07272023T03:27:00	VL040579.D	0.3	07312023T19:20:00	VL040747.D	0.361	10042023T19:33:00
0.425	07272023T03:27:00	VL040579.D	0.32	07312023T19:20:00	VL040747.D	0.359	10042023T19:33:00
0.442	07272023T03:27:00	VL040579.D	0.36	07312023T19:20:00	VL040747.D	0.45	10042023T19:33:00
0.519	07272023T03:27:00	VL040579.D	0.41	07312023T19:20:00	VL040747.D	0.426	10042023T19:33:00
0.452	07272023T03:27:00	VL040579.D	0.36	07312023T19:20:00	VL040747.D	0.42	10042023T19:33:00
0.33	07272023T03:27:00	VL040579.D	0.26	07312023T19:20:00	VL040747.D	0.321	10042023T19:33:00
0.412	07272023T03:27:00	VL040579.D	0.41	07312023T19:20:00	VL040747.D	0.466	10042023T19:33:00
0.388	07272023T03:27:00	VL040579.D	0.33	07312023T19:20:00	VL040747.D	0.412	10042023T19:33:00
0.438	07272023T03:27:00	VL040579.D	0.36	07312023T19:20:00	VL040747.D	0.382	10042023T19:33:00
0.373	07272023T03:27:00	VL040579.D	0.29	07312023T19:20:00	VL040747.D	0.257	10042023T19:33:00
0.398	07272023T03:27:00	VL040579.D	0.27	07312023T19:20:00	VL040747.D	0.335	10042023T19:33:00
0.448	07272023T03:27:00	VL040579.D	0.37	07312023T19:20:00	VL040747.D	0.443	10042023T19:33:00
0.35	07272023T03:27:00	VL040579.D	0.27	07312023T19:20:00	VL040747.D	0.325	10042023T19:33:00
0.303	07272023T03:27:00	VL040579.D	0.22	07312023T19:20:00	VL040747.D	0.283	10042023T19:33:00
0.32	07272023T03:27:00	VL040579.D	0.23	07312023T19:20:00	VL040747.D	0.317	10042023T19:33:00
0.348	07272023T03:27:00	VL040579.D	0.27	07312023T19:20:00	VL040747.D	0.302	10042023T19:33:00
0.674	07272023T03:27:00	VL040579.D	0.48	07312023T19:20:00	VL040747.D	0.65	10042023T19:33:00
0.436	07272023T03:27:00	VL040579.D	0.37	07312023T19:20:00	VL040747.D	0.511	10042023T19:33:00
0.397	07272023T03:27:00	VL040579.D	0.3	07312023T19:20:00	VL040747.D	0.386	10042023T19:33:00
0.425	07272023T03:27:00	VL040579.D	0.34	07312023T19:20:00	VL040747.D	0.307	10042023T19:33:00
0.467	07272023T03:27:00	VL040579.D	0.4	07312023T19:20:00	VL040747.D	0.409	10042023T19:33:00
0.508	07272023T03:27:00	VL040579.D	0.42	07312023T19:20:00	VL040747.D	0.506	10042023T19:33:00
0.352	07272023T03:27:00	VL040579.D	0.33	07312023T19:20:00	VL040747.D	0.349	10042023T19:33:00
0.543	07272023T03:27:00	VL040579.D	0.46	07312023T19:20:00	VL040747.D	0.496	10042023T19:33:00
0.46	07272023T03:27:00	VL040579.D	0.42	07312023T19:20:00	VL040747.D	0.477	10042023T19:33:00
0.036	07312023T17:18:00	VL040581.D	0.033	07312023T20:41:00	VL040772.D	0.031	10122023T01:48:00
0.481	07272023T03:27:00	VL040579.D	0.38	07312023T19:20:00	VL040747.D	0.489	10042023T19:33:00
0.526	07272023T03:27:00	VL040579.D	0.45	07312023T19:20:00	VL040747.D	0.55	10042023T19:33:00
0.516	07272023T03:27:00	VL040579.D	0.43	07312023T19:20:00	VL040747.D	0.576	10042023T19:33:00
0.521	07272023T03:27:00	VL040579.D	0.41	07312023T19:20:00	VL040747.D	0.501	10042023T19:33:00
0.486	07272023T03:27:00	VL040579.D	0.39	07312023T19:20:00	VL040747.D	0.544	10042023T19:33:00
0.405	07272023T03:27:00	VL040579.D	0.32	07312023T19:20:00	VL040747.D	0.431	10042023T19:33:00
0.295	07272023T03:27:00	VL040579.D	0.25	07312023T19:20:00	VL040747.D	0.298	10042023T19:33:00
0.301	07272023T03:27:00	VL040579.D	0.21	07312023T19:20:00	VL040747.D	0.317	10042023T19:33:00
0.403	07272023T03:27:00	VL040579.D	0.35	07312023T19:20:00	VL040747.D	0.381	10042023T19:33:00
0.54	07272023T03:27:00	VL040579.D	0.47	07312023T19:20:00	VL040747.D	0.562	10042023T19:33:00
0.516	07272023T03:27:00	VL040579.D	0.46	07312023T19:20:00	VL040747.D	0.509	10042023T19:33:00
0.424	07272023T03:27:00	VL040579.D	0.34	07312023T19:20:00	VL040747.D	0.441	10042023T19:33:00
0.32	07272023T03:27:00	VL040579.D	0.21	07312023T19:20:00	VL040747.D	0.299	10042023T19:33:00
0.341	07272023T03:27:00	VL040579.D	0.25	07312023T19:20:00	VL040747.D	0.355	10042023T19:33:00
0.466	07272023T03:27:00	VL040579.D	0.37	07312023T19:20:00	VL040747.D	0.479	10042023T19:33:00
0.38	07272023T03:27:00	VL040579.D	0.31	07312023T19:20:00	VL040747.D	0.465	10042023T19:33:00
0.451	07272023T03:27:00	VL040579.D	0.43	07312023T19:20:00	VL040747.D	0.426	10042023T19:33:00
0.379	07272023T03:27:00	VL040579.D	0.29	07312023T19:20:00	VL040747.D	0.386	10042023T19:33:00
0.735	07272023T03:27:00	VL040579.D	0.54	07312023T19:20:00	VL040747.D	0.682	10042023T19:33:00
0.283	07272023T03:27:00	VL040579.D	0.23	07312023T19:20:00	VL040747.D	0.324	10042023T19:33:00
0.468	07272023T03:27:00	VL040579.D	0.38	07312023T19:20:00	VL040747.D	0.472	10042023T19:33:00
0.619	07272023T03:27:00	VL040579.D	0.62	07312023T19:20:00	VL040747.D	0.625	10042023T19:33:00
0.274	07272023T03:27:00	VL040579.D	0.19	07312023T19:20:00	VL040747.D	0.258	10042023T19:33:00
0.107	07272023T03:27:00	VL040579.D	0.06	07312023T19:20:00	VL040747.D	0.133	10042023T19:33:00
0.361	07272023T03:27:00	VL040579.D	0.27	07312023T19:20:00	VL040747.D	0.343	10042023T19:33:00
0.355	07272023T03:27:00	VL040579.D	0.27	07312023T19:20:00	VL040747.D	0.369	10042023T19:33:00
0.355	07272023T03:27:00	VL040579.D	0.26	07312023T19:20:00	VL040747.D	0.301	10042023T19:33:00
0.357	07272023T03:27:00	VL040579.D	0.26	07312023T19:20:00	VL040747.D	0.313	10042023T19:33:00
0.436	07272023T03:27:00	VL040579.D	0.34	07312023T19:20:00	VL040747.D	0.471	10042023T19:33:00
0.393	07272023T03:27:00	VL040579.D	0.29	07312023T19:20:00	VL040747.D	0.354	10042023T19:33:00
0.242	07272023T03:27:00	VL040579.D	0.17	07312023T19:20:00	VL040747.D	0.266	10042023T19:33:00
0.283	07272023T03:27:00	VL040579.D	0.23	07312023T19:20:00	VL040747.D	0.312	10042023T19:33:00
0.539	07272023T03:27:00	VL040579.D	0.43	07312023T19:20:00	VL040747.D	0.394	10042023T19:33:00
0.366	07272023T03:27:00	VL040579.D	0.28	07312023T19:20:00	VL040747.D	0.381	10042023T19:33:00
0.025	07312023T17:18:00	VL040581.D	0.028	07312023T20:41:00	VL040772.D	0.044	10122023T01:48:00
0.353	07272023T03:27:00	VL040579.D	0.26	07312023T19:20:00	VL040747.D	0.351	10042023T19:33:00
0.285	07272023T03:27:00	VL040579.D	0.2	07312023T19:20:00	VL040747.D	0.288	10042023T19:33:00
0.477	07272023T03:27:00	VL040579.D	0.4	07312023T19:20:00	VL040747.D	0.507	10042023T19:33:00
0.027	07312023T17:18:00	VL040581.D	0.027	07312023T20:41:00	VL040772.D	0.039	10122023T01:48:00
0.589	07272023T03:27:00	VL040579.D	0.52	07312023T19:20:00	VL040747.D	0.561	10042023T19:33:00
0.487	07272023T03:27:00	VL040579.D	0.46	07312023T19:20:00	VL040747.D	0.456	10042023T19:33:00
0.03	07312023T17:18:00	VL040581.D	0.033	07312023T20:41:00	VL040772.D	0.041	10122023T01:48:00

Datafile16	Concentration16	Adate16	Department	AVG Concentration	Recovery
VL040805.D	0.428	10252023T18:12:00	VOC	0.45	110
VL040787.D	0.04	10232023T20:32:00	VOC	0.032	110
VL040787.D	0.04	10232023T20:32:00	VOC	0.03	100
VL040805.D	0.471	10252023T18:12:00	VOC	0.42	110
VL040805.D	0.476	10252023T18:12:00	VOC	0.48	120
VL040805.D	0.427	10252023T18:12:00	VOC	0.46	110
VL040805.D	0.47	10252023T18:12:00	VOC	0.45	110
VL040805.D	0.288	10252023T18:12:00	VOC	0.31	79
VL040805.D	0.435	10252023T18:12:00	VOC	0.37	93
VL040805.D	0.433	10252023T18:12:00	VOC	0.38	95
VL040805.D	0.405	10252023T18:12:00	VOC	0.41	100
VL040805.D	0.501	10252023T18:12:00	VOC	0.44	110
VL040805.D	0.456	10252023T18:12:00	VOC	0.42	100
VL040805.D	0.403	10252023T18:12:00	VOC	0.35	87
VL040805.D	0.455	10252023T18:12:00	VOC	0.44	110
VL040805.D	0.412	10252023T18:12:00	VOC	0.4	100
VL040805.D	0.414	10252023T18:12:00	VOC	0.4	100
VL040805.D	0.486	10252023T18:12:00	VOC	0.38	96
VL040805.D	0.434	10252023T18:12:00	VOC	0.37	93
VL040805.D	0.467	10252023T18:12:00	VOC	0.42	100
VL040805.D	0.42	10252023T18:12:00	VOC	0.35	88
VL040805.D	0.353	10252023T18:12:00	VOC	0.3	75
VL040805.D	0.397	10252023T18:12:00	VOC	0.34	84
VL040805.D	0.403	10252023T18:12:00	VOC	0.34	84
VL040805.D	0.576	10252023T18:12:00	VOC	0.53	130
VL040805.D	0.422	10252023T18:12:00	VOC	0.43	110
VL040805.D	0.445	10252023T18:12:00	VOC	0.38	96
VL040805.D	0.205	10252023T18:12:00	VOC	0.36	91
VL040805.D	0.458	10252023T18:12:00	VOC	0.4	100
VL040805.D	0.436	10252023T18:12:00	VOC	0.44	110
VL040805.D	0.34	10252023T18:12:00	VOC	0.33	82
VL040805.D	0.508	10252023T18:12:00	VOC	0.47	120
VL040805.D	0.361	10252023T18:12:00	VOC	0.38	95
VL040787.D	0.04	10232023T20:32:00	VOC	0.031	100
VL040805.D	0.454	10252023T18:12:00	VOC	0.45	110
VL040805.D	0.517	10252023T18:12:00	VOC	0.48	120
VL040805.D	0.435	10252023T18:12:00	VOC	0.47	120
VL040805.D	0.487	10252023T18:12:00	VOC	0.45	110
VL040805.D	0.458	10252023T18:12:00	VOC	0.46	120
VL040805.D	0.435	10252023T18:12:00	VOC	0.4	99
VL040805.D	0.335	10252023T18:12:00	VOC	0.3	75
VL040805.D	0.416	10252023T18:12:00	VOC	0.39	96
VL040805.D	0.384	10252023T18:12:00	VOC	0.36	89
VL040805.D	0.516	10252023T18:12:00	VOC	0.54	140
VL040805.D	0.505	10252023T18:12:00	VOC	0.48	120
VL040805.D	0.404	10252023T18:12:00	VOC	0.4	100
VL040805.D	0.406	10252023T18:12:00	VOC	0.33	82
VL040805.D	0.404	10252023T18:12:00	VOC	0.35	88
VL040805.D	0.446	10252023T18:12:00	VOC	0.45	110
VL040805.D	0.452	10252023T18:12:00	VOC	0.4	100
VL040805.D	0.442	10252023T18:12:00	VOC	0.45	110
VL040805.D	0.435	10252023T18:12:00	VOC	0.38	96
VL040805.D	0.888	10252023T18:12:00	VOC	0.72	180
VL040805.D	0.348	10252023T18:12:00	VOC	0.32	80
VL040805.D	0.353	10252023T18:12:00	VOC	0.41	100
VL040805.D	0.619	10252023T18:12:00	VOC	0.56	140
VL040805.D	0.226	10252023T18:12:00	VOC	0.27	66
VL040805.D	0	10252023T18:12:00	VOC	0.14	35
VL040805.D	0.415	10252023T18:12:00	VOC	0.35	88
VL040805.D	0.389	10252023T18:12:00	VOC	0.35	89
VL040805.D	0.439	10252023T18:12:00	VOC	0.35	87
VL040805.D	0.381	10252023T18:12:00	VOC	0.34	85
VL040805.D	0.467	10252023T18:12:00	VOC	0.46	110
VL040805.D	0.449	10252023T18:12:00	VOC	0.37	93
VL040805.D	0.35	10252023T18:12:00	VOC	0.27	67
VL040805.D	0.291	10252023T18:12:00	VOC	0.28	70
VL040805.D	0.37	10252023T18:12:00	VOC	0.45	110
VL040805.D	0.427	10252023T18:12:00	VOC	0.37	92
VL040787.D	0.04	10232023T20:32:00	VOC	0.032	110
VL040805.D	0.416	10252023T18:12:00	VOC	0.35	88
VL040805.D	0.38	10252023T18:12:00	VOC	0.31	78
VL040805.D	0.435	10252023T18:12:00	VOC	0.43	110
VL040787.D	0.05	10232023T20:32:00	VOC	0.033	110
VL040805.D	0.506	10252023T18:12:00	VOC	0.48	120
VL040805.D	0.341	10252023T18:12:00	VOC	0.43	110
VL040787.D	0.04	10232023T20:32:00	VOC	0.033	110
			VOC	0.544	136



SAMPLE DATA

Report of Analysis

Client:	Tetra Tech, EMI	Date Collected:	04/29/25
Project:	R36900	Date Received:	04/30/25
Client Sample ID:	EBR-P06-SC-IA01-20250428	SDG No.:	Q1927
Lab Sample ID:	Q1927-01	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042476.D	1		05/05/25 15:18	VL050525

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	0.47	2.32	J	1.04	2.47	ug/m3
74-87-3	Chloromethane	0.59	1.22		0.21	1.03	ug/m3
75-01-4	Vinyl Chloride	0.030	0.080	U	0.030	0.080	ug/m3
74-83-9	Bromomethane	0.50	1.94	U	0.54	1.94	ug/m3
75-00-3	Chloroethane	0.50	1.32	U	0.45	1.32	ug/m3
109-99-9	Tetrahydrofuran	0.50	1.47	U	0.38	1.47	ug/m3
75-69-4	Trichlorofluoromethane	0.25	1.40	J	0.90	2.81	ug/m3
76-13-1	1,1,2-Trichlorotrifluoroethane	0.50	3.83	U	1.23	3.83	ug/m3
76-14-2	Dichlorotetrafluoroethane	0.50	3.49	U	0.63	3.49	ug/m3
75-65-0	tert-Butyl alcohol	0.50	1.52	U	0.58	1.52	ug/m3
142-82-5	Heptane	0.50	2.05	U	0.45	2.05	ug/m3
75-35-4	1,1-Dichloroethene	0.50	1.98	U	0.56	1.98	ug/m3
67-64-1	Acetone	12.8	30.4		0.57	1.19	ug/m3
75-15-0	Carbon Disulfide	0.50	1.56	U	0.50	1.56	ug/m3
1634-04-4	Methyl tert-Butyl Ether	0.50	1.80	U	0.43	1.80	ug/m3
75-09-2	Methylene Chloride	1.30	4.52		0.66	1.74	ug/m3
156-60-5	trans-1,2-Dichloroethene	0.50	1.98	U	0.75	1.98	ug/m3
75-34-3	1,1-Dichloroethane	0.50	2.02	U	0.53	2.02	ug/m3
110-82-7	Cyclohexane	0.50	1.72	U	0.76	1.72	ug/m3
78-93-3	2-Butanone	0.61	1.80		0.35	1.47	ug/m3
56-23-5	Carbon Tetrachloride	0.080	0.50		0.060	0.19	ug/m3
156-59-2	cis-1,2-Dichloroethene	0.50	1.98	U	0.36	1.98	ug/m3
67-66-3	Chloroform	0.50	2.44	U	0.39	2.44	ug/m3
71-55-6	1,1,1-Trichloroethane	0.030	0.16	U	0.050	0.16	ug/m3
540-84-1	2,2,4-Trimethylpentane	0.50	2.34	U	0.47	2.34	ug/m3
71-43-2	Benzene	0.50	1.60	U	0.29	1.60	ug/m3
107-06-2	1,2-Dichloroethane	0.50	2.02	U	0.36	2.02	ug/m3
79-01-6	Trichloroethene	0.030	0.16	U	0.11	0.16	ug/m3
78-87-5	1,2-Dichloropropane	0.50	2.31	U	0.51	2.31	ug/m3
75-27-4	Bromodichloromethane	0.50	3.35	U	0.54	3.35	ug/m3
108-10-1	4-Methyl-2-Pentanone	0.50	2.05	U	0.37	2.05	ug/m3
108-88-3	Toluene	0.36	1.36	J	0.41	1.88	ug/m3
10061-02-6	t-1,3-Dichloropropene	0.50	2.27	U	0.27	2.27	ug/m3
10061-01-5	cis-1,3-Dichloropropene	0.50	2.27	U	0.27	2.27	ug/m3
79-00-5	1,1,2-Trichloroethane	0.50	2.73	U	0.38	2.73	ug/m3

Report of Analysis

Client:	Tetra Tech, EMI	Date Collected:	04/29/25
Project:	R36900	Date Received:	04/30/25
Client Sample ID:	EBR-P06-SC-IA01-20250428	SDG No.:	Q1927
Lab Sample ID:	Q1927-01	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400	Units:	mL

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042476.D	1		05/05/25 15:18	VL050525

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
124-48-1	Dibromochloromethane	0.50	4.26	U	0.60	4.26	ug/m3
106-93-4	1,2-Dibromoethane	0.10	0.77	U	0.54	0.77	ug/m3
127-18-4	Tetrachloroethene	0.070	0.47		0.14	0.20	ug/m3
108-90-7	Chlorobenzene	0.50	2.30	U	0.37	2.30	ug/m3
100-41-4	Ethyl Benzene	0.14	0.61	J	0.52	2.17	ug/m3
179601-23-1	m/p-Xylene	0.42	1.82	J	0.91	4.34	ug/m3
95-47-6	o-Xylene	0.16	0.69	J	0.52	2.17	ug/m3
100-42-5	Styrene	0.15	0.64	J	0.47	2.13	ug/m3
75-25-2	Bromoform	0.50	5.17	U	0.62	5.17	ug/m3
79-34-5	1,1,2,2-Tetrachloroethane	0.030	0.21	U	0.070	0.21	ug/m3
95-49-8	2-Chlorotoluene	0.50	2.59	U	0.57	2.59	ug/m3
108-67-8	1,3,5-Trimethylbenzene	0.50	2.46	U	0.54	2.46	ug/m3
95-63-6	1,2,4-Trimethylbenzene	0.50	2.46	U	0.39	2.46	ug/m3
541-73-1	1,3-Dichlorobenzene	0.50	3.01	U	0.48	3.01	ug/m3
106-46-7	1,4-Dichlorobenzene	0.50	3.01	U	0.30	3.01	ug/m3
95-50-1	1,2-Dichlorobenzene	0.50	3.01	U	0.48	3.01	ug/m3
120-82-1	1,2,4-Trichlorobenzene	0.50	3.71	U	0.67	3.71	ug/m3
87-68-3	Hexachloro-1,3-Butadiene	0.50	5.33	U	0.96	5.33	ug/m3
106-99-0	1,3-Butadiene	0.50	1.11	U	0.29	1.11	ug/m3
91-20-3	Naphthalene	0.10	0.52	U	0.42	0.52	ug/m3
622-96-8	4-Ethyltoluene	0.50	2.46	U	0.59	2.46	ug/m3
110-54-3	Hexane	0.24	0.85	J	0.39	1.76	ug/m3
107-05-1	Allyl Chloride	0.50	1.57	U	0.47	1.57	ug/m3
123-91-1	1,4-Dioxane	0.50	1.80	U	0.76	1.80	ug/m3
80-62-6	Methyl Methacrylate	0.50	2.05	U	0.37	2.05	ug/m3
SURROGATES							
460-00-4	1-Bromo-4-Fluorobenzene	10.1			65 - 135	101%	SPK: 10
INTERNAL STANDARDS							
74-97-5	Bromochloromethane	74500		2.787			
540-36-3	1,4-Difluorobenzene	205000		3.962			
3114-55-4	Chlorobenzene-d5	171000		8.881			

Report of Analysis

Client:	Tetra Tech, EMI	Date Collected:	04/29/25
Project:	R36900	Date Received:	04/30/25
Client Sample ID:	EBR-P06-SC-IA01-20250428	SDG No.:	Q1927
Lab Sample ID:	Q1927-01	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042476.D	1		05/05/25 15:18	VL050525

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	---------------	----------------	-----------	-----	------------	-------

U = Not Detected
 RL = Reporting Limit
 MDL = Method Detection Limit
 E = Value Exceeds Calibration Range
 D = Dilution

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client:	Tetra Tech, EMI	Date Collected:	04/29/25
Project:	R36900	Date Received:	04/30/25
Client Sample ID:	EBR-P03-SC-IA01-20250428	SDG No.:	Q1927
Lab Sample ID:	Q1927-02	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042479.D	1		05/05/25 16:59	VL050525

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	0.54	2.67		1.04	2.47	ug/m3
74-87-3	Chloromethane	0.58	1.20		0.21	1.03	ug/m3
75-01-4	Vinyl Chloride	0.030	0.080	U	0.030	0.080	ug/m3
74-83-9	Bromomethane	0.50	1.94	U	0.54	1.94	ug/m3
75-00-3	Chloroethane	0.50	1.32	U	0.45	1.32	ug/m3
109-99-9	Tetrahydrofuran	0.50	1.47	U	0.38	1.47	ug/m3
75-69-4	Trichlorofluoromethane	0.35	1.97	J	0.90	2.81	ug/m3
76-13-1	1,1,2-Trichlorotrifluoroethane	0.50	3.83	U	1.23	3.83	ug/m3
76-14-2	Dichlorotetrafluoroethane	0.50	3.49	U	0.63	3.49	ug/m3
75-65-0	tert-Butyl alcohol	0.50	1.52	U	0.58	1.52	ug/m3
142-82-5	Heptane	0.50	2.05	U	0.45	2.05	ug/m3
75-35-4	1,1-Dichloroethene	0.50	1.98	U	0.56	1.98	ug/m3
67-64-1	Acetone	6.70	15.9		0.57	1.19	ug/m3
75-15-0	Carbon Disulfide	0.50	1.56	U	0.50	1.56	ug/m3
1634-04-4	Methyl tert-Butyl Ether	0.50	1.80	U	0.43	1.80	ug/m3
75-09-2	Methylene Chloride	0.61	2.12		0.66	1.74	ug/m3
156-60-5	trans-1,2-Dichloroethene	0.50	1.98	U	0.75	1.98	ug/m3
75-34-3	1,1-Dichloroethane	0.50	2.02	U	0.53	2.02	ug/m3
110-82-7	Cyclohexane	0.50	1.72	U	0.76	1.72	ug/m3
78-93-3	2-Butanone	0.59	1.74		0.35	1.47	ug/m3
56-23-5	Carbon Tetrachloride	0.080	0.50		0.060	0.19	ug/m3
156-59-2	cis-1,2-Dichloroethene	0.50	1.98	U	0.36	1.98	ug/m3
67-66-3	Chloroform	0.50	2.44	U	0.39	2.44	ug/m3
71-55-6	1,1,1-Trichloroethane	0.030	0.16	U	0.050	0.16	ug/m3
540-84-1	2,2,4-Trimethylpentane	0.50	2.34	U	0.47	2.34	ug/m3
71-43-2	Benzene	0.11	0.35	J	0.29	1.60	ug/m3
107-06-2	1,2-Dichloroethane	0.50	2.02	U	0.36	2.02	ug/m3
79-01-6	Trichloroethene	0.030	0.16	U	0.11	0.16	ug/m3
78-87-5	1,2-Dichloropropane	0.50	2.31	U	0.51	2.31	ug/m3
75-27-4	Bromodichloromethane	0.50	3.35	U	0.54	3.35	ug/m3
108-10-1	4-Methyl-2-Pentanone	0.50	2.05	U	0.37	2.05	ug/m3
108-88-3	Toluene	0.80	3.01		0.41	1.88	ug/m3
10061-02-6	t-1,3-Dichloropropene	0.50	2.27	U	0.27	2.27	ug/m3
10061-01-5	cis-1,3-Dichloropropene	0.50	2.27	U	0.27	2.27	ug/m3
79-00-5	1,1,2-Trichloroethane	0.50	2.73	U	0.38	2.73	ug/m3

Report of Analysis

Client:	Tetra Tech, EMI	Date Collected:	04/29/25
Project:	R36900	Date Received:	04/30/25
Client Sample ID:	EBR-P03-SC-IA01-20250428	SDG No.:	Q1927
Lab Sample ID:	Q1927-02	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042479.D	1		05/05/25 16:59	VL050525

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
124-48-1	Dibromochloromethane	0.50	4.26	U	0.60	4.26	ug/m3
106-93-4	1,2-Dibromoethane	0.10	0.77	U	0.54	0.77	ug/m3
127-18-4	Tetrachloroethene	0.030	0.20	U	0.14	0.20	ug/m3
108-90-7	Chlorobenzene	0.50	2.30	U	0.37	2.30	ug/m3
100-41-4	Ethyl Benzene	0.50	2.17	U	0.52	2.17	ug/m3
179601-23-1	m/p-Xylene	0.34	1.48	J	0.91	4.34	ug/m3
95-47-6	o-Xylene	0.50	2.17	U	0.52	2.17	ug/m3
100-42-5	Styrene	0.50	2.13	U	0.47	2.13	ug/m3
75-25-2	Bromoform	0.50	5.17	U	0.62	5.17	ug/m3
79-34-5	1,1,2,2-Tetrachloroethane	0.030	0.21	U	0.070	0.21	ug/m3
95-49-8	2-Chlorotoluene	0.50	2.59	U	0.57	2.59	ug/m3
108-67-8	1,3,5-Trimethylbenzene	0.50	2.46	U	0.54	2.46	ug/m3
95-63-6	1,2,4-Trimethylbenzene	0.50	2.46	U	0.39	2.46	ug/m3
541-73-1	1,3-Dichlorobenzene	0.50	3.01	U	0.48	3.01	ug/m3
106-46-7	1,4-Dichlorobenzene	0.50	3.01	U	0.30	3.01	ug/m3
95-50-1	1,2-Dichlorobenzene	0.50	3.01	U	0.48	3.01	ug/m3
120-82-1	1,2,4-Trichlorobenzene	0.50	3.71	U	0.67	3.71	ug/m3
87-68-3	Hexachloro-1,3-Butadiene	0.50	5.33	U	0.96	5.33	ug/m3
106-99-0	1,3-Butadiene	0.50	1.11	U	0.29	1.11	ug/m3
91-20-3	Naphthalene	0.10	0.52	U	0.42	0.52	ug/m3
622-96-8	4-Ethyltoluene	0.50	2.46	U	0.59	2.46	ug/m3
110-54-3	Hexane	0.17	0.60	J	0.39	1.76	ug/m3
107-05-1	Allyl Chloride	0.50	1.57	U	0.47	1.57	ug/m3
123-91-1	1,4-Dioxane	0.50	1.80	U	0.76	1.80	ug/m3
80-62-6	Methyl Methacrylate	0.50	2.05	U	0.37	2.05	ug/m3
SURROGATES							
460-00-4	1-Bromo-4-Fluorobenzene	10.4			65 - 135	104%	SPK: 10
INTERNAL STANDARDS							
74-97-5	Bromochloromethane	69000		2.787			
540-36-3	1,4-Difluorobenzene	193000		3.959			
3114-55-4	Chlorobenzene-d5	162000		8.885			

Report of Analysis

Client:	Tetra Tech, EMI	Date Collected:	04/29/25
Project:	R36900	Date Received:	04/30/25
Client Sample ID:	EBR-P03-SC-IA01-20250428	SDG No.:	Q1927
Lab Sample ID:	Q1927-02	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042479.D	1		05/05/25 16:59	VL050525

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	---------------	----------------	-----------	-----	------------	-------

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client:	Tetra Tech, EMI	Date Collected:	04/29/25
Project:	R36900	Date Received:	04/30/25
Client Sample ID:	EBR-P04-SC-SS01-20250428	SDG No.:	Q1927
Lab Sample ID:	Q1927-03	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042474.D	1		05/05/25 13:11	VL050525

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	0.56	2.77		1.04	2.47	ug/m3
74-87-3	Chloromethane	0.50	1.03	U	0.21	1.03	ug/m3
75-01-4	Vinyl Chloride	0.030	0.080	U	0.030	0.080	ug/m3
74-83-9	Bromomethane	0.50	1.94	U	0.54	1.94	ug/m3
75-00-3	Chloroethane	0.50	1.32	U	0.45	1.32	ug/m3
109-99-9	Tetrahydrofuran	0.50	1.47	U	0.38	1.47	ug/m3
75-69-4	Trichlorofluoromethane	0.28	1.57	J	0.90	2.81	ug/m3
76-13-1	1,1,2-Trichlorotrifluoroethane	0.50	3.83	U	1.23	3.83	ug/m3
76-14-2	Dichlorotetrafluoroethane	0.50	3.49	U	0.63	3.49	ug/m3
75-65-0	tert-Butyl alcohol	4.20	12.7		0.58	1.52	ug/m3
142-82-5	Heptane	0.50	2.05	U	0.45	2.05	ug/m3
75-35-4	1,1-Dichloroethene	0.50	1.98	U	0.56	1.98	ug/m3
67-64-1	Acetone	8.50	20.2		0.57	1.19	ug/m3
75-15-0	Carbon Disulfide	0.67	2.09		0.50	1.56	ug/m3
1634-04-4	Methyl tert-Butyl Ether	0.50	1.80	U	0.43	1.80	ug/m3
75-09-2	Methylene Chloride	0.60	2.08		0.66	1.74	ug/m3
156-60-5	trans-1,2-Dichloroethene	0.50	1.98	U	0.75	1.98	ug/m3
75-34-3	1,1-Dichloroethane	0.50	2.02	U	0.53	2.02	ug/m3
110-82-7	Cyclohexane	0.50	1.72	U	0.76	1.72	ug/m3
78-93-3	2-Butanone	0.51	1.50		0.35	1.47	ug/m3
56-23-5	Carbon Tetrachloride	0.080	0.50		0.060	0.19	ug/m3
156-59-2	cis-1,2-Dichloroethene	0.50	1.98	U	0.36	1.98	ug/m3
67-66-3	Chloroform	0.50	2.44	U	0.39	2.44	ug/m3
71-55-6	1,1,1-Trichloroethane	0.030	0.16	U	0.050	0.16	ug/m3
540-84-1	2,2,4-Trimethylpentane	0.50	2.34	U	0.47	2.34	ug/m3
71-43-2	Benzene	0.13	0.42	J	0.29	1.60	ug/m3
107-06-2	1,2-Dichloroethane	0.50	2.02	U	0.36	2.02	ug/m3
79-01-6	Trichloroethene	0.030	0.16	U	0.11	0.16	ug/m3
78-87-5	1,2-Dichloropropane	0.50	2.31	U	0.51	2.31	ug/m3
75-27-4	Bromodichloromethane	0.50	3.35	U	0.54	3.35	ug/m3
108-10-1	4-Methyl-2-Pentanone	0.50	2.05	U	0.37	2.05	ug/m3
108-88-3	Toluene	0.16	0.60	J	0.41	1.88	ug/m3
10061-02-6	t-1,3-Dichloropropene	0.50	2.27	U	0.27	2.27	ug/m3
10061-01-5	cis-1,3-Dichloropropene	0.50	2.27	U	0.27	2.27	ug/m3
79-00-5	1,1,2-Trichloroethane	0.50	2.73	U	0.38	2.73	ug/m3

Report of Analysis

Client:	Tetra Tech, EMI	Date Collected:	04/29/25
Project:	R36900	Date Received:	04/30/25
Client Sample ID:	EBR-P04-SC-SS01-20250428	SDG No.:	Q1927
Lab Sample ID:	Q1927-03	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042474.D	1		05/05/25 13:11	VL050525

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
124-48-1	Dibromochloromethane	0.50	4.26	U	0.60	4.26	ug/m3
106-93-4	1,2-Dibromoethane	0.10	0.77	U	0.54	0.77	ug/m3
127-18-4	Tetrachloroethene	0.030	0.20	U	0.14	0.20	ug/m3
108-90-7	Chlorobenzene	0.50	2.30	U	0.37	2.30	ug/m3
100-41-4	Ethyl Benzene	0.50	2.17	U	0.52	2.17	ug/m3
179601-23-1	m/p-Xylene	1.00	4.34	U	0.91	4.34	ug/m3
95-47-6	o-Xylene	0.50	2.17	U	0.52	2.17	ug/m3
100-42-5	Styrene	0.50	2.13	U	0.47	2.13	ug/m3
75-25-2	Bromoform	0.50	5.17	U	0.62	5.17	ug/m3
79-34-5	1,1,2,2-Tetrachloroethane	0.030	0.21	U	0.070	0.21	ug/m3
95-49-8	2-Chlorotoluene	0.50	2.59	U	0.57	2.59	ug/m3
108-67-8	1,3,5-Trimethylbenzene	0.50	2.46	U	0.54	2.46	ug/m3
95-63-6	1,2,4-Trimethylbenzene	0.50	2.46	U	0.39	2.46	ug/m3
541-73-1	1,3-Dichlorobenzene	0.50	3.01	U	0.48	3.01	ug/m3
106-46-7	1,4-Dichlorobenzene	0.50	3.01	U	0.30	3.01	ug/m3
95-50-1	1,2-Dichlorobenzene	0.50	3.01	U	0.48	3.01	ug/m3
120-82-1	1,2,4-Trichlorobenzene	0.50	3.71	U	0.67	3.71	ug/m3
87-68-3	Hexachloro-1,3-Butadiene	0.50	5.33	U	0.96	5.33	ug/m3
106-99-0	1,3-Butadiene	0.50	1.11	U	0.29	1.11	ug/m3
91-20-3	Naphthalene	0.10	0.52	U	0.42	0.52	ug/m3
622-96-8	4-Ethyltoluene	0.50	2.46	U	0.59	2.46	ug/m3
110-54-3	Hexane	0.18	0.63	J	0.39	1.76	ug/m3
107-05-1	Allyl Chloride	0.50	1.57	U	0.47	1.57	ug/m3
123-91-1	1,4-Dioxane	0.50	1.80	U	0.76	1.80	ug/m3
80-62-6	Methyl Methacrylate	0.50	2.05	U	0.37	2.05	ug/m3
SURROGATES							
460-00-4	1-Bromo-4-Fluorobenzene	9.70			65 - 135	97%	SPK: 10
INTERNAL STANDARDS							
74-97-5	Bromochloromethane	71900		2.79			
540-36-3	1,4-Difluorobenzene	203000		3.962			
3114-55-4	Chlorobenzene-d5	176000		8.885			

Report of Analysis

Client:	Tetra Tech, EMI	Date Collected:	04/29/25
Project:	R36900	Date Received:	04/30/25
Client Sample ID:	EBR-P04-SC-SS01-20250428	SDG No.:	Q1927
Lab Sample ID:	Q1927-03	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042474.D	1		05/05/25 13:11	VL050525

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	---------------	----------------	-----------	-----	------------	-------

U = Not Detected
 RL = Reporting Limit
 MDL = Method Detection Limit
 E = Value Exceeds Calibration Range
 D = Dilution

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client:	Tetra Tech, EMI	Date Collected:	04/29/25
Project:	R36900	Date Received:	04/30/25
Client Sample ID:	EBR-P03-SC-SS01-20250428	SDG No.:	Q1927
Lab Sample ID:	Q1927-04	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042475.D	1		05/05/25 14:44	VL050525

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	0.56	2.77		1.04	2.47	ug/m3
74-87-3	Chloromethane	0.67	1.38		0.21	1.03	ug/m3
75-01-4	Vinyl Chloride	0.030	0.080	U	0.030	0.080	ug/m3
74-83-9	Bromomethane	0.50	1.94	U	0.54	1.94	ug/m3
75-00-3	Chloroethane	0.50	1.32	U	0.45	1.32	ug/m3
109-99-9	Tetrahydrofuran	0.50	1.47	U	0.38	1.47	ug/m3
75-69-4	Trichlorofluoromethane	0.50	2.81	U	0.90	2.81	ug/m3
76-13-1	1,1,2-Trichlorotrifluoroethane	0.50	3.83	U	1.23	3.83	ug/m3
76-14-2	Dichlorotetrafluoroethane	0.50	3.49	U	0.63	3.49	ug/m3
75-65-0	tert-Butyl alcohol	5.10	15.5		0.58	1.52	ug/m3
142-82-5	Heptane	5.20	21.3		0.45	2.05	ug/m3
75-35-4	1,1-Dichloroethene	0.50	1.98	U	0.56	1.98	ug/m3
67-64-1	Acetone	40.6	96.4	E	0.57	1.19	ug/m3
75-15-0	Carbon Disulfide	1.40	4.36		0.50	1.56	ug/m3
1634-04-4	Methyl tert-Butyl Ether	0.50	1.80	U	0.43	1.80	ug/m3
75-09-2	Methylene Chloride	1.10	3.82		0.66	1.74	ug/m3
156-60-5	trans-1,2-Dichloroethene	0.50	1.98	U	0.75	1.98	ug/m3
75-34-3	1,1-Dichloroethane	0.50	2.02	U	0.53	2.02	ug/m3
110-82-7	Cyclohexane	0.50	1.72	U	0.76	1.72	ug/m3
78-93-3	2-Butanone	2.10	6.19		0.35	1.47	ug/m3
56-23-5	Carbon Tetrachloride	0.060	0.38		0.060	0.19	ug/m3
156-59-2	cis-1,2-Dichloroethene	0.50	1.98	U	0.36	1.98	ug/m3
67-66-3	Chloroform	0.20	0.98	J	0.39	2.44	ug/m3
71-55-6	1,1,1-Trichloroethane	0.030	0.16	U	0.050	0.16	ug/m3
540-84-1	2,2,4-Trimethylpentane	0.50	2.34	U	0.47	2.34	ug/m3
71-43-2	Benzene	0.56	1.79		0.29	1.60	ug/m3
107-06-2	1,2-Dichloroethane	0.50	2.02	U	0.36	2.02	ug/m3
79-01-6	Trichloroethene	0.030	0.16	U	0.11	0.16	ug/m3
78-87-5	1,2-Dichloropropane	0.50	2.31	U	0.51	2.31	ug/m3
75-27-4	Bromodichloromethane	0.50	3.35	U	0.54	3.35	ug/m3
108-10-1	4-Methyl-2-Pentanone	0.50	2.05	U	0.37	2.05	ug/m3
108-88-3	Toluene	0.73	2.75		0.41	1.88	ug/m3
10061-02-6	t-1,3-Dichloropropene	0.50	2.27	U	0.27	2.27	ug/m3
10061-01-5	cis-1,3-Dichloropropene	0.50	2.27	U	0.27	2.27	ug/m3
79-00-5	1,1,2-Trichloroethane	0.50	2.73	U	0.38	2.73	ug/m3

Report of Analysis

Client:	Tetra Tech, EMI	Date Collected:	04/29/25
Project:	R36900	Date Received:	04/30/25
Client Sample ID:	EBR-P03-SC-SS01-20250428	SDG No.:	Q1927
Lab Sample ID:	Q1927-04	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042475.D	1		05/05/25 14:44	VL050525

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
124-48-1	Dibromochloromethane	0.50	4.26	U	0.60	4.26	ug/m3
106-93-4	1,2-Dibromoethane	0.10	0.77	U	0.54	0.77	ug/m3
127-18-4	Tetrachloroethene	0.030	0.20	U	0.14	0.20	ug/m3
108-90-7	Chlorobenzene	0.50	2.30	U	0.37	2.30	ug/m3
100-41-4	Ethyl Benzene	0.39	1.69	J	0.52	2.17	ug/m3
179601-23-1	m/p-Xylene	1.50	6.52		0.91	4.34	ug/m3
95-47-6	o-Xylene	0.69	3.00		0.52	2.17	ug/m3
100-42-5	Styrene	0.50	2.13	U	0.47	2.13	ug/m3
75-25-2	Bromoform	0.50	5.17	U	0.62	5.17	ug/m3
79-34-5	1,1,2,2-Tetrachloroethane	0.030	0.21	U	0.070	0.21	ug/m3
95-49-8	2-Chlorotoluene	0.50	2.59	U	0.57	2.59	ug/m3
108-67-8	1,3,5-Trimethylbenzene	0.50	2.46	U	0.54	2.46	ug/m3
95-63-6	1,2,4-Trimethylbenzene	0.50	2.46	U	0.39	2.46	ug/m3
541-73-1	1,3-Dichlorobenzene	0.50	3.01	U	0.48	3.01	ug/m3
106-46-7	1,4-Dichlorobenzene	0.50	3.01	U	0.30	3.01	ug/m3
95-50-1	1,2-Dichlorobenzene	0.50	3.01	U	0.48	3.01	ug/m3
120-82-1	1,2,4-Trichlorobenzene	0.50	3.71	U	0.67	3.71	ug/m3
87-68-3	Hexachloro-1,3-Butadiene	0.50	5.33	U	0.96	5.33	ug/m3
106-99-0	1,3-Butadiene	0.50	1.11	U	0.29	1.11	ug/m3
91-20-3	Naphthalene	0.10	0.52	U	0.42	0.52	ug/m3
622-96-8	4-Ethyltoluene	0.50	2.46	U	0.59	2.46	ug/m3
110-54-3	Hexane	16.0	56.4	E	0.39	1.76	ug/m3
107-05-1	Allyl Chloride	0.50	1.57	U	0.47	1.57	ug/m3
123-91-1	1,4-Dioxane	0.50	1.80	U	0.76	1.80	ug/m3
80-62-6	Methyl Methacrylate	0.50	2.05	U	0.37	2.05	ug/m3
SURROGATES							
460-00-4	1-Bromo-4-Fluorobenzene	10.1			65 - 135	101%	SPK: 10
INTERNAL STANDARDS							
74-97-5	Bromochloromethane	76900		2.794			
540-36-3	1,4-Difluorobenzene	214000		3.968			
3114-55-4	Chlorobenzene-d5	190000		8.891			

Report of Analysis

Client:	Tetra Tech, EMI	Date Collected:	04/29/25
Project:	R36900	Date Received:	04/30/25
Client Sample ID:	EBR-P03-SC-SS01-20250428	SDG No.:	Q1927
Lab Sample ID:	Q1927-04	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042475.D	1		05/05/25 14:44	VL050525

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	---------------	----------------	-----------	-----	------------	-------

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client:	Tetra Tech, EMI	Date Collected:	04/29/25
Project:	R36900	Date Received:	04/30/25
Client Sample ID:	EBR-P03-SC-SS01-20250428DL	SDG No.:	Q1927
Lab Sample ID:	Q1927-04DL	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042473.D	10		05/05/25 11:22	VL050525

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	5.00	24.7	UD	10.4	24.7	ug/m3
74-87-3	Chloromethane	5.00	10.3	UD	2.02	10.3	ug/m3
75-01-4	Vinyl Chloride	0.30	0.77	UD	0.36	0.77	ug/m3
74-83-9	Bromomethane	5.00	19.4	UD	5.44	19.4	ug/m3
75-00-3	Chloroethane	5.00	13.2	UD	4.49	13.2	ug/m3
109-99-9	Tetrahydrofuran	5.00	14.8	UD	3.83	14.8	ug/m3
75-69-4	Trichlorofluoromethane	5.00	28.1	UD	8.99	28.1	ug/m3
76-13-1	1,1,2-Trichlorotrifluoroethane	5.00	38.3	UD	12.3	38.3	ug/m3
76-14-2	Dichlorotetrafluoroethane	5.00	35.0	UD	6.15	35.0	ug/m3
75-65-0	tert-Butyl alcohol	5.00	15.2	UD	5.76	15.2	ug/m3
142-82-5	Heptane	4.60	18.9	JD	4.51	20.5	ug/m3
75-35-4	1,1-Dichloroethene	5.00	19.8	UD	5.55	19.8	ug/m3
67-64-1	Acetone	42.3	100	D	5.70	11.9	ug/m3
75-15-0	Carbon Disulfide	5.00	15.6	UD	4.98	15.6	ug/m3
1634-04-4	Methyl tert-Butyl Ether	5.00	18.0	UD	4.33	18.0	ug/m3
75-09-2	Methylene Chloride	5.00	17.4	UD	6.60	17.4	ug/m3
156-60-5	trans-1,2-Dichloroethene	5.00	19.8	UD	7.53	19.8	ug/m3
75-34-3	1,1-Dichloroethane	5.00	20.2	UD	5.26	20.2	ug/m3
110-82-7	Cyclohexane	5.00	17.2	UD	7.57	17.2	ug/m3
78-93-3	2-Butanone	5.00	14.8	UD	3.54	14.8	ug/m3
56-23-5	Carbon Tetrachloride	0.30	1.89	UD	0.69	1.89	ug/m3
156-59-2	cis-1,2-Dichloroethene	5.00	19.8	UD	3.53	19.8	ug/m3
67-66-3	Chloroform	5.00	24.4	UD	4.05	24.4	ug/m3
71-55-6	1,1,1-Trichloroethane	0.30	1.64	UD	0.55	1.64	ug/m3
540-84-1	2,2,4-Trimethylpentane	5.00	23.4	UD	4.67	23.4	ug/m3
71-43-2	Benzene	5.00	16.0	UD	2.78	16.0	ug/m3
107-06-2	1,2-Dichloroethane	5.00	20.2	UD	3.68	20.2	ug/m3
79-01-6	Trichloroethene	0.30	1.61	UD	0.91	1.61	ug/m3
78-87-5	1,2-Dichloropropane	5.00	23.1	UD	5.08	23.1	ug/m3
75-27-4	Bromodichloromethane	5.00	33.5	UD	5.16	33.5	ug/m3
108-10-1	4-Methyl-2-Pentanone	5.00	20.5	UD	3.81	20.5	ug/m3
108-88-3	Toluene	5.00	18.8	UD	4.15	18.8	ug/m3
10061-02-6	t-1,3-Dichloropropene	5.00	22.7	UD	2.72	22.7	ug/m3
10061-01-5	cis-1,3-Dichloropropene	5.00	22.7	UD	2.91	22.7	ug/m3
79-00-5	1,1,2-Trichloroethane	5.00	27.3	UD	3.87	27.3	ug/m3

Report of Analysis

Client:	Tetra Tech, EMI	Date Collected:	04/29/25
Project:	R36900	Date Received:	04/30/25
Client Sample ID:	EBR-P03-SC-SS01-20250428DL	SDG No.:	Q1927
Lab Sample ID:	Q1927-04DL	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042473.D	10		05/05/25 11:22	VL050525

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
124-48-1	Dibromochloromethane	5.00	42.6	UD	5.62	42.6	ug/m3
106-93-4	1,2-Dibromoethane	1.00	7.69	UD	5.53	7.69	ug/m3
127-18-4	Tetrachloroethene	0.30	2.03	UD	1.02	2.03	ug/m3
108-90-7	Chlorobenzene	5.00	23.0	UD	3.50	23.0	ug/m3
100-41-4	Ethyl Benzene	5.00	21.7	UD	5.21	21.7	ug/m3
179601-23-1	m/p-Xylene	10.0	43.4	UD	9.12	43.4	ug/m3
95-47-6	o-Xylene	5.00	21.7	UD	5.21	21.7	ug/m3
100-42-5	Styrene	5.00	21.3	UD	4.68	21.3	ug/m3
75-25-2	Bromoform	5.00	51.7	UD	5.89	51.7	ug/m3
79-34-5	1,1,2,2-Tetrachloroethane	0.30	2.06	UD	0.76	2.06	ug/m3
95-49-8	2-Chlorotoluene	5.00	25.9	UD	5.70	25.9	ug/m3
108-67-8	1,3,5-Trimethylbenzene	5.00	24.6	UD	5.41	24.6	ug/m3
95-63-6	1,2,4-Trimethylbenzene	5.00	24.6	UD	3.83	24.6	ug/m3
541-73-1	1,3-Dichlorobenzene	5.00	30.1	UD	4.81	30.1	ug/m3
106-46-7	1,4-Dichlorobenzene	5.00	30.1	UD	3.19	30.1	ug/m3
95-50-1	1,2-Dichlorobenzene	5.00	30.1	UD	4.51	30.1	ug/m3
120-82-1	1,2,4-Trichlorobenzene	5.00	37.1	UD	6.31	37.1	ug/m3
87-68-3	Hexachloro-1,3-Butadiene	5.00	53.3	UD	9.07	53.3	ug/m3
106-99-0	1,3-Butadiene	5.00	11.1	UD	2.88	11.1	ug/m3
91-20-3	Naphthalene	1.00	5.24	UD	3.93	5.24	ug/m3
622-96-8	4-Ethyltoluene	5.00	24.6	UD	5.90	24.6	ug/m3
110-54-3	Hexane	13.6	47.9	D	3.88	17.6	ug/m3
107-05-1	Allyl Chloride	5.00	15.7	UD	4.70	15.7	ug/m3
123-91-1	1,4-Dioxane	5.00	18.0	UD	7.57	18.0	ug/m3
80-62-6	Methyl Methacrylate	5.00	20.5	UD	3.52	20.5	ug/m3
SURROGATES							
460-00-4	1-Bromo-4-Fluorobenzene	9.80			65 - 135	98%	SPK: 10
INTERNAL STANDARDS							
74-97-5	Bromochloromethane	80300		2.79			
540-36-3	1,4-Difluorobenzene	225000		3.965			
3114-55-4	Chlorobenzene-d5	186000		8.885			

Report of Analysis

Client:	Tetra Tech, EMI	Date Collected:	04/29/25
Project:	R36900	Date Received:	04/30/25
Client Sample ID:	EBR-P03-SC-SS01-20250428DL	SDG No.:	Q1927
Lab Sample ID:	Q1927-04DL	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042473.D	10		05/05/25 11:22	VL050525

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	---------------	----------------	-----------	-----	------------	-------

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client:	Tetra Tech, EMI	Date Collected:	04/29/25
Project:	R36900	Date Received:	04/30/25
Client Sample ID:	EBR-P07-SC-IA01-20250428	SDG No.:	Q1927
Lab Sample ID:	Q1927-05	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042481.D	1		05/05/25 18:06	VL050525

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	0.85	4.20		1.04	2.47	ug/m3
74-87-3	Chloromethane	0.63	1.30		0.21	1.03	ug/m3
75-01-4	Vinyl Chloride	0.030	0.080	U	0.030	0.080	ug/m3
74-83-9	Bromomethane	0.50	1.94	U	0.54	1.94	ug/m3
75-00-3	Chloroethane	0.50	1.32	U	0.45	1.32	ug/m3
109-99-9	Tetrahydrofuran	0.23	0.68	J	0.38	1.47	ug/m3
75-69-4	Trichlorofluoromethane	1.00	5.62		0.90	2.81	ug/m3
76-13-1	1,1,2-Trichlorotrifluoroethane	0.50	3.83	U	1.23	3.83	ug/m3
76-14-2	Dichlorotetrafluoroethane	0.50	3.49	U	0.63	3.49	ug/m3
75-65-0	tert-Butyl alcohol	0.50	1.52	U	0.58	1.52	ug/m3
142-82-5	Heptane	0.50	2.05	U	0.45	2.05	ug/m3
75-35-4	1,1-Dichloroethene	0.50	1.98	U	0.56	1.98	ug/m3
67-64-1	Acetone	4.30	10.2		0.57	1.19	ug/m3
75-15-0	Carbon Disulfide	0.50	1.56	U	0.50	1.56	ug/m3
1634-04-4	Methyl tert-Butyl Ether	0.50	1.80	U	0.43	1.80	ug/m3
75-09-2	Methylene Chloride	1.60	5.56		0.66	1.74	ug/m3
156-60-5	trans-1,2-Dichloroethene	0.50	1.98	U	0.75	1.98	ug/m3
75-34-3	1,1-Dichloroethane	0.50	2.02	U	0.53	2.02	ug/m3
110-82-7	Cyclohexane	0.50	1.72	U	0.76	1.72	ug/m3
78-93-3	2-Butanone	0.35	1.03	J	0.35	1.47	ug/m3
56-23-5	Carbon Tetrachloride	0.070	0.44		0.060	0.19	ug/m3
156-59-2	cis-1,2-Dichloroethene	0.50	1.98	U	0.36	1.98	ug/m3
67-66-3	Chloroform	0.50	2.44	U	0.39	2.44	ug/m3
71-55-6	1,1,1-Trichloroethane	0.030	0.16	U	0.050	0.16	ug/m3
540-84-1	2,2,4-Trimethylpentane	0.50	2.34	U	0.47	2.34	ug/m3
71-43-2	Benzene	0.10	0.32	J	0.29	1.60	ug/m3
107-06-2	1,2-Dichloroethane	0.50	2.02	U	0.36	2.02	ug/m3
79-01-6	Trichloroethene	0.030	0.16	U	0.11	0.16	ug/m3
78-87-5	1,2-Dichloropropane	0.50	2.31	U	0.51	2.31	ug/m3
75-27-4	Bromodichloromethane	0.50	3.35	U	0.54	3.35	ug/m3
108-10-1	4-Methyl-2-Pentanone	0.50	2.05	U	0.37	2.05	ug/m3
108-88-3	Toluene	0.16	0.60	J	0.41	1.88	ug/m3
10061-02-6	t-1,3-Dichloropropene	0.50	2.27	U	0.27	2.27	ug/m3
10061-01-5	cis-1,3-Dichloropropene	0.50	2.27	U	0.27	2.27	ug/m3
79-00-5	1,1,2-Trichloroethane	0.50	2.73	U	0.38	2.73	ug/m3

Report of Analysis

Client:	Tetra Tech, EMI	Date Collected:	04/29/25
Project:	R36900	Date Received:	04/30/25
Client Sample ID:	EBR-P07-SC-IA01-20250428	SDG No.:	Q1927
Lab Sample ID:	Q1927-05	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042481.D	1		05/05/25 18:06	VL050525

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
124-48-1	Dibromochloromethane	0.50	4.26	U	0.60	4.26	ug/m3
106-93-4	1,2-Dibromoethane	0.10	0.77	U	0.54	0.77	ug/m3
127-18-4	Tetrachloroethene	0.030	0.20	U	0.14	0.20	ug/m3
108-90-7	Chlorobenzene	0.50	2.30	U	0.37	2.30	ug/m3
100-41-4	Ethyl Benzene	0.50	2.17	U	0.52	2.17	ug/m3
179601-23-1	m/p-Xylene	1.00	4.34	U	0.91	4.34	ug/m3
95-47-6	o-Xylene	0.50	2.17	U	0.52	2.17	ug/m3
100-42-5	Styrene	0.50	2.13	U	0.47	2.13	ug/m3
75-25-2	Bromoform	0.50	5.17	U	0.62	5.17	ug/m3
79-34-5	1,1,2,2-Tetrachloroethane	0.030	0.21	U	0.070	0.21	ug/m3
95-49-8	2-Chlorotoluene	0.50	2.59	U	0.57	2.59	ug/m3
108-67-8	1,3,5-Trimethylbenzene	0.50	2.46	U	0.54	2.46	ug/m3
95-63-6	1,2,4-Trimethylbenzene	0.50	2.46	U	0.39	2.46	ug/m3
541-73-1	1,3-Dichlorobenzene	0.50	3.01	U	0.48	3.01	ug/m3
106-46-7	1,4-Dichlorobenzene	0.50	3.01	U	0.30	3.01	ug/m3
95-50-1	1,2-Dichlorobenzene	0.50	3.01	U	0.48	3.01	ug/m3
120-82-1	1,2,4-Trichlorobenzene	0.50	3.71	U	0.67	3.71	ug/m3
87-68-3	Hexachloro-1,3-Butadiene	0.50	5.33	U	0.96	5.33	ug/m3
106-99-0	1,3-Butadiene	0.50	1.11	U	0.29	1.11	ug/m3
91-20-3	Naphthalene	0.10	0.52	U	0.42	0.52	ug/m3
622-96-8	4-Ethyltoluene	0.50	2.46	U	0.59	2.46	ug/m3
110-54-3	Hexane	0.25	0.88	J	0.39	1.76	ug/m3
107-05-1	Allyl Chloride	0.50	1.57	U	0.47	1.57	ug/m3
123-91-1	1,4-Dioxane	0.50	1.80	U	0.76	1.80	ug/m3
80-62-6	Methyl Methacrylate	0.50	2.05	U	0.37	2.05	ug/m3
SURROGATES							
460-00-4	1-Bromo-4-Fluorobenzene	9.90			65 - 135	99%	SPK: 10
INTERNAL STANDARDS							
74-97-5	Bromochloromethane	68200		2.79			
540-36-3	1,4-Difluorobenzene	187000		3.962			
3114-55-4	Chlorobenzene-d5	160000		8.888			

Report of Analysis

Client:	Tetra Tech, EMI	Date Collected:	04/29/25
Project:	R36900	Date Received:	04/30/25
Client Sample ID:	EBR-P07-SC-IA01-20250428	SDG No.:	Q1927
Lab Sample ID:	Q1927-05	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042481.D	1		05/05/25 18:06	VL050525

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	---------------	----------------	-----------	-----	------------	-------

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client:	Tetra Tech, EMI	Date Collected:	04/29/25
Project:	R36900	Date Received:	04/30/25
Client Sample ID:	EBR-P04-SC-IA01-20250428	SDG No.:	Q1927
Lab Sample ID:	Q1927-06	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042483.D	1		05/05/25 19:15	VL050525

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	0.56	2.77		1.04	2.47	ug/m3
74-87-3	Chloromethane	0.58	1.20		0.21	1.03	ug/m3
75-01-4	Vinyl Chloride	0.030	0.080	U	0.030	0.080	ug/m3
74-83-9	Bromomethane	0.50	1.94	U	0.54	1.94	ug/m3
75-00-3	Chloroethane	0.50	1.32	U	0.45	1.32	ug/m3
109-99-9	Tetrahydrofuran	0.50	1.47	U	0.38	1.47	ug/m3
75-69-4	Trichlorofluoromethane	0.25	1.40	J	0.90	2.81	ug/m3
76-13-1	1,1,2-Trichlorotrifluoroethane	0.50	3.83	U	1.23	3.83	ug/m3
76-14-2	Dichlorotetrafluoroethane	0.50	3.49	U	0.63	3.49	ug/m3
75-65-0	tert-Butyl alcohol	0.50	1.52	U	0.58	1.52	ug/m3
142-82-5	Heptane	0.50	2.05	U	0.45	2.05	ug/m3
75-35-4	1,1-Dichloroethene	0.50	1.98	U	0.56	1.98	ug/m3
67-64-1	Acetone	3.40	8.08		0.57	1.19	ug/m3
75-15-0	Carbon Disulfide	0.50	1.56	U	0.50	1.56	ug/m3
1634-04-4	Methyl tert-Butyl Ether	0.50	1.80	U	0.43	1.80	ug/m3
75-09-2	Methylene Chloride	0.42	1.46	J	0.66	1.74	ug/m3
156-60-5	trans-1,2-Dichloroethene	0.50	1.98	U	0.75	1.98	ug/m3
75-34-3	1,1-Dichloroethane	0.50	2.02	U	0.53	2.02	ug/m3
110-82-7	Cyclohexane	0.50	1.72	U	0.76	1.72	ug/m3
78-93-3	2-Butanone	0.27	0.80	J	0.35	1.47	ug/m3
56-23-5	Carbon Tetrachloride	0.090	0.57		0.060	0.19	ug/m3
156-59-2	cis-1,2-Dichloroethene	0.50	1.98	U	0.36	1.98	ug/m3
67-66-3	Chloroform	0.50	2.44	U	0.39	2.44	ug/m3
71-55-6	1,1,1-Trichloroethane	0.030	0.16	U	0.050	0.16	ug/m3
540-84-1	2,2,4-Trimethylpentane	0.50	2.34	U	0.47	2.34	ug/m3
71-43-2	Benzene	0.11	0.35	J	0.29	1.60	ug/m3
107-06-2	1,2-Dichloroethane	0.50	2.02	U	0.36	2.02	ug/m3
79-01-6	Trichloroethene	0.030	0.16	U	0.11	0.16	ug/m3
78-87-5	1,2-Dichloropropane	0.50	2.31	U	0.51	2.31	ug/m3
75-27-4	Bromodichloromethane	0.50	3.35	U	0.54	3.35	ug/m3
108-10-1	4-Methyl-2-Pentanone	0.50	2.05	U	0.37	2.05	ug/m3
108-88-3	Toluene	0.17	0.64	J	0.41	1.88	ug/m3
10061-02-6	t-1,3-Dichloropropene	0.50	2.27	U	0.27	2.27	ug/m3
10061-01-5	cis-1,3-Dichloropropene	0.50	2.27	U	0.27	2.27	ug/m3
79-00-5	1,1,2-Trichloroethane	0.50	2.73	U	0.38	2.73	ug/m3

Report of Analysis

Client:	Tetra Tech, EMI	Date Collected:	04/29/25
Project:	R36900	Date Received:	04/30/25
Client Sample ID:	EBR-P04-SC-IA01-20250428	SDG No.:	Q1927
Lab Sample ID:	Q1927-06	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042483.D	1		05/05/25 19:15	VL050525

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
124-48-1	Dibromochloromethane	0.50	4.26	U	0.60	4.26	ug/m3
106-93-4	1,2-Dibromoethane	0.10	0.77	U	0.54	0.77	ug/m3
127-18-4	Tetrachloroethene	0.030	0.20	U	0.14	0.20	ug/m3
108-90-7	Chlorobenzene	0.50	2.30	U	0.37	2.30	ug/m3
100-41-4	Ethyl Benzene	0.50	2.17	U	0.52	2.17	ug/m3
179601-23-1	m/p-Xylene	1.00	4.34	U	0.91	4.34	ug/m3
95-47-6	o-Xylene	0.50	2.17	U	0.52	2.17	ug/m3
100-42-5	Styrene	0.50	2.13	U	0.47	2.13	ug/m3
75-25-2	Bromoform	0.50	5.17	U	0.62	5.17	ug/m3
79-34-5	1,1,2,2-Tetrachloroethane	0.030	0.21	U	0.070	0.21	ug/m3
95-49-8	2-Chlorotoluene	0.50	2.59	U	0.57	2.59	ug/m3
108-67-8	1,3,5-Trimethylbenzene	0.50	2.46	U	0.54	2.46	ug/m3
95-63-6	1,2,4-Trimethylbenzene	0.50	2.46	U	0.39	2.46	ug/m3
541-73-1	1,3-Dichlorobenzene	0.50	3.01	U	0.48	3.01	ug/m3
106-46-7	1,4-Dichlorobenzene	0.50	3.01	U	0.30	3.01	ug/m3
95-50-1	1,2-Dichlorobenzene	0.50	3.01	U	0.48	3.01	ug/m3
120-82-1	1,2,4-Trichlorobenzene	0.50	3.71	U	0.67	3.71	ug/m3
87-68-3	Hexachloro-1,3-Butadiene	0.50	5.33	U	0.96	5.33	ug/m3
106-99-0	1,3-Butadiene	0.50	1.11	U	0.29	1.11	ug/m3
91-20-3	Naphthalene	0.10	0.52	U	0.42	0.52	ug/m3
622-96-8	4-Ethyltoluene	0.50	2.46	U	0.59	2.46	ug/m3
110-54-3	Hexane	0.50	1.76	U	0.39	1.76	ug/m3
107-05-1	Allyl Chloride	0.50	1.57	U	0.47	1.57	ug/m3
123-91-1	1,4-Dioxane	0.50	1.80	U	0.76	1.80	ug/m3
80-62-6	Methyl Methacrylate	0.50	2.05	U	0.37	2.05	ug/m3
SURROGATES							
460-00-4	1-Bromo-4-Fluorobenzene	10.1			65 - 135	101%	SPK: 10
INTERNAL STANDARDS							
74-97-5	Bromochloromethane	69800		2.787			
540-36-3	1,4-Difluorobenzene	187000		3.959			
3114-55-4	Chlorobenzene-d5	154000		8.882			

Report of Analysis

Client:	Tetra Tech, EMI	Date Collected:	04/29/25
Project:	R36900	Date Received:	04/30/25
Client Sample ID:	EBR-P04-SC-IA01-20250428	SDG No.:	Q1927
Lab Sample ID:	Q1927-06	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042483.D	1		05/05/25 19:15	VL050525

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	---------------	----------------	-----------	-----	------------	-------

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements



QC SUMMARY

A

B

C

D

E

F

G

H

I

Surrogate Summary

SDG No.: Q1927

Client: Tetra Tech, EMI

Analytical Method: SWTO-15

Lab Sample ID	Client ID	Parameter	Spike	Result	RecoveryQual	Limits	
						Low	High
Q1927-01	EBR-P06-SC-IA01-20250428	1-Bromo-4-Fluorobenzene	10	10.1	101	65	135
Q1927-01DUP	EBR-P06-SC-IA01-20250428DUP	1-Bromo-4-Fluorobenzene	10	9.90	99	65	135
Q1927-02	EBR-P03-SC-IA01-20250428	1-Bromo-4-Fluorobenzene	10	10.4	104	65	135
Q1927-03	EBR-P04-SC-SS01-20250428	1-Bromo-4-Fluorobenzene	10	9.71	97	65	135
Q1927-04	EBR-P03-SC-SS01-20250428	1-Bromo-4-Fluorobenzene	10	10.1	101	65	135
Q1927-04DL	EBR-P03-SC-SS01-20250428DL	1-Bromo-4-Fluorobenzene	10	9.81	98	65	135
Q1927-05	EBR-P07-SC-IA01-20250428	1-Bromo-4-Fluorobenzene	10	9.90	99	65	135
Q1927-06	EBR-P04-SC-IA01-20250428	1-Bromo-4-Fluorobenzene	10	10.1	101	65	135
VL0505ABL01	VL0505ABL01	1-Bromo-4-Fluorobenzene	10	9.77	98	65	135
VL0505ABS01	VL0505ABS01	1-Bromo-4-Fluorobenzene	10	10.3	103	65	135

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: Q1927

Client: Tetra Tech, EMI

Analytical Method: SWTO-15

Datafile : VL042471.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits	RPD
									High	
VL0505ABS01	Dichlorodifluoromethane	10	10.3	ppbv	103			70	130	
	Chloromethane	10	9.60	ppbv	96			70	130	
	Vinyl Chloride	10	9.50	ppbv	95			70	130	
	Bromomethane	10	10.0	ppbv	100			70	130	
	Chloroethane	10	10.1	ppbv	101			70	130	
	Tetrahydrofuran	10	9.40	ppbv	94			70	130	
	Trichlorofluoromethane	10	10.4	ppbv	104			70	130	
	1,1,2-Trichlorotrifluoroethane	10	10.2	ppbv	102			70	130	
	Dichlorotetrafluoroethane	10	10.3	ppbv	103			70	130	
	tert-Butyl Alcohol	10	10.0	ppbv	100			70	130	
	Heptane	10	9.70	ppbv	97			70	130	
	1,1-Dichloroethene	10	9.90	ppbv	99			70	130	
	Acetone	10	8.00	ppbv	80			70	130	
	Carbon disulfide	10	10.6	ppbv	106			70	130	
	Methyl tert-butyl Ether	10	10.4	ppbv	104			70	130	
	Methylene Chloride	10	8.90	ppbv	89			70	130	
	trans-1,2-Dichloroethene	10	9.50	ppbv	95			70	130	
	1,1-Dichloroethane	10	10.0	ppbv	100			70	130	
	Cyclohexane	10	10.1	ppbv	101			70	130	
	2-Butanone	10	9.00	ppbv	90			70	130	
	Carbon Tetrachloride	10	10.1	ppbv	101			70	130	
	cis-1,2-Dichloroethene	10	9.60	ppbv	96			70	130	
	Chloroform	10	9.70	ppbv	97			70	130	
	1,1,1-Trichloroethane	10	9.60	ppbv	96			70	130	
	2,2,4-Trimethylpentane	10	9.70	ppbv	97			70	130	
	Benzene	10	9.70	ppbv	97			70	130	
	1,2-Dichloroethane	10	9.70	ppbv	97			70	130	
	Trichloroethene	10	10.0	ppbv	100			70	130	
	1,2-Dichloropropane	10	9.20	ppbv	92			70	130	
	Bromodichloromethane	10	10.3	ppbv	103			70	130	
	4-Methyl-2-Pentanone	10	9.40	ppbv	94			70	130	
	Toluene	10	10.4	ppbv	104			70	130	
	t-1,3-Dichloropropene	10	10.8	ppbv	108			70	130	
	cis-1,3-Dichloropropene	10	10.3	ppbv	103			70	130	
	1,1,2-Trichloroethane	10	9.60	ppbv	96			70	130	
	Dibromochloromethane	10	10.3	ppbv	103			70	130	
	1,2-Dibromoethane	10	9.60	ppbv	96			70	130	
	Tetrachloroethene	10	9.10	ppbv	91			70	130	
	Chlorobenzene	10	9.50	ppbv	95			70	130	
	Ethyl Benzene	10	10.6	ppbv	106			70	130	
	m/p-Xylene	20	21.5	ppbv	108			70	130	
	o-Xylene	10	10.8	ppbv	108			70	130	
	Styrene	10	11.1	ppbv	111			70	130	
	Bromoform	10	10.1	ppbv	101			70	130	
	1,1,2,2-Tetrachloroethane	10	9.10	ppbv	91			70	130	
	2-Chlorotoluene	10	10.7	ppbv	107			70	130	
	1,3,5-Trimethylbenzene	10	10.9	ppbv	109			70	130	
	1,2,4-Trimethylbenzene	10	10.1	ppbv	101			70	130	

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: Q1927

Client: Tetra Tech, EMI

Analytical Method: SWTO-15 **Datafile :** VL042471.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits High	RPD
VL0505ABS01	1,3-Dichlorobenzene	10	10.0	ppbv	100			70	130	
	1,4-Dichlorobenzene	10	10.7	ppbv	107			70	130	
	1,2-Dichlorobenzene	10	9.80	ppbv	98			70	130	
	1,2,4-Trichlorobenzene	10	10.5	ppbv	105			70	130	
	Hexachloro-1,3-butadiene	10	9.00	ppbv	90			70	130	
	Naphthalene	10	10.9	ppbv	109			70	130	
	1,3-Butadiene	10	9.70	ppbv	97			70	130	
	4-Ethyltoluene	10	11.2	ppbv	112			70	130	
	Hexane	10	9.70	ppbv	97			70	130	
	Allyl Chloride	10	9.90	ppbv	99			70	130	
	1,4-Dioxane	10	9.20	ppbv	92			70	130	
	Methyl methacrylate	10	10.3	ppbv	103			70	130	

Duplicate Sample Summary

Lab Sample Id :	Q1927-01DUP	Q1927-01
Client Id :	EBR-P06-SC-IA01-202504	EBR-P06-SC-IA01-202504
DF :	1	1
Datafile :	VL042477.D	VL042476.D
Anal Date & Time :	05/05/2025 15:53	05/05/2025 15:18

Parameter	Result	Result	RPD
1,1,1-Trichloroethane	0	0	0
1,1,2,2-Tetrachloroethane	0	0	0
1,1,2-Trichloroethane	0	0	0
1,1,2-Trichlorotrifluoroethane	0	0	0
1,1-Dichloroethane	0	0	0
1,1-Dichloroethene	0	0	0
1,2,4-Trichlorobenzene	0	0	0
1,2,4-Trimethylbenzene	0	0	0
1,2-Dibromoethane	0	0	0
1,2-Dichlorobenzene	0	0	0
1,2-Dichloroethane	0	0	0
1,2-Dichloropropane	0	0	0
1,3,5-Trimethylbenzene	0	0	0
1,3-Butadiene	0	0	0
1,3-Dichlorobenzene	0	0	0
1,4-Dichlorobenzene	0	0	0
1,4-Dioxane	0	0	0
2,2,4-Trimethylpentane	0	0	0
2-Butanone	0.59	0.61	3.3
2-Chlorotoluene	0	0	0
4-Ethyltoluene	0	0	0
4-Methyl-2-Pentanone	0	0	0
Acetone	12.7	12.8	0.78
Allyl Chloride	0	0	0
Benzene	0	0	0
Bromodichloromethane	0	0	0
Bromoform	0	0	0
Bromomethane	0	0	0
Carbon Disulfide	0	0	0
Carbon Tetrachloride	0.07	0.08	13.3

Duplicate Sample Summary

Lab Sample Id :	Q1927-01DUP	Q1927-01
Client Id :	EBR-P06-SC-IA01-202504	EBR-P06-SC-IA01-2025C
DF :	1	1
Datafile :	VL042477.D	VL042476.D
Anal Date & Time :	05/05/2025 15:53	05/05/2025 15:18

Parameter	Result	Result	RPD
Chlorobenzene	0	0	0
Chloroethane	0	0	0
Chloroform	0	0	0
Chloromethane	0.45	0.59	26.9 *
cis-1,2-Dichloroethene	0	0	0
cis-1,3-Dichloropropene	0	0	0
Cyclohexane	0	0	0
Dibromochloromethane	0	0	0
Dichlorodifluoromethane	0.47	0.47	0
Dichlorotetrafluoroethane	0	0	0
Ethyl Benzene	0.14	0.14	0
Heptane	0	0	0
Hexachloro-1,3-Butadiene	0	0	0
Hexane	0.25	0.24	4.1
m/p-Xylene	0.42	0.42	0
Methyl Methacrylate	0	0	0
Methyl tert-Butyl Ether	0	0	0
Methylene Chloride	1.7	1.3	26.7 *
Naphthalene	0	0	0
o-Xylene	0.16	0.16	0
Styrene	0.14	0.15	6.9
t-1,3-Dichloropropene	0	0	0
tert-Butyl alcohol	0	0	0
Tetrachloroethene	0.08	0.07	13.3
Tetrahydrofuran	0	0	0
Toluene	0.4	0.36	10.5
trans-1,2-Dichloroethene	0	0	0
Trichloroethene	0	0	0
Trichlorofluoromethane	0.27	0.25	7.7
Vinyl Chloride	0	0	0

VOLATILE METHOD BLANK SUMMARY

EPA SAMPLE NO.

VL0505ABL01

Lab Name: CHEMTECH

Contract: TETR16

Lab Code: CHEM Case No.: Q1927

SAS No.: Q1927 SDG NO.: Q1927

Lab File ID: VL042470.D

Lab Sample ID: VL0505ABL01

Date Analyzed: 05/05/2025

Time Analyzed: 09:19

GC Column: RTX-1 ID: 0.32 (mm)

Heated Purge: (Y/N) N

Instrument ID: MSVOA_L

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS AND MSD:

EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED
VL0505ABS01	VL0505ABS01	VL042471.D	05/05/2025
EBR-P03-SC-SS01-20250428DL	Q1927-04DL	VL042473.D	05/05/2025
EBR-P04-SC-SS01-20250428	Q1927-03	VL042474.D	05/05/2025
EBR-P03-SC-SS01-20250428	Q1927-04	VL042475.D	05/05/2025
EBR-P06-SC-IA01-20250428	Q1927-01	VL042476.D	05/05/2025
EBR-P06-SC-IA01-20250428DUP	Q1927-01DUP	VL042477.D	05/05/2025
EBR-P03-SC-IA01-20250428	Q1927-02	VL042479.D	05/05/2025
EBR-P07-SC-IA01-20250428	Q1927-05	VL042481.D	05/05/2025
EBR-P04-SC-IA01-20250428	Q1927-06	VL042483.D	05/05/2025

COMMENTS: _____

VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Lab Name: CHEMTECH Contract: TETR16
Lab Code: CHEM Case No.: Q1927 SAS No.: Q1927 SDG NO.: Q1927
Lab File ID: VL042457.D BFB Injection Date: 05/01/2025
Instrument ID: MSVOA_L BFB Injection Time: 08:19
GC Column: RTX-1 ID: 0.32 (mm) Heated Purge: Y/N N

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
50	8.0 - 40.0% of mass 95	25.5
75	30.0 - 66.0% of mass 95	62.8
95	Base Peak, 100% relative abundance	100
96	5.0 - 9.0% of mass 95	6.8
173	Less than 2.0% of mass 174	0.4 (0.6) 1
174	50.0 - 120.0% of mass 95	57.4
175	4.0 - 9.0% of mass 174	4.3 (7.5) 1
176	93.0 - 101.0% of mass 174	56.2 (97.9) 1
177	5.0 - 9.0% of mass 176	3.6 (6.3) 2

1-Value is % mass 174

2-Value is % mass 176

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
VSTDICCC010	VSTDICCC010	VL042458.D	05/01/2025	09:03
VSTDICC002	VSTDICC002	VL042459.D	05/01/2025	09:37
VSTDICC001	VSTDICC001	VL042460.D	05/01/2025	10:08
VSTDICC0.5	VSTDICC0.5	VL042461.D	05/01/2025	10:40
VSTDICC0.1	VSTDICC0.1	VL042462.D	05/01/2025	11:12
VSTDICC015	VSTDICC015	VL042465.D	05/01/2025	12:49
VSTDICC0.03	VSTDICC0.03	VL042466.D	05/01/2025	14:10

VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Lab Name: CHEMTECH Contract: TETR16
Lab Code: CHEM Case No.: Q1927 SAS No.: Q1927 SDG NO.: Q1927
Lab File ID: VL042468.D BFB Injection Date: 05/05/2025
Instrument ID: MSVOA_L BFB Injection Time: 07:45
GC Column: RTX-1 ID: 0.32 (mm) Heated Purge: Y/N N

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
50	8.0 - 40.0% of mass 95	26
75	30.0 - 66.0% of mass 95	62.7
95	Base Peak, 100% relative abundance	100
96	5.0 - 9.0% of mass 95	6.3
173	Less than 2.0% of mass 174	0.7 (1.3) 1
174	50.0 - 120.0% of mass 95	55
175	4.0 - 9.0% of mass 174	4.3 (7.8) 1
176	93.0 - 101.0% of mass 174	53.4 (97) 1
177	5.0 - 9.0% of mass 176	3.1 (5.8) 2

1-Value is % mass 174

2-Value is % mass 176

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
VSTDCCC010	VSTDCCC010	VL042469.D	05/05/2025	08:29
VL0505ABL01	VL0505ABL01	VL042470.D	05/05/2025	09:19
VL0505ABS01	VL0505ABS01	VL042471.D	05/05/2025	10:07
EBR-P03-SC-SS01-20250428DL	Q1927-04DL	VL042473.D	05/05/2025	11:22
EBR-P04-SC-SS01-20250428	Q1927-03	VL042474.D	05/05/2025	13:11
EBR-P03-SC-SS01-20250428	Q1927-04	VL042475.D	05/05/2025	14:44
EBR-P06-SC-IA01-20250428	Q1927-01	VL042476.D	05/05/2025	15:18
EBR-P06-SC-IA01-20250428DUP	Q1927-01DUP	VL042477.D	05/05/2025	15:53
EBR-P03-SC-IA01-20250428	Q1927-02	VL042479.D	05/05/2025	16:59
EBR-P07-SC-IA01-20250428	Q1927-05	VL042481.D	05/05/2025	18:06
EBR-P04-SC-IA01-20250428	Q1927-06	VL042483.D	05/05/2025	19:15

VOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: CHEMTECH Contract: TETR16
Lab Code: CHEM Case No.: Q1927 SAS No.: Q1927 SDG NO.: Q1927
Lab File ID: VL042469.D Date Analyzed: 05/05/2025
Instrument ID: MSVOA_L Time Analyzed: 08:29
GC Column: RTX-1 ID: 0.32 (mm) Heated Purge: (Y/N) N

	IS1 AREA #	RT #	IS2 AREA #	RT #	IS3 AREA #	RT #
12 HOUR STD	74861	2.79	207859	3.96	180939	8.89
UPPER LIMIT	104805	3.12	291003	4.29	253315	9.22
LOWER LIMIT	44916.6	2.46	124715	3.63	108563	8.56
EPA SAMPLE NO.						
EBR-P06-SC-IA01-20250428	74533	2.79	204912	3.96	170942	8.88
EBR-P06-SC-IA01-20250428DUP	73750	2.79	201304	3.97	172499	8.89
EBR-P03-SC-IA01-20250428	68950	2.79	192895	3.96	161884	8.89
EBR-P04-SC-SS01-20250428	71873	2.79	203294	3.96	175917	8.89
EBR-P03-SC-SS01-20250428	76909	2.79	213607	3.97	190161	8.89
EBR-P03-SC-SS01-20250428DL	80347	2.79	224542	3.97	185866	8.89
EBR-P07-SC-IA01-20250428	68224	2.79	186800	3.96	160233	8.89
EBR-P04-SC-IA01-20250428	69784	2.79	186712	3.96	154199	8.88
VL0505ABL01	74757	2.79	208518	3.96	177829	8.88
VL0505ABS01	73094	2.79	206118	3.96	177063	8.89

IS1 = Bromochloromethane
IS2 = 1,4-Difluorobenzene
IS3 = Chlorobenzene-d5

AREA UPPER LIMIT = +40% of internal standard area
AREA LOWER LIMIT = -40% of internal standard area
RT UPPER LIMIT = +0.33 minutes of internal standard RT
RT LOWER LIMIT = -0.33 minutes of internal standard RT

Column used to flag values outside QC limits with an asterisk.
* Values outside of QC limits.



QC SAMPLE DATA

Report of Analysis

Client:	Tetra Tech, EMI	Date Collected:	
Project:	R36900	Date Received:	
Client Sample ID:	VL0505ABL01	SDG No.:	Q1927
Lab Sample ID:	VL0505ABL01	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400	Units:	mL

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042470.D	1		05/05/25 09:19	VL050525

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	0.50	2.47	U	1.04	2.47	ug/m3
74-87-3	Chloromethane	0.50	1.03	U	0.21	1.03	ug/m3
75-01-4	Vinyl Chloride	0.030	0.080	U	0.030	0.080	ug/m3
74-83-9	Bromomethane	0.50	1.94	U	0.54	1.94	ug/m3
75-00-3	Chloroethane	0.50	1.32	U	0.45	1.32	ug/m3
109-99-9	Tetrahydrofuran	0.50	1.47	U	0.38	1.47	ug/m3
75-69-4	Trichlorofluoromethane	0.50	2.81	U	0.90	2.81	ug/m3
76-13-1	1,1,2-Trichlorotrifluoroethane	0.50	3.83	U	1.23	3.83	ug/m3
76-14-2	Dichlorotetrafluoroethane	0.50	3.49	U	0.63	3.49	ug/m3
75-65-0	tert-Butyl alcohol	0.50	1.52	U	0.58	1.52	ug/m3
142-82-5	Heptane	0.50	2.05	U	0.45	2.05	ug/m3
75-35-4	1,1-Dichloroethene	0.50	1.98	U	0.56	1.98	ug/m3
67-64-1	Acetone	0.50	1.19	U	0.57	1.19	ug/m3
75-15-0	Carbon Disulfide	0.50	1.56	U	0.50	1.56	ug/m3
1634-04-4	Methyl tert-Butyl Ether	0.50	1.80	U	0.43	1.80	ug/m3
75-09-2	Methylene Chloride	0.50	1.74	U	0.66	1.74	ug/m3
156-60-5	trans-1,2-Dichloroethene	0.50	1.98	U	0.75	1.98	ug/m3
75-34-3	1,1-Dichloroethane	0.50	2.02	U	0.53	2.02	ug/m3
110-82-7	Cyclohexane	0.50	1.72	U	0.76	1.72	ug/m3
78-93-3	2-Butanone	0.50	1.47	U	0.35	1.47	ug/m3
56-23-5	Carbon Tetrachloride	0.030	0.19	U	0.060	0.19	ug/m3
156-59-2	cis-1,2-Dichloroethene	0.50	1.98	U	0.36	1.98	ug/m3
67-66-3	Chloroform	0.50	2.44	U	0.39	2.44	ug/m3
71-55-6	1,1,1-Trichloroethane	0.030	0.16	U	0.050	0.16	ug/m3
540-84-1	2,2,4-Trimethylpentane	0.50	2.34	U	0.47	2.34	ug/m3
71-43-2	Benzene	0.50	1.60	U	0.29	1.60	ug/m3
107-06-2	1,2-Dichloroethane	0.50	2.02	U	0.36	2.02	ug/m3
79-01-6	Trichloroethene	0.030	0.16	U	0.11	0.16	ug/m3
78-87-5	1,2-Dichloropropane	0.50	2.31	U	0.51	2.31	ug/m3
75-27-4	Bromodichloromethane	0.50	3.35	U	0.54	3.35	ug/m3
108-10-1	4-Methyl-2-Pentanone	0.50	2.05	U	0.37	2.05	ug/m3
108-88-3	Toluene	0.50	1.88	U	0.41	1.88	ug/m3
10061-02-6	t-1,3-Dichloropropene	0.50	2.27	U	0.27	2.27	ug/m3
10061-01-5	cis-1,3-Dichloropropene	0.50	2.27	U	0.27	2.27	ug/m3
79-00-5	1,1,2-Trichloroethane	0.50	2.73	U	0.38	2.73	ug/m3

Report of Analysis

Client:	Tetra Tech, EMI	Date Collected:	
Project:	R36900	Date Received:	
Client Sample ID:	VL0505ABL01	SDG No.:	Q1927
Lab Sample ID:	VL0505ABL01	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400	Units:	mL

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042470.D	1		05/05/25 09:19	VL050525

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
124-48-1	Dibromochloromethane	0.50	4.26	U	0.60	4.26	ug/m3
106-93-4	1,2-Dibromoethane	0.10	0.77	U	0.54	0.77	ug/m3
127-18-4	Tetrachloroethene	0.030	0.20	U	0.14	0.20	ug/m3
108-90-7	Chlorobenzene	0.50	2.30	U	0.37	2.30	ug/m3
100-41-4	Ethyl Benzene	0.50	2.17	U	0.52	2.17	ug/m3
179601-23-1	m/p-Xylene	1.00	4.34	U	0.91	4.34	ug/m3
95-47-6	o-Xylene	0.50	2.17	U	0.52	2.17	ug/m3
100-42-5	Styrene	0.50	2.13	U	0.47	2.13	ug/m3
75-25-2	Bromoform	0.50	5.17	U	0.62	5.17	ug/m3
79-34-5	1,1,2,2-Tetrachloroethane	0.030	0.21	U	0.070	0.21	ug/m3
95-49-8	2-Chlorotoluene	0.50	2.59	U	0.57	2.59	ug/m3
108-67-8	1,3,5-Trimethylbenzene	0.50	2.46	U	0.54	2.46	ug/m3
95-63-6	1,2,4-Trimethylbenzene	0.50	2.46	U	0.39	2.46	ug/m3
541-73-1	1,3-Dichlorobenzene	0.50	3.01	U	0.48	3.01	ug/m3
106-46-7	1,4-Dichlorobenzene	0.50	3.01	U	0.30	3.01	ug/m3
95-50-1	1,2-Dichlorobenzene	0.50	3.01	U	0.48	3.01	ug/m3
120-82-1	1,2,4-Trichlorobenzene	0.50	3.71	U	0.67	3.71	ug/m3
87-68-3	Hexachloro-1,3-Butadiene	0.50	5.33	U	0.96	5.33	ug/m3
106-99-0	1,3-Butadiene	0.50	1.11	U	0.29	1.11	ug/m3
91-20-3	Naphthalene	0.10	0.52	U	0.42	0.52	ug/m3
622-96-8	4-Ethyltoluene	0.50	2.46	U	0.59	2.46	ug/m3
110-54-3	Hexane	0.50	1.76	U	0.39	1.76	ug/m3
107-05-1	Allyl Chloride	0.50	1.57	U	0.47	1.57	ug/m3
123-91-1	1,4-Dioxane	0.50	1.80	U	0.76	1.80	ug/m3
80-62-6	Methyl Methacrylate	0.50	2.05	U	0.37	2.05	ug/m3
SURROGATES							
460-00-4	1-Bromo-4-Fluorobenzene	9.80			65 - 135	98%	SPK: 10
INTERNAL STANDARDS							
74-97-5	Bromochloromethane	74800		2.787			
540-36-3	1,4-Difluorobenzene	209000		3.959			
3114-55-4	Chlorobenzene-d5	178000		8.881			

Report of Analysis

Client:	Tetra Tech, EMI	Date Collected:	
Project:	R36900	Date Received:	
Client Sample ID:	VL0505ABL01	SDG No.:	Q1927
Lab Sample ID:	VL0505ABL01	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042470.D	1		05/05/25 09:19	VL050525

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	---------------	----------------	-----------	-----	------------	-------

U = Not Detected
 RL = Reporting Limit
 MDL = Method Detection Limit
 E = Value Exceeds Calibration Range
 D = Dilution

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client:	Tetra Tech, EMI	Date Collected:	
Project:	R36900	Date Received:	
Client Sample ID:	VL0505ABS01	SDG No.:	Q1927
Lab Sample ID:	VL0505ABS01	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400	Units:	mL

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042471.D	1		05/05/25 10:07	VL050525

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	10.3	50.9	1.04		2.47	ug/m3
74-87-3	Chloromethane	9.60	19.8	0.21		1.03	ug/m3
75-01-4	Vinyl Chloride	9.50	24.3	0.030		0.080	ug/m3
74-83-9	Bromomethane	10.0	38.8	0.54		1.94	ug/m3
75-00-3	Chloroethane	10.1	26.6	0.45		1.32	ug/m3
109-99-9	Tetrahydrofuran	9.40	27.7	0.38		1.47	ug/m3
75-69-4	Trichlorofluoromethane	10.4	58.4	0.90		2.81	ug/m3
76-13-1	1,1,2-Trichlorotrifluoroethane	10.2	78.2	1.23		3.83	ug/m3
76-14-2	Dichlorotetrafluoroethane	10.3	72.0	0.63		3.49	ug/m3
75-65-0	tert-Butyl alcohol	10.0	30.3	0.58		1.52	ug/m3
142-82-5	Heptane	9.70	39.8	0.45		2.05	ug/m3
75-35-4	1,1-Dichloroethene	9.90	39.3	0.56		1.98	ug/m3
67-64-1	Acetone	8.00	19.0	0.57		1.19	ug/m3
75-15-0	Carbon Disulfide	10.6	33.0	0.50		1.56	ug/m3
1634-04-4	Methyl tert-Butyl Ether	10.4	37.5	0.43		1.80	ug/m3
75-09-2	Methylene Chloride	8.90	30.9	0.66		1.74	ug/m3
156-60-5	trans-1,2-Dichloroethene	9.50	37.7	0.75		1.98	ug/m3
75-34-3	1,1-Dichloroethane	10.0	40.5	0.53		2.02	ug/m3
110-82-7	Cyclohexane	10.1	34.8	0.76		1.72	ug/m3
78-93-3	2-Butanone	9.00	26.5	0.35		1.47	ug/m3
56-23-5	Carbon Tetrachloride	10.1	63.5	0.060		0.19	ug/m3
156-59-2	cis-1,2-Dichloroethene	9.60	38.1	0.36		1.98	ug/m3
67-66-3	Chloroform	9.70	47.4	0.39		2.44	ug/m3
71-55-6	1,1,1-Trichloroethane	9.60	52.4	0.050		0.16	ug/m3
540-84-1	2,2,4-Trimethylpentane	9.70	45.3	0.47		2.34	ug/m3
71-43-2	Benzene	9.70	31.0	0.29		1.60	ug/m3
107-06-2	1,2-Dichloroethane	9.70	39.3	0.36		2.02	ug/m3
79-01-6	Trichloroethene	10.0	53.7	0.11		0.16	ug/m3
78-87-5	1,2-Dichloropropane	9.20	42.5	0.51		2.31	ug/m3
75-27-4	Bromodichloromethane	10.3	69.0	0.54		3.35	ug/m3
108-10-1	4-Methyl-2-Pentanone	9.40	38.5	0.37		2.05	ug/m3
108-88-3	Toluene	10.4	39.2	0.41		1.88	ug/m3
10061-02-6	t-1,3-Dichloropropene	10.8	49.0	0.27		2.27	ug/m3
10061-01-5	cis-1,3-Dichloropropene	10.3	46.8	0.27		2.27	ug/m3
79-00-5	1,1,2-Trichloroethane	9.60	52.4	0.38		2.73	ug/m3

Report of Analysis

Client:	Tetra Tech, EMI	Date Collected:	
Project:	R36900	Date Received:	
Client Sample ID:	VL0505ABS01	SDG No.:	Q1927
Lab Sample ID:	VL0505ABS01	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400	Units:	mL

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042471.D	1		05/05/25 10:07	VL050525

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
124-48-1	Dibromochloromethane	10.3	87.8		0.60	4.26	ug/m3
106-93-4	1,2-Dibromoethane	9.60	73.8		0.54	0.77	ug/m3
127-18-4	Tetrachloroethene	9.10	61.7		0.14	0.20	ug/m3
108-90-7	Chlorobenzene	9.50	43.8		0.37	2.30	ug/m3
100-41-4	Ethyl Benzene	10.6	46.0		0.52	2.17	ug/m3
179601-23-1	m/p-Xylene	21.5	93.4		0.91	4.34	ug/m3
95-47-6	o-Xylene	10.8	46.9		0.52	2.17	ug/m3
100-42-5	Styrene	11.1	47.3		0.47	2.13	ug/m3
75-25-2	Bromoform	10.1	104		0.62	5.17	ug/m3
79-34-5	1,1,2,2-Tetrachloroethane	9.10	62.5		0.070	0.21	ug/m3
95-49-8	2-Chlorotoluene	10.7	55.4		0.57	2.59	ug/m3
108-67-8	1,3,5-Trimethylbenzene	10.9	53.6		0.54	2.46	ug/m3
95-63-6	1,2,4-Trimethylbenzene	10.1	49.6		0.39	2.46	ug/m3
541-73-1	1,3-Dichlorobenzene	10.0	60.1		0.48	3.01	ug/m3
106-46-7	1,4-Dichlorobenzene	10.7	64.3		0.30	3.01	ug/m3
95-50-1	1,2-Dichlorobenzene	9.80	58.9		0.48	3.01	ug/m3
120-82-1	1,2,4-Trichlorobenzene	10.5	77.9		0.67	3.71	ug/m3
87-68-3	Hexachloro-1,3-Butadiene	9.00	96.0		0.96	5.33	ug/m3
106-99-0	1,3-Butadiene	9.70	21.5		0.29	1.11	ug/m3
91-20-3	Naphthalene	10.9	57.1		0.42	0.52	ug/m3
622-96-8	4-Ethyltoluene	11.2	55.1		0.59	2.46	ug/m3
110-54-3	Hexane	9.70	34.2		0.39	1.76	ug/m3
107-05-1	Allyl Chloride	9.90	31.0		0.47	1.57	ug/m3
123-91-1	1,4-Dioxane	9.20	33.2		0.76	1.80	ug/m3
80-62-6	Methyl Methacrylate	10.3	42.2		0.37	2.05	ug/m3
SURROGATES							
460-00-4	1-Bromo-4-Fluorobenzene	10.3			65 - 135	103%	SPK: 10
INTERNAL STANDARDS							
74-97-5	Bromochloromethane	73100		2.787			
540-36-3	1,4-Difluorobenzene	206000		3.959			
3114-55-4	Chlorobenzene-d5	177000		8.885			

Report of Analysis

Client:	Tetra Tech, EMI	Date Collected:	
Project:	R36900	Date Received:	
Client Sample ID:	VL0505ABS01	SDG No.:	Q1927
Lab Sample ID:	VL0505ABS01	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042471.D	1		05/05/25 10:07	VL050525

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	---------------	----------------	-----------	-----	------------	-------

U = Not Detected
 RL = Reporting Limit
 MDL = Method Detection Limit
 E = Value Exceeds Calibration Range
 D = Dilution

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 Q = indicates LCS control criteria did not meet requirements



CALIBRATION SUMMARY

Method Path : Z:\voasrv\HPCHEM1\MSVOA_L\methods\

Method File : VL050125AIR.M

Title : AIR ANALYSIS BY METHOD TO-15 Instrument: MSVOA_L Fri Aug 26 06:05:16 2022

Last Update : Fri May 02 03:16:31 2025

Response Via : Initial Calibration

Calibration Files

0.03=VL042466.D 0.1 =VL042462.D 0.5 =VL042461.D 1 =VL042460.D 2 =VL042459.D 10 =VL042458.D 15 =VL042465.D

Compound	0.03	0.1	0.5	1	2	10	15	Avg	%RSD

1) I Bromochloromethane	-----ISTD-----								
2) T Dichlorodifluo...			1.887	1.650	1.629	1.470	1.639	1.655	9.01
3) Chlorodifluoro...			1.886	1.871	1.820	1.569	1.602	1.750	8.71
4) Chloromethane			0.738	0.696	0.734	0.624	0.666	0.692	6.90
5) T Vinyl Chloride	0.756	0.964	0.708	0.625	0.623	0.567	0.631	0.696	19.18
6) T Bromomethane			0.349	0.359	0.327	0.286	0.324	0.329	8.64
7) Chloroethane			0.250	0.272	0.271	0.231	0.261	0.257	6.55
8) T Dichlorotetra...			1.445	1.371	1.402	1.235	1.368	1.364	5.77
9) T Propene			0.585	0.606	0.631	0.525	0.515	0.572	8.84
10) T Heptane			1.276	1.634	1.593	1.445	1.474	1.484	9.48
11) T Trichlorofluor...			1.660	1.489	1.528	1.376	1.582	1.527	6.96
12) T 1,1,2-Trichlor...			1.318	1.234	1.245	1.099	1.201	1.219	6.52
13) Ethanol			0.138	0.136	0.143	0.080	0.084	0.116	27.19
14) T Bromoethene			0.488	0.443	0.457	0.398	0.466	0.450	7.39
15) T Acetone			2.229	2.094	2.022	1.318	1.465	1.826	22.28
16) T 1,3-Butadiene			0.883	0.874	0.836	0.681	0.751	0.805	10.77
17) tert-Butyl alc...			1.816	1.615	1.620	1.489	1.502	1.608	8.15
18) T 1,1-Dichloroet...			0.650	0.587	0.567	0.495	0.547	0.569	9.98
19) T Isopropyl Alcohol			1.221	1.087	0.976	0.876	0.891	1.010	14.33
20) T Methylene Chlo...			0.753	0.547	0.518	0.449	0.477	0.549	21.88
21) T Allyl Chloride			1.283	1.181	1.164	1.076	1.166	1.174	6.25
22) T trans-1,2-Dich...			0.741	0.742	0.645	0.552	0.644	0.665	11.96
23) T Vinyl Acetate			1.898	1.521	1.810	1.726	1.756	1.742	8.03
24) T 1,1-Dichloroet...			1.432	1.465	1.368	1.196	1.322	1.357	7.79
25) T Ethyl Acetate			3.002	3.044	2.945	2.832	2.792	2.923	3.69
26) T Hexane			1.278	1.290	1.345	1.215	1.239	1.273	3.91
27) T Carbon Disulfide			1.509	1.446	1.499	1.418	1.558	1.486	3.69
28) T Methyl tert-Bu...			0.802	0.853	0.759	0.671	0.740	0.765	8.91
29) T Chloroform			2.551	2.482	2.399	2.198	2.301	2.386	5.89
30) T Cyclohexane			1.135	0.998	1.096	1.045	1.048	1.065	4.92
31) T cis-1,2-Dichlo...			1.551	1.604	1.545	1.342	1.386	1.486	7.71
32) T 1,1,1-Trichlor...	2.980	2.842	2.567	2.501	2.511	2.288	2.433	2.589	9.28

33) I 1,4-Difluorobenzene	-----ISTD-----								
34) T 2-Butanone			0.802	0.732	0.774	0.659	0.650	0.723	9.32
35) T Carbon Tetrach...	1.166	0.799	0.856	0.935	0.875	0.827	0.902	0.908	13.44
36) T Benzene			0.924	0.974	1.036	0.892	0.892	0.944	6.53
37) T 1,2-Dichloroet...			0.738	0.755	0.769	0.666	0.709	0.727	5.66
38) T Trichloroethene	0.241	0.419	0.389	0.364	0.404	0.347	0.355	0.360	16.31
39) T 1,2-Dichloropr...			0.368	0.405	0.362	0.317	0.315	0.353	10.71

Method Path : Z:\voasrv\HPCHEM1\MSVOA_L\methods\										
Method File : VL050125AIR.M										
40) T	1,4-Dioxane			0.176	0.185	0.172	0.151	0.144	0.165	10.60
41) T	Tetrahydrofuran			0.329	0.354	0.387	0.326	0.322	0.344	7.98
42) T	Bromodichlorom...			0.848	0.921	0.931	0.839	0.904	0.889	4.77
43) T	Methyl Methacr...			0.328	0.341	0.362	0.363	0.366	0.352	4.72
44) T	2,2,4-Trimethy...			1.490	1.590	1.633	1.437	1.498	1.530	5.23
45) T	t-1,3-Dichloro...			0.438	0.423	0.460	0.480	0.510	0.462	7.46
46) T	cis-1,3-Dichlo...			0.526	0.539	0.549	0.555	0.577	0.549	3.47
47) T	1,1,2-Trichlor...			0.372	0.409	0.428	0.357	0.371	0.387	7.74
48) T	Dibromochlorom...			0.651	0.643	0.673	0.630	0.674	0.654	2.96
49) T	Bromoform			0.540	0.535	0.573	0.527	0.568	0.549	3.73
50) T	4-Methyl-2-Pen...			0.852	0.980	0.985	0.870	0.887	0.915	6.92
51) T	2-Hexanone			0.649	0.754	0.797	0.722	0.736	0.731	7.42
52) T	Tetrachloroethene	0.509	0.380	0.325	0.339	0.338	0.305	0.318	0.359	19.49
53) T	Toluene			0.935	0.969	1.025	1.016	1.050	0.999	4.64
54) T	1,2-Dibromoethane		0.625	0.589	0.599	0.610	0.554	0.577	0.592	4.26
-----ISTD-----										
55) I	Chlorobenzene-d5									
56) T	1,1,1,2-Tetrac...			0.618	0.633	0.596	0.542	0.564	0.591	6.38
57) T	Chlorobenzene			1.101	1.060	1.036	0.904	0.923	1.005	8.64
58) T	Ethyl Benzene			1.492	1.634	1.752	1.725	1.754	1.671	6.68
59) T	m/p-Xylene			1.212	1.378	1.506	1.429	1.479	1.401	8.31
60) T	o-Xylene			1.197	1.393	1.519	1.423	1.481	1.403	8.90
61) T	Styrene			0.415	0.500	0.538	0.583	0.582	0.523	13.35
62) T	Isopropylbenzene			1.781	2.030	2.165	2.033	2.108	2.023	7.26
63) T	1,1,2,2-Tetrac...	1.140	0.945	0.976	0.985	0.990	0.846	0.887	0.967	9.69
64) T	n-propylbenzene			0.400	0.524	0.549	0.482	0.518	0.495	11.75
65) T	tert-Butylbenzene			1.519	1.791	2.028	1.817	1.873	1.806	10.23
66) T	Benzyl Chloride			0.158	0.204	0.195	0.232	0.255	0.209	17.73
67) T	sec-Butylbenzene			2.149	2.560	2.905	2.541	2.675	2.566	10.69
68) S	1-Bromo-4-Fluo...	0.920	0.911	0.902	0.928	0.915	0.951	0.963	0.927	2.39
69) T	p-Isopropyltol...			1.805	2.166	2.406	2.150	2.283	2.162	10.39
70) T	n-Butylbenzene			1.802	2.218	2.560	2.198	2.396	2.235	12.66
71) T	2-Chlorotoluene			1.405	1.569	1.697	1.597	1.667	1.587	7.20
72) T	4-Ethyltoluene			1.281	1.647	1.828	1.722	1.792	1.654	13.28
73) T	1,3,5-Trimethy...			1.177	1.467	1.618	1.475	1.535	1.455	11.44
74) T	1,2,4-Trimethy...			1.568	1.788	2.075	1.646	1.723	1.760	11.07
75) T	1,3-Dichlorobe...			0.975	1.022	1.056	0.893	0.952	0.980	6.42
76) T	1,4-Dichlorobe...			0.869	0.945	0.966	0.907	0.949	0.927	4.22
77) T	1,2-Dichlorobe...			0.977	1.007	1.033	0.864	0.914	0.959	7.23
78) T	Hexachloro-1,3...			1.028	1.081	1.070	0.772	0.838	0.958	14.93
79) T	Naphthalene		0.720	1.168	1.657	2.155	1.527	1.661	1.482	33.01
80) T	Naphthalene,2-...			0.498	0.925	1.573	1.172	1.338	1.101	37.38
81) T	1,2,4-Trichlor...			0.599	0.798	0.947	0.778	0.828	0.790	15.84

(#) = Out of Range

VOLATILE CONTINUING CALIBRATION CHECK

Lab Name: CHEMTECH Contract: TETR16

Lab Code: CHEM Case No.: Q1927 SAS No.: Q1927 SDG No.: Q1927

Instrument ID: MSVOA_L Calibration Date/Time: 05/05/2025 08:29

Lab File ID: VL042469.D Init. Calib. Date(s): 05/01/2025 05/01/2025

Heated Purge: (Y/N) N Init. Calib. Time(s): 09:03 14:10

GC Column: RTX-1 ID: 0.32 (mm)

COMPOUND	RRF	RRF010	MIN RRF	%D	MAX%D
Dichlorodifluoromethane	1.655	1.672		1.03	30
Chloromethane	0.692	0.663		-4.19	30
Vinyl Chloride	0.696	0.623		-10.49	30
Bromomethane	0.329	0.350		6.38	30
Chloroethane	0.257	0.258		0.39	30
Tetrahydrofuran	0.344	0.318		-7.56	30
Trichlorofluoromethane	1.527	1.574		3.08	30
1,1,2-Trichlorotrifluoroethane	1.219	1.241		1.8	30
Dichlorotetrafluoroethane	1.364	1.393		2.13	30
tert-Butyl alcohol	1.608	1.660		3.23	30
Heptane	1.484	1.463		-1.41	30
1,1-Dichloroethene	0.569	0.565		-0.7	30
Acetone	1.826	1.482		-18.8	30
Carbon Disulfide	1.486	1.615		8.68	30
Methyl tert-Butyl Ether	0.765	0.722		-5.62	30
Methylene Chloride	0.549	0.485		-11.66	30
trans-1,2-Dichloroethene	0.665	0.630		-5.26	30
1,1-Dichloroethane	1.357	1.305		-3.83	30
Cyclohexane	1.065	1.051		-1.32	30
2-Butanone	0.723	0.649		-10.23	30
Carbon Tetrachloride	0.908	0.919		1.21	30
cis-1,2-Dichloroethene	1.486	1.435		-3.43	30
Chloroform	2.386	2.324		-2.6	30
1,1,1-Trichloroethane	2.589	2.470		-4.6	30
2,2,4-Trimethylpentane	1.530	1.505		-1.63	30
Benzene	0.944	0.928		-1.7	30
1,2-Dichloroethane	0.727	0.706		-2.89	30
Trichloroethene	0.360	0.369		2.5	30
1,2-Dichloropropane	0.353	0.324		-8.22	30
Bromodichloromethane	0.889	0.920		3.49	30
4-Methyl-2-Pentanone	0.915	0.881		-3.72	30
Toluene	0.999	1.063		6.41	30
t-1,3-Dichloropropene	0.462	0.507		9.74	30
cis-1,3-Dichloropropene	0.549	0.567		3.28	30
1,1,2-Trichloroethane	0.387	0.374		-3.36	30
Dibromochloromethane	0.654	0.690		5.51	30
1,2-Dibromoethane	0.592	0.577		-2.53	30
Tetrachloroethene	0.359	0.325		-9.47	30

All other compounds must meet a minimum RRF of 0.010.
RRF of 1,4-Dioxane = Value should be divide by 1000.

VOLATILE CONTINUING CALIBRATION CHECK

Lab Name: CHEMTECH Contract: TETR16

Lab Code: CHEM Case No.: Q1927 SAS No.: Q1927 SDG No.: Q1927

Instrument ID: MSVOA_L Calibration Date/Time: 05/05/2025 08:29

Lab File ID: VL042469.D Init. Calib. Date(s): 05/01/2025 05/01/2025

Heated Purge: (Y/N) N Init. Calib. Time(s): 09:03 14:10

GC Column: RTX-1 ID: 0.32 (mm)

COMPOUND	RRF	RRF010	MIN RRF	%D	MAX%D
Chlorobenzene	1.005	0.933		-7.16	30
Ethyl Benzene	1.671	1.752		4.85	30
m/p-Xylene	1.401	1.496		6.78	30
o-Xylene	1.403	1.480		5.49	30
Styrene	0.523	0.584		11.66	30
Bromoform	0.549	0.571		4.01	30
1,1,2,2-Tetrachloroethane	0.967	0.884		-8.58	30
2-Chlorotoluene	1.587	1.667		5.04	30
1,3,5-Trimethylbenzene	1.455	1.570		7.9	30
1,2,4-Trimethylbenzene	1.760	1.770		0.57	30
1,3-Dichlorobenzene	0.980	0.950		-3.06	30
1,4-Dichlorobenzene	0.927	0.980		5.72	30
1,2-Dichlorobenzene	0.959	0.926		-3.44	30
1,2,4-Trichlorobenzene	0.790	0.836		5.82	30
Hexachloro-1,3-Butadiene	0.958	0.853		-10.96	30
1,3-Butadiene	0.805	0.760		-5.59	30
Naphthalene	1.482	1.625		9.65	30
4-Ethyltoluene	1.654	1.804		9.01	30
1-Bromo-4-Fluorobenzene	0.927	0.947		2.16	30
Hexane	1.273	1.273		0	30
Allyl Chloride	1.174	1.165		-0.77	30
1,4-Dioxane	165.429	142.635		-13.78	30
Methyl Methacrylate	0.352	0.367		4.26	30

All other compounds must meet a minimum RRF of 0.010.
RRF of 1,4-Dioxane = Value should be divide by 1000.



SHIPPING DOCUMENTS

Client Contact Information				Bottle Order ID : B2504018				Courier :				_____ of _____ COCs																			
Client ID : TETR16 Project ID : R36724 R36900				Sampler Name(s) : S. Belding				Analysis				Matrix																			
Customer Name : Tetra Tech, EMI Address : 240 Continental Drive, Suite 200 City : Newark State : DE Zip Code : 19713 Country :				Project Manager : AVA HEISS				AIR ANALYSIS CHAIN-OF-CUSTODY Individual Certified																							
				Phone Number : 302-738-7551																											
				Fax Number : 302-454-5980																											
				Site Details: See comments for sample ID																											
Analysis Turnaround Time				Standard : 10 business days OR				Data Package Type :																							
Rush (Specify): _____ Days				EDD Type :																											
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15			Indoor/Ambient Air	Soil Gas												
See Comment	4/28/15 4/29/15	1438	1430	-30	-10			-30	-7.8	10478	10197	6 L	4.16	VL042309.D	X			X													
Temperature (Fahrenheit) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table> GC/MS Analyst Signature (TO-15)											Ambient	Maximum	Minimum	Start				Stop				** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.									
	Ambient	Maximum	Minimum																												
Start																															
Stop																															
Pressure (Inches of Hg) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop													
	Ambient	Maximum	Minimum																												
Start																															
Stop																															
Special Instructions/QC Requirements & Comments : EBE-706-5L-1A01-2005 0426																															
Suspected Contamination: High Medium Low PID Readings:																															
Sampling site (State):																															
Quick Connector required : NO																															
Canisters Shipped by: Sam					Date/Time: 04/05/15					Canisters Received by: CP					Date/Time: 4/30/25 1255																
Samples Relinquished by: Sam Belding					Date/Time: 4/29/25					Received by:					Date/Time:																
Relinquished by:					Date/Time:					Received by:					Date/Time:																

B2504018 - 3

Client Contact Information				Bottle Order ID : B2504018				Courier :				_____ of _____ COCs																
Client ID : TETR16				Project ID : R36724 R36900				Sampler Name(s) : S. Belding				Analysis		Matrix														
Customer Name : Tetra Tech, EMI Address : 240 Continental Drive, Suite 200				Project Manager : AVA HEISS				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified				TO-15																
				Phone Number : 302-738-7551																								
				Fax Number : 302-454-5980																								
				Site Details: <i>See comments for sample ID</i>																								
City : Newark				Analysis Turnaround Time				Data Package Type :				Indoor/Ambient Air	Soil Gas															
State : DE				Standard : 10 business days OR				EDD Type :																				
Zip Code : 19713				Rush (Specify): Days																								
Country :																												
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID														
<i>See end</i>	<i>1/18/15</i>	<i>1007</i>	<i>1030</i>	<i>-30</i>	<i>-12</i>			<i>-30</i>	<i>-5.5</i>	<i>10520</i>	<i>10267</i>	<i>6 L</i>	<i>4.16</i>	<i>VL042308.D</i>	<i>X</i>	<i>X</i>												
Temperature (Fahrenheit) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				GC/MS Analyst Signature (TO-15) <i>[Signature]</i>						
	Ambient	Maximum	Minimum																									
Start																												
Stop																												
Pressure (Inches of Hg) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.						
	Ambient	Maximum	Minimum																									
Start																												
Stop																												
Special Instructions/QC Requirements & Comments : EBR-P3-SC-IA01-20250428																												
Suspected Contamination: High Medium Low PID Readings:																												
Sampling site (State):																												
Quick Connector required : <i>No</i>																												
Canisters Shipped by: <i>Sam</i>				Date/Time: <i>04/15/25</i>				Canisters Received by: <i>OP</i>				Date/Time: <i>4/30/25 1255</i>				B2504018 - 4												
Samples Relinquished by: <i>Sam Belding</i>				Date/Time: <i>4/29/25</i>				Received by:				Date/Time:																
Relinquished by:				Date/Time:				Received by:				Date/Time:																

Library basement

Alliance Project No. :

Q1927

6

6.1

Client Contact Information				Bottle Order ID : B2504018				Courier :				_____ of _____ COCs																	
Client ID : TETR16				Project ID : R36724 <i>R36900</i>				Sampler Name(s) : <i>Sam Belding</i>				Analysis		Matrix															
Customer Name : Tetra Tech, EMI Address : 240 Continental Drive, Suite 200 City : Newark State : DE Zip Code : 19713 Country :				Project Manager : AVA HEISS				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																					
				Phone Number : 302-738-7551																									
				Fax Number : 302-454-5980																									
				Site Details: <i>See comments for sample ID</i>																									
				Analysis Turnaround Time				Data Package Type :																					
				Standard : 10 business days OR				EDD Type :																					
				Rush (Specify): _____ Days																									
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas												
<i>See comment</i>	<i>4/28/25</i> <i>4/29/25</i>	<i>1310</i>	<i>1227</i>	<i>20</i>	<i>-7</i>			<i>-30</i>	<i>-6.7</i>	<i>10240</i>	<i>10283</i>	<i>6 L</i>	<i>4.16</i>	<i>VL042308.D</i>	<i>X</i>		<i>X</i>												
Temperature (Fahrenheit) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				GC/MS Analyst Signature (TO-15) <i>Sam</i>							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Pressure (Inches of Hg) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Special Instructions/QC Requirements & Comments : <i>EBB-P04-SC-SS01-20250428</i>																													
Suspected Contamination: High Medium Low PID Readings:																													
Sampling site (State):																													
Quick Connector required : <i>NO</i>																													
Canisters Shipped by: <i>Sam</i>				Date/Time: <i>04/13/25</i>				Canisters Received by: <i>CP</i>				Date/Time: <i>4/30/25 1258</i>																	
Samples Relinquished by: <i>Sam Belding</i>				Date/Time: <i>4/29/25</i>				Received by:				Date/Time:																	
Relinquished by:				Date/Time:				Received by:				Date/Time:																	
B2504018 - 7																													

Client Contact Information				Bottle Order ID : B2504018				Courier :				_____ of _____ COCs																	
Client ID : TETR16				Project ID : R36724 RS6900				Sampler Name(s) : S. Belding				Analysis		Matrix															
Customer Name : Tetra Tech, EMI Address : 240 Continental Drive, Suite 200 City : Newark State : DE Zip Code : 19713 Country :				Project Manager : AVA HEISS				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																					
				Phone Number : 302-738-7551																									
				Fax Number : 302-454-5980																									
				Site Details: See comments for Sample IP																									
				Analysis Turnaround Time				Data Package Type :																					
				Standard : 10 business days OR				EDD Type :																					
Rush (Specify): _____ Days																													
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas												
See lioness	4/12/25 4/12/25	0000	1030	-30	58-12 7			-30	-5.9	10626 10478	10320	6 L	4.16	VL042308.D	X		X												
Temperature (Fahrenheit) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				GC/MS Analyst Signature (TO-15) 							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Pressure (Inches of Hg) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Special Instructions/QC Requirements & Comments : EBR-103-SC-SS01-20250428																													
Suspected Contamination: High Medium Low PID Readings:																													
Sampling site (State):																													
Quick Connector required : NO																													
Canisters Shipped by: Sam				Date/Time: 04/15/25				Canisters Received by: CP				Date/Time: 4/30/25 1258																	
Samples Relinquished by: Sam Belding				Date/Time: 4/12/25				Received by:				Date/Time:																	
Relinquished by:				Date/Time:				Received by:				Date/Time:																	

B2504018 - 10

Student Center Closet

Client Contact Information				Bottle Order ID : B2504018				Courier :				_____ of _____ COCs																	
Client ID : TETR16 Project ID : R36724 R56900				Sampler Name(s) :				Analysis				Matrix																	
Customer Name : Tetra Tech, EMI Address : 240 Continental Drive, Suite 200 City : Newark State : DE Zip Code : 19713 Country :				Project Manager : AVA HEISS				AIR ANALYSIS CHAIN-OF-CUSTODY Individual Certified				TO-15 Indoor/Ambient Air Soil Gas																	
				Phone Number : 302-738-7551																									
				Fax Number : 302-454-5980																									
				Site Details: <i>See comments for sample ID</i>																									
Analysis Turnaround Time				Standard : 10 business days OR				Data Package Type :																					
Rush (Specify): _____ Days				EDD Type :																									
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID															
<i>See comments</i>	<i>4/28/25</i> <i>4/29/25</i>	<i>1345</i>	<i>1240</i>	<i>-28</i>	<i>-5</i>			<i>-30</i>	<i>-7.5</i>	<i>10515</i>	<i>10445</i>	<i>6 L</i>	<i>4.16</i>	<i>VL042308.D</i>	<i>X</i>		<i>X</i>												
Temperature (Fahrenheit) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				GC/MS Analyst Signature (TO-15) 							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Pressure (Inches of Hg) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Special Instructions/QC Requirements & Comments : <i>EBB- P07-SC-IDA01-20250428</i>																													
Suspected Contamination: High Medium Low PID Readings:																													
Sampling site (State):																													
Quick Connector required : <i>NO</i>																													
Canisters Shipped by: <i>Sam</i>				Date/Time: <i>4/21/25</i>				Canisters Received by:				Date/Time:																	
Samples Relinquished by: <i>Sam Belding</i>				Date/Time: <i>4/29/25</i>				Received by: <i>al</i>				Date/Time: <i>4/30/25 1255</i>																	
Relinquished by: .				Date/Time:				Received by:				Date/Time:																	

B2504018 - 12

Client Contact Information				Bottle Order ID : B2504018				Courier :				_____ of _____ COCs																	
Client ID : TETR16				Project ID : R36724 R36900				Sampler Name(s) : S. Belding				Analysis		Matrix															
Customer Name : Tetra Tech, EMI Address : 240 Continental Drive, Suite 200 City : Newark State : DE Zip Code : 19713 Country :				Project Manager : AVA HEISS				AIR ANALYSIS CHAIN-OF-CUSTODY Individual Certified																					
				Phone Number : 302-738-7551																									
				Fax Number : 302-454-5980																									
				Site Details: see comments for sample ID																									
				Analysis Turnaround Time				Data Package Type :																					
				Standard : 10 business days OR				EDD Type :																					
Country :				Rush (Specify): _____ Days																									
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas												
<i>See comments</i>	<i>4/28/25</i> <i>4/29/25</i>	<i>1318</i>	<i>1045</i>	<i>-30</i>	<i>-3</i>			<i>-30</i>	<i>-2.2</i>	<i>10482</i>	<i>10607</i>	<i>6 L</i>	<i>4.16</i>	<i>VL042310.D</i>	<i>X</i>	<i>X</i>													
Temperature (Fahrenheit) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				GC/MS Analyst Signature (TO-15) 							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Pressure (Inches of Hg) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Special Instructions/QC Requirements & Comments : EBR-P04-SC-IA01-20250428																													
Suspected Contamination: High Medium Low PID Readings:																													
Sampling site (State):																													
Quick Connector required : <i>No</i>																													
Canisters Shipped by: <i>Sam</i>				Date/Time: <i>04/25/25</i>				Canisters Received by: <i>OR</i>				Date/Time: <i>4/30/25 1255</i>																	
Samples Relinquished by: <i>Sam Belding</i>				Date/Time: <i>4/29/25</i>				Received by:				Date/Time:																	
Relinquished by:				Date/Time:				Received by:				Date/Time:																	
B2504018 - 15																													

USEPA CLP COC (Lab Copy)

DateShipped: 4/29/2025

CarrierName: Hand Delivered

DAS #: R36900

CHAIN OF CUSTODY RECORD

Site #: A36K

Contact Name: Sam Belding

Contact Phone: 215-789-8418

No: 3-042925-151434-0002

Cooler #:

Lab: Alliance Technical Group

Lab Phone: 908-728-3147

Lab #	Sample #	Location	Analyses	TAT	TAT Units	Matrix	Numb Cont	Container	Pump #	Orifice ID	Start Pressure	Stop Pressure	Start Date	Start Time	Stop Date	Stop Time
	EBR-P03-SC-IA01-20250428	Property 3	Toxic Organics (TO-15)	21	Days	Indoor Air	1	6-L Summa Cannisters	10267	10520	-30	-12	4/28/2025	10:07:00 AM	4/29/2025	10:30:00 AM
	EBR-P03-SC-SS01-20250428	Property 3	Toxic Organics (TO-15)	21	Days	Sub Slab	1	6-L Summa Cannisters	10320	10626	-30	-7	4/28/2025	10:00:00 AM	4/29/2025	10:30:00 AM
	EBR-P04-SC-IA01-20250428	Property 4	Toxic Organics (TO-15)	21	Days	Indoor Air	1	6-L Summa Cannisters	10607	10482	-30	-3	4/28/2025	1:18:00 PM	4/29/2025	10:45:00 AM
	EBR-P04-SC-SS01-20250428	Property 4	Toxic Organics (TO-15)	21	Days	Sub Slab	1	6-L Summa Cannisters	10283	10240	-29	-7	4/28/2025	1:10:00 PM	4/29/2025	12:27:00 PM

Special Instructions:	SAMPLES TRANSFERRED FROM
	CHAIN OF CUSTODY #

Items/Reason	Relinquished by (Signature and Organization)	Date/Time	Received by (Signature and Organization)	Date/Time	Sample Condition Upon Receipt
Sample Drop off	Gmiller / START	4/30/25 12:50	CR	1255 4/29/25	

No: 3-042925-151434-0002

Cooler #:

Lab: Alliance Technical Group

Lab Phone: 908-728-3147

Time	6:50 - 48
PM	1927-0 - 7.8
0	1927-05 - 7.5

Items/Reason	Relinquished by (Signature and Organization)	Date/Time	Received by (Signature and Organization)	Date/Time	Sample Condition Upon Receipt
Sample Drop off	<i>Quilley</i> / START	4/30/25 12:50	<i>CR</i>	12:55 4/30/25	

Internal Chain of Custody

6.1

Instructions: Use 1 form for each 20 samples of aliquot

Laboratory Person Breaking Field Seal on Sample Shuttle & Accepting Responsibility for Sample

Laboratory: Chemtech

Location: 284 Sheffield Street, Mountainside, NJ 7092

NA68:

Title: Sample Custodian

Field Sample Seal No.: Q1927

Date Broken: 4/29/2025

Military Time Seal Broken: 12:55:00

Case No.: R36900

Analytical Parameter/Fraction: TO-15

Sample No.	Aliquot/Extract No.	Sample No.	Aliquot/Extract No.
Q1927-01	EBR-P06-SC-IA01-202504		
Q1927-02	EBR-P03-SC-IA01-202504		
Q1927-03	EBR-P04-SC-SS01-202504		
Q1927-04	EBR-P03-SC-SS01-202504		
Q1927-05	EBR-P07-SC-IA01-202504		
Q1927-06	EBR-P04-SC-IA01-202504		

Date	Time	Relinquished By	Received By	Purpose of Change of Custody
4/29/25	14:30	Signature 	Signature 	AIR LAB
		Printed Name <u>Cassanova</u>	Printed Name <u>J. Callone</u>	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	

Distribution: White - Original (Sent With Report)

Yellow - Contractor Archive

Pink - Sample Custodian - Interim Copy

Laboratory Certification

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488

Internal Chain of Custody

Instructions: Use 1 form for each 20 samples of aliquot

Laboratory Person Breaking Field Seal on Sample Shuttle & Accepting Responsibility for Sample

Laboratory: Chemtech

Location: 284 Sheffield Street, Mountainside, NJ 7092

~~QA66:~~

Title: Sample Custodian

Field Sample Seal No. Q1927



Date Broken 4/29/2025

Military Time Seal Broken: 12:55:00

Case No.: R36900

Analytical Parameter/Fraction TO-15

Sample No.	Aliquot/Extract No.	Sample No.	Aliquot/Extract No.
Q1927-01	EBR-P06-SC-IA01-202504		
Q1927-02	EBR-P03-SC-IA01-202504		
Q1927-03	EBR-P04-SC-SS01-202504		
Q1927-04	EBR-P03-SC-SS01-202504		
Q1927-05	EBR-P07-SC-IA01-202504		
Q1927-06	EBR-P04-SC-IA01-202504		

Date	Time	Relinquished By	Received By	Purpose of Change of Custody
4/30/25	14:30	Signature 	Signature 	AIR LAB
		Printed Name <u>Cassanova Perin</u>	Printed Name <u>J. CARLONE</u>	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	

Distribution: White - Original (Sent With Report)

Yellow - Contractor Archive

Pink - Sample Custodian - Interim Copy

284 Sheffield Street Mountainside, NJ 07092

Analyst Signature: _____

Supervisor Signature:

Pressure Gauge ID: A755971

Document Control # A3041228

10320 -5.9

Initial Vacuum (Hg)	Final Vacuum (Hg/PSI)	Data	By:
Sample ID: EBR-P03-SC-SS01-20250428 Start Date: 4/28/2025 Start Time: 10:00:00 AM Stop Date: 4/29/2025 Stop Time: 1030 Location: Property 3 Analyses: Toxic Organics (TO-15) Cannister ID: 10320 Regulator #: 10626 Matrix: Sub Slab Sampler: START Start Pressure: -30 Stop Pressure: -10 Storage Location: Air Lab Sample: Q1927-04 Cust #: EBR-P03-SC-SS01-20250428			

10445 -7.5

Initial Vacuum (Hg)	Final Vacuum (Hg/PSI)	Data	By:
Sample ID: EBR-P07-SC-IA01-20250428 Start Date: 4/28/2025 Start Time: 1:45:00 PM Stop Date: 4/29/2025 Stop Time: 1240 Location: Property 7 Analyses: Toxic Organics (TO-15) Cannister ID: 10445 Regulator #: 10515 Matrix: Indoor Air Sampler: START Start Pressure: -28 Stop Pressure: -5 Storage Location: Air Lab Sample: Q1927-05 Cust #: EBR-P07-SC-IA01-20250428			

10607 -2.2

Initial Vacuum (Hg)	Final Vacuum (Hg/PSI)	Data	By:
Sample ID: EBR-P04-SC-IA01-20250428 Start Date: 4/28/2025 Start Time: 1:18:00 PM Stop Date: 4/29/2025 Stop Time: 1045 Location: Property 4 Analyses: Toxic Organics (TO-15) Cannister ID: 10607 Regulator #: 10482 Matrix: Indoor Air Sampler: START Start Pressure: -30 Stop Pressure: -3 Storage Location: Air Lab Sample: Q1927-06 Cust #: EBR-P04-SC-IA01-20250428			

ABEL HERE

8-7-
+6101

Cust #: EBR-P06-SC-IA01-20250428
Sample: Q1927-01
Storage Location: Air Lab

Initial Vacuum (Hg)	Final Vacuum (Hg/PSI)	Data

Sample ID: EBR-P06-SC-IA01-20250428
 Start Date: 4/28/2025 Start Time: 2:33:00 PM
 Stop Date: 4/29/2025 Stop Time: 1130
 Location: Property 6 Analyses: Toxic Organics (TO-15)
 Cannister ID: 10197 Regulator #: 10478
 Matrix: Indoor Air
 Sampler: START
 Start Pressure: -30 Stop Pressure: -10

5-5-
+9201

Cust #: EBR-P03-SC-IA01-20250428
Sample: Q1927-02
Storage Location: Air Lab

Initial Vacuum (Hg)	Final Vacuum (Hg/PSI)	Data

Sample ID: EBR-P03-SC-IA01-20250428
 Start Date: 4/28/2025 Start Time: 10:07:00 AM
 Stop Date: 4/29/2025 Stop Time: 1030
 Location: Property 3 Analyses: Toxic Organics (TO-15)
 Cannister ID: 10267 Regulator #: 10520
 Matrix: Indoor Air
 Sampler: START
 Start Pressure: -30 Stop Pressure: -12

Initial Vacuum (Hg)	Final Vacuum (Hg/PSI)	Data

Sample ID: EBR-P04-SC-SS01-20250428
 Start Date: 4/28/2025 Start Time: 1:10:00 PM
 Stop Date: 4/29/2025 Stop Time: 1227
 Location: Property 4 Analyses: Toxic Organics (TO-15)
 Cannister ID: 10283 Regulator #: 10240
 Matrix: Sub Slab
 Sampler: START
 Start Pressure: -29 Stop Pressure: -7

Storage Location: Air Lab
 Sample: Q1927-03
 Cust #: EBR-P04-SC-SS01-20250428

10283
7-1