



SHIPPING DOCUMENTS

Client Contact Information				Bottle Order ID : B2504018				Courier :				_____ of _____ COCs				
Client ID : TETR16 Project ID : R36724 R36900				Project Manager : AVA HEISS				Sampler Name(s) : S. Belding				Analysis		Matrix		
Customer Name : Tetra Tech, EMI Address : 240 Continental Drive, Suite 200				Phone Number : 302-738-7551				AIR ANALYSIS CHAIN-OF-CUSTODY Individual Certified				TO-15	Indoor/Ambient Air	Soil Gas		
				Fax Number : 302-454-5980												
				Site Details: See comments for sample ID												
City : Newark				Analysis Turnaround Time												
State : DE				Standard : 10 business days OR				Data Package Type :								
Zip Code : 19713				Rush (Specify): _____ Days				EDD Type :								
Country :																
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID		
See Comment	4/28/15 4/29/15	1433	1430	-30	-10			-30	-7.8	10478	10197	6 L	4.16	VL042309.D	X	X
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) Sub						
		Ambient	Maximum	Minimum												
Start																
Stop																
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.						
		Ambient	Maximum	Minimum												
Start																
Stop																
Special Instructions/QC Requirements & Comments : EBE-706-5L-1A01-2005 0426																
Suspected Contamination: High Medium Low PID Readings:																
Sampling site (State):																
Quick Connector required : NO																
Canisters Shipped by: Sam				Date/Time: 04/05/15				Canisters Received by: CP				Date/Time: 4/30/15 1255				B2504018 - 3
Samples Relinquished by: Sam Belding				Date/Time: 4/29/15				Received by:				Date/Time:				
Relinquished by:				Date/Time:				Received by:				Date/Time:				

Client Contact Information				Bottle Order ID : B2504018				Courier :				_____ of _____ COCs																	
Client ID : TETR16				Project ID : R36724 R36900				Sampler Name(s) : S. Belding				Analysis		Matrix															
Customer Name : Tetra Tech, EMI Address : 240 Continental Drive, Suite 200				Project Manager : AVA HEISS				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																					
				Phone Number : 302-738-7551																									
				Fax Number : 302-454-5980																									
				Site Details: See comments for sample ID																									
City : Newark				Analysis Turnaround Time								Indoor/Ambient Air		Soil Gas															
State : DE																													
Zip Code : 19713				Standard : 10 business days OR				Data Package Type :																					
Country :				Rush (Specify): Days				EDD Type :																					
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15														
Seende	1/18/15	1007	1030	-30	-12			-30	-5.5	10520	10267	6 L	4.16	VL042308.D	X		X												
Temperature (Fahrenheit) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				GC/MS Analyst Signature (TO-15) 							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Pressure (Inches of Hg) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Special Instructions/QC Requirements & Comments : BBR-P3-SC-IA01-20250428																													
Suspected Contamination: High Medium Low PID Readings:																													
Sampling site (State):																													
Quick Connector required : No																													
Canisters Shipped by: Sam				Date/Time: 04/15/25				Canisters Received by: OP				Date/Time: 4/30/25 1255				B2504018 - 4													
Samples Relinquished by: Sam Belding				Date/Time: 4/29/25				Received by:				Date/Time:																	
Relinquished by:				Date/Time:				Received by:				Date/Time:																	

Library basement

Alliance Project No. :

Q1927

Client Contact Information				Bottle Order ID : B2504018				Courier :				_____ of _____ COCs																	
Client ID : TETR16 Project ID : R36724 <i>R36900</i>				Sampler Name(s) : <i>Sam Belding</i>				Analysis				Matrix																	
Customer Name : Tetra Tech, EMI Address : 240 Continental Drive, Suite 200 City : Newark State : DE Zip Code : 19713 Country :				Project Manager : AVA HEISS				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified				TO-15 Indoor/Ambient Air Soil Gas																	
				Phone Number : 302-738-7551																									
				Fax Number : 302-454-5980																									
				Site Details: <i>See comments for sample ID</i>																									
Analysis Turnaround Time				Standard : 10 business days OR				Data Package Type :																					
Rush (Specify): _____ Days				EDD Type :																									
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID															
<i>See comment</i>	<i>4/28/25</i> <i>4/29/25</i>	<i>1310</i>	<i>1227</i>	<i>20</i>	<i>-7</i>			<i>-30</i>	<i>-6.7</i>	<i>10240</i>	<i>10283</i>	<i>6 L</i>	<i>4.16</i>	<i>VL042308.D</i>	<i>X</i>			<i>X</i>											
Temperature (Fahrenheit) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				GC/MS Analyst Signature (TO-15) <i>Sam</i>							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Pressure (Inches of Hg) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Special Instructions/QC Requirements & Comments : <i>EBB-P04-SC-SS01-20250428</i>																													
Suspected Contamination: High Medium Low PID Readings:																													
Sampling site (State):																													
Quick Connector required : <i>NO</i>																													
Canisters Shipped by: <i>Sam</i>				Date/Time: <i>04/13/25</i>				Canisters Received by: <i>CP</i>				Date/Time: <i>4/30/25 1258</i>																	
Samples Relinquished by: <i>Sam Belding</i>				Date/Time: <i>4/29/25</i>				Received by:				Date/Time:																	
Relinquished by:				Date/Time:				Received by:				Date/Time:																	

B2504018 - 7

Client Contact Information				Bottle Order ID : B2504018				Courier :				_____ of _____ COCs					
Client ID : TETR16				Project ID : R36724 R56900				Sampler Name(s) : S. Belding				Analysis		Matrix			
Customer Name : Tetra Tech, EMI Address : 240 Continental Drive, Suite 200 City : Newark State : DE Zip Code : 19713 Country :				Project Manager : AVA HEISS				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified									
				Phone Number : 302-738-7551													
				Fax Number : 302-454-5980													
				Site Details: <i>See comments for Sample IP</i>													
				Analysis Turnaround Time				Data Package Type :									
				Standard : 10 business days OR				EDD Type :									
Rush (Specify): _____ Days																	
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
<i>See notes</i>	4/12/25 4/12/25	0000	1030	-30	58 -12 7			-30	-5.9	10626 10478	10320	6 L	4.16	VL042308.D	X		X
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <i>[Signature]</i>							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Special Instructions/QC Requirements & Comments : EBR-103-SC-SS01-20250428																	
Suspected Contamination: High Medium Low PID Readings:																	
Sampling site (State):																	
Quick Connector required : NO																	
Canisters Shipped by: Sam				Date/Time: 04/15/25				Canisters Received by: CP				Date/Time: 4/30/25 1258					
Samples Relinquished by: Sam Belding				Date/Time: 4/29/25				Received by:				Date/Time:					
Relinquished by:				Date/Time:				Received by:				Date/Time:					
B2504018 - 10																	

Client Contact Information				Bottle Order ID : B2504018				Courier :				_____ of _____ COCs																	
Client ID : TETR16 Project ID : 336724 R56900				Sampler Name(s) :				Analysis				Matrix																	
Customer Name : Tetra Tech, EMI Address : 240 Continental Drive, Suite 200 City : Newark State : DE Zip Code : 19713 Country :				Project Manager : AVA HEISS				AIR ANALYSIS CHAIN-OF-CUSTODY Individual Certified				TO-15 Indoor/Ambient Air Soil Gas																	
				Phone Number : 302-738-7551																									
				Fax Number : 302-454-5980																									
				Site Details: <i>See comments for sample ID</i>																									
Analysis Turnaround Time				Data Package Type :																									
Standard : 10 business days OR				EDD Type :																									
Rush (Specify): _____ Days																													
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID															
<i>See comments</i>	<i>4/28/25</i> <i>4/29/25</i>	<i>1345</i>	<i>1240</i>	<i>-28</i>	<i>-5</i>			<i>-30</i>	<i>-7.5</i>	<i>10515</i>	<i>10445</i>	<i>6 L</i>	<i>4.16</i>	<i>VL042308.D</i>	<i>X</i>														
Temperature (Fahrenheit) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				GC/MS Analyst Signature (TO-15) <i>[Signature]</i>							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Pressure (Inches of Hg) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Special Instructions/QC Requirements & Comments : <i>EBR- P07-SC-IDA01-20250428</i>																													
Suspected Contamination: High Medium Low PID Readings:																													
Sampling site (State):																													
Quick Connector required : <i>NO</i>																													
Canisters Shipped by: <i>Sam</i>				Date/Time: <i>4/21/25</i>				Canisters Received by: <i>al</i>				Date/Time: <i>4/30/25 1255</i>																	
Samples Relinquished by: <i>Sam Belding</i>				Date/Time: <i>4/29/25</i>				Received by: <i>al</i>				Date/Time: <i>4/30/25 1255</i>																	
Relinquished by: .				Date/Time:				Received by:				Date/Time:																	

Client Contact Information				Bottle Order ID : B2504018				Courier :				_____ of _____ COCs									
Client ID : TETR16 Project ID : R36724 R36900				Sampler Name(s) : S. Belding				Analysis				Matrix									
Customer Name : Tetra Tech, EMI Address : 240 Continental Drive, Suite 200 City : Newark State : DE Zip Code : 19713 Country :				Project Manager : AVA HEISS				AIR ANALYSIS CHAIN-OF-CUSTODY Individual Certified													
				Phone Number : 302-738-7551																	
				Fax Number : 302-454-5980																	
				Site Details: see comments for sample ID																	
Analysis Turnaround Time				Standard : 10 business days OR				Data Package Type :													
Rush (Specify): _____ Days				EDD Type :																	
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15				Indoor/Ambient Air	Soil Gas	
<i>See comments</i>	<i>4/28/25</i> <i>4/29/25</i>	<i>1318</i>	<i>1045</i>	<i>-30</i>	<i>-3</i>			<i>-30</i>	<i>-2.2</i>	<i>10482</i>	<i>10607</i>	<i>6 L</i>	<i>4.16</i>	<i>VL042310.D</i>	<i>X</i>			<i>X</i>			
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <i>[Signature]</i>											
		Ambient	Maximum	Minimum																	
Start																					
Stop																					
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.											
		Ambient	Maximum	Minimum																	
Start																					
Stop																					
Special Instructions/QC Requirements & Comments : EBR-P04-SC-IA01-20250428																					
Suspected Contamination: High Medium Low PID Readings:																					
Sampling site (State):																					
Quick Connector required : <i>No</i>																					
Canisters Shipped by: <i>Sam</i>				Date/Time: <i>04/25/25</i>				Canisters Received by: <i>OP</i>				Date/Time: <i>4/30/25 1255</i>				B2504018 - 15					
Samples Relinquished by: <i>Sam Belding</i>				Date/Time: <i>4/29/25</i>				Received by:				Date/Time:									
Relinquished by:				Date/Time:				Received by:				Date/Time:									

USEPA CLP COC (Lab Copy)

DateShipped: 4/29/2025

CarrierName: Hand Delivered

DAS #: R36900

CHAIN OF CUSTODY RECORD

Site #: A36K

Contact Name: Sam Belding

Contact Phone: 215-789-8418

No: 3-042925-151434-0002

Cooler #:

Lab: Alliance Technical Group

Lab Phone: 908-728-3147

Lab #	Sample #	Location	Analyses	TAT	TAT Units	Matrix	Numb Cont	Container	Pump #	Orifice D	Start Pressure	Stop Pressure	Start Date	Start Time	Stop Date	Stop Time	Lab #
	EBR-P03-SC-IA01-20250428	Property 3	Toxic Organics (TO-15)	21	Days	Indoor Air	1	6-L Summa Cannisters	10267	10520	-30	-12	4/28/2025	10:07:00 AM	4/29/2025	10:30:00 AM	1927-02-55
	EBR-P03-SC-SS01-20250428	Property 3	Toxic Organics (TO-15)	21	Days	Sub Slab	1	6-L Summa Cannisters	10320	10626	-30	-7	4/28/2025	10:00:00 AM	4/29/2025	10:30:00 AM	1927-04-5.9
	EBR-P04-SC-IA01-20250428	Property 4	Toxic Organics (TO-15)	21	Days	Indoor Air	1	6-L Summa Cannisters	10607	10482	-30	-3	4/28/2025	1:18:00 PM	4/29/2025	10:45:00 AM	1927-06-2.2
	EBR-P04-SC-SS01-20250428	Property 4	Toxic Organics (TO-15)	21	Days	Sub Slab	1	6-L Summa Cannisters	10283	10240	-29	-7	4/28/2025	1:10:00 PM	4/29/2025	12:27:00 PM	1927-03-6.7

Special Instructions:

SAMPLES TRANSFERRED FROM
CHAIN OF CUSTODY #

Items/Reason	Relinquished by (Signature and Organization)	Date/Time	Received by (Signature and Organization)	Date/Time	Sample Condition Upon Receipt
Sample Drop off	Gmiller / START	4/30/25 12:50	CB	1255 4/29/25	

DAS #: R36900

CHAIN OF CUSTODY RECORD

Site #: A36K

Contact Name: Sam Belding

Contact Phone: 215-789-8418

No: 3-042925-151434-0002

Cooler #:

Lab: Alliance Technical Group

Lab Phone: 908-728-3147

[illegible]

Special Instructions:	SAMPLES TRANSFERRED FROM
	CHAIN OF CUSTODY #

Items/Reason	Relinquished by (Signature and Organization)	Date/Time	Received by (Signature and Organization)	Date/Time	Sample Condition Upon Receipt
Sample Drop off	<i>Quilley</i> / START	4/30/25 12:50	<i>CR</i>	12:55 4/30/25	

Internal Chain of Custody

Instructions: Use 1 form for each 20 samples of aliquot

Laboratory Person Breaking Field Seal on Sample Shuttle & Accepting Responsibility for Sample

Laboratory: Chemtech

Location: 284 Sheffield Street, Mountainside, NJ 7092

NA68:

Title: Sample Custodian

Field Sample Seal No.: Q1927

Date Broken: 4/29/2025

Military Time Seal Broken: 12:55:00

Case No.: R36900

Analytical Parameter/Fraction: TO-15

Sample No.	Aliquot/Extract No.	Sample No.	Aliquot/Extract No.
Q1927-01	EBR-P06-SC-IA01-202504		
Q1927-02	EBR-P03-SC-IA01-202504		
Q1927-03	EBR-P04-SC-SS01-202504		
Q1927-04	EBR-P03-SC-SS01-202504		
Q1927-05	EBR-P07-SC-IA01-202504		
Q1927-06	EBR-P04-SC-IA01-202504		

Date	Time	Relinquished By	Received By	Purpose of Change of Custody
4/29/25	14:30	Signature 	Signature 	AIR LAB
		Printed Name <u>Cassanova</u>	Printed Name <u>J. Callone</u>	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	

Distribution: White - Original (Sent With Report)

Yellow - Contractor Archive

Pink - Sample Custodian - Interim Copy

Analyst Signature:_____

Supervisor Signature:

Pressure Gauge ID: A755971

Document Control # A3041228

Initial Vacuum (Hg)	Final Vacuum (Hg/PSI)	Data	By:

Sample ID: EBR-P03-SC-SS01-20250428

Start Date: 4/28/2025 Start Time: 10:00:00 AM
 Stop Date: 4/29/2025 Stop Time: 10:30
 Location: Property 3 Analyses: Toxic Organics (TO-15)
 Canister ID: 10320 Regulator #: 10626
 Matrix: Sub Slab
 Sampler: START
 Start Pressure: -30 Stop Pressure: -10

Storage Location: Air Lab

Sample: Q1927-04

Cust #: EBR-P03-SC-SS01-20250428

10320

-5.9

Initial Vacuum (Hg)	Final Vacuum (Hg/PSI)	Data	By:

Sample ID: EBR-P07-SC-IA01-20250428

Start Date: 4/28/2025 Start Time: 1:45:00 PM
 Stop Date: 4/29/2025 Stop Time: 12:40
 Location: Property 7 Analyses: Toxic Organics (TO-15)
 Canister ID: 10445 Regulator #: 10515
 Matrix: Indoor Air
 Sampler: START
 Start Pressure: -28 Stop Pressure: -5

Storage Location: Air Lab

Sample: Q1927-05

Cust #: EBR-P07-SC-IA01-20250428

10445

-7.5

Initial Vacuum (Hg)	Final Vacuum (Hg/PSI)	

Sample ID: EBR-P04-SC-IA01-20250428
 Start Date: 4/28/2025 Start Time: 1:18:00 PM
 Stop Date: 4/29/2025 Stop Time: 10:45
 Location: Property 4 Analyses: Toxic Organics (TO-15)
 Canister ID: 10607 Regulator #: 10482
 Matrix: Indoor Air
 Sampler: START
 Start Pressure: -30 Stop Pressure: -3

Storage Location: Air Lab

Sample: Q1927-06

Cust #: EBR-P04-SC-IA01-20250428

ABEL HERE

-2.2

10607

8-7-
+6101

Cust #: EBR-P06-SC-IA01-20250428
Sample: Q1927-01
Storage Location: Air Lab

Initial Vacuum (Hg)	Final Vacuum (Hg/PSI)	Data

Sample ID: EBR-P06-SC-IA01-20250428
 Start Date: 4/28/2025 Start Time: 2:33:00 PM
 Stop Date: 4/29/2025 Stop Time: 1130
 Location: Property 6 Analyses: Toxic Organics (TO-15)
 Cannister ID: 10197 Regulator #: 10478
 Matrix: Indoor Air
 Sampler: START
 Start Pressure: -30 Stop Pressure: -10

5-5-
+9201

Cust #: EBR-P3-SC-IA01-20250428
Sample: Q1927-02
Storage Location: Air Lab

Initial Vacuum (Hg)	Final Vacuum (Hg/PSI)	Data

Sample ID: EBR-P03-SC-IA01-20250428
 Start Date: 4/28/2025 Start Time: 10:07:00 AM
 Stop Date: 4/29/2025 Stop Time: 1030
 Location: Property 3 Analyses: Toxic Organics (TO-15)
 Cannister ID: 10267 Regulator #: 10520
 Matrix: Indoor Air
 Sampler: START
 Start Pressure: -30 Stop Pressure: -12

Initial Vacuum (Hg)	Final Vacuum (Hg/PSI)	Data

Sample ID: EBR-P04-SC-SS01-20250428
 Start Date: 4/28/2025 Start Time: 1:10:00 PM
 Stop Date: 4/29/2025 Stop Time: 1227
 Location: Property 4 Analyses: Toxic Organics (TO-15)
 Cannister ID: 10283 Regulator #: 10240
 Matrix: Sub Slab
 Sampler: START
 Start Pressure: -29 Stop Pressure: -7

Storage Location: Air Lab
 Sample: Q1927-03
 Cust #: EBR-P04-SC-SS01-20250428

10283
8-7-

Laboratory Certification

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488

Internal Chain of Custody

Instructions: Use 1 form for each 20 samples of aliquot

Laboratory Person Breaking Field Seal on Sample Shuttle & Accepting Responsibility for Sample

Laboratory: Chemtech

Location: 284 Sheffield Street, Mountainside, NJ 7092

~~QA66:~~

Title: Sample Custodian

Field Sample Seal No. Q1927



Date Broken 4/29/2025

Military Time Seal Broken: 12:55:00

Case No.: R36900

Analytical Parameter/Fraction TO-15

Sample No.	Aliquot/Extract No.	Sample No.	Aliquot/Extract No.
Q1927-01	EBR-P06-SC-IA01-202504		
Q1927-02	EBR-P03-SC-IA01-202504		
Q1927-03	EBR-P04-SC-SS01-202504		
Q1927-04	EBR-P03-SC-SS01-202504		
Q1927-05	EBR-P07-SC-IA01-202504		
Q1927-06	EBR-P04-SC-IA01-202504		

Date	Time	Relinquished By	Received By	Purpose of Change of Custody
4/30/25	14:30	Signature 	Signature 	AIR LAB
		Printed Name <u>Cassanova Perin</u>	Printed Name <u>J. CARLONE</u>	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	

Distribution: White - Original (Sent With Report)

Yellow - Contractor Archive

Pink - Sample Custodian - Interim Copy