

LAB CHRONICLE

OrderID:	Q1929	OrderDate:	5/1/2025 12:26:00 PM
Client:	ENTACT	Project:	540 Degraw St, Brooklyn, NY - E9309
Contact:	Jarod Stanfield	Location:	L41

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q1929-02	WC-A4-02-C	SOIL			04/29/25 12:00			05/01/25
			Oil and Grease	9071B			05/06/25 10:25	
			Paint Filter	9095B			05/02/25 09:39	
			pH	9045D			05/01/25 15:30	
			TS	SM2540 B			05/01/25 16:00	
			TVS	160.4			05/01/25 16:00	
Q1929-03	WC-A4-02-C	SOIL			04/29/25 12:00			05/01/25
			Corrosivity	9045D			05/01/25 15:30	
			Ignitability	1030			05/05/25 10:13	
			Reactive Cyanide	9012B		05/01/25	05/02/25 10:05	
			Reactive Sulfide	9034		05/02/25	05/02/25 11:38	
Q1929-04	WC-A4-02-C	WATER			04/29/25 12:00			05/01/25
			ASTM Ammonia	SM4500-NH3		05/05/25	05/06/25 09:47	
			ASTM COD	SM5220 D			05/06/25 13:10	
			ASTM Oil and Grease	1664A			05/05/25 12:10	

LAB CHRONICLE

Q1929-06	WC-A1-03-C	SOIL	ASTM TS	SM2540 B		05/05/25 11:00	05/01/25
			04/30/25 12:00				
			Oil and Grease	9071B		05/06/25 10:25	
			Paint Filter	9095B		05/02/25 10:20	
			pH	9045D		05/01/25 15:40	
			TS	SM2540 B		05/01/25 16:00	
			TVS	160.4		05/01/25 16:00	
Q1929-07	WC-A1-03-C	SOIL	04/30/25 12:00				05/01/25
			Corrosivity	9045D		05/01/25 15:40	
			Ignitability	1030		05/05/25 10:20	
			Reactive Cyanide	9012B	05/01/25	05/02/25 10:05	
			Reactive Sulfide	9034	05/02/25	05/02/25 11:40	
Q1929-08	WC-A1-03-C	WATER	04/30/25 12:00				05/01/25
			ASTM Ammonia	SM4500-NH3	05/05/25	05/06/25 09:57	
			ASTM COD	SM5220 D		05/06/25 13:12	
			ASTM Oil and Grease	1664A		05/05/25 12:10	
			ASTM TS	SM2540 B		05/05/25 11:00	
Q1929-10	WC-A1-04-C	SOIL	04/30/25 12:00				05/01/25
			Oil and Grease	9071B		05/06/25 10:25	

LAB CHRONICLE

			Paint Filter	9095B		05/02/25 10:28	
			pH	9045D		05/01/25 15:50	
			TS	SM2540 B		05/01/25 16:00	
			TVS	160.4		05/01/25 16:00	
Q1929-11	WC-A1-04-C	SOIL			04/30/25 12:00		05/01/25
			Corrosivity	9045D		05/01/25 15:50	
			Ignitability	1030		05/05/25 10:27	
			Reactive Cyanide	9012B		05/01/25 10:05	
			Reactive Sulfide	9034		05/02/25 11:43	
Q1929-12	WC-A1-04-C	WATER			04/30/25 12:00		05/01/25
			ASTM Ammonia	SM4500-NH3		05/05/25 09:57	
			ASTM COD	SM5220 D		05/06/25 13:13	
			ASTM Oil and Grease	1664A		05/05/25 12:10	
			ASTM TS	SM2540 B		05/05/25 11:00	
Q1929-14	WC-A4-02-C	SOIL			04/29/25 12:00		05/01/25
			pH	9045D		05/12/25 13:30	
Q1929-15	WC-A1-03-C	SOIL			04/30/25 12:00		05/01/25
			pH	9045D		05/12/25 13:35	

LAB CHRONICLE

Q1929-16

WC-A1-04-C

SOIL

04/30/25
12:00

05/01/25

pH

9045D

05/12/25
13:38
