

SOP ID : M9012B-Total, Amenable and Reactive Cyanide-20

SDG No : N/A

Start Digest Date: 05/01/2025 Time : 15:15 Temp : N/A

Matrix : SOIL

End Digest Date: 05/01/2025 Time : 16:45 Temp : N/A

Pipette ID : N/A

Balance ID : WC SC-7

Hood ID : HOOD#1

Digestion tube ID : M5595

Block Thermometer ID : N/A

Block ID : MC-1, MC-2

Filter paper ID : N/A

Prep Technician Signature: RM

Weigh By : RM

pH Meter ID : N/A

Supervisor Signature: 12

Standardized Name	MLS USED	STD REF. # FROM LOG
PBS003	50.0ML	W3112
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
0.25N NaOH	50.0ML	WP111294
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

LAB SAMPLE ID	CLIENT SAMPLE ID	Comment

Extraction Conformance/Non-Conformance Comments:

N/A

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
05/01/2025 17:00	RM (WC)	RM (WC)
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	Initial Weight (g)	Final Vol (ml)	pH	Sulfide	Oxidizing	Nitrate/ Nitrite	Comment	Prep Pos
PB167827BL	PBS827	5.00	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1916-04DUP	WC-12DUP	5.05	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1916-04	WC-12	5.05	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1917-04	MH-JJ	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1922-04	MH-R	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1922-08	MH-S	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1928-04	MH-Q	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1929-03	WC-AA-02-C	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1929-07	WC-AA-03-C	5.05	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1929-11	WC-AA-04-C	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1932-02	COMP-4	5.06	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1932-04	COMP-5	5.02	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1932-06	COMP-6	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1932-08	COMP-7	5.06	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1935-04	MH-NN	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1935-08	MH-MM	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A