

CLIENT INFORMATION

REPORT TO BE SENT TO:

COMPANY: Verina Consulting Group

ADDRESS: 1011 US Highway 22, Suite 302

CITY Bridgewater STATE: NJ ZIP: 08807

ATTENTION: Michael Vaunzi

PHONE: 908-864-4400 FAX:

CLIENT PROJECT INFORMATION

PROJECT NAME: Rotor Clip

PROJECT NO.: 5183-0001 LOCATION: NJ

PROJECT MANAGER: Michael Vaunzi

e-mail: mvaunzi@vcg-llc.com
smaccarter@vcg-llc.com

PHONE: 908-864-4400 FAX: 908-864-4401

CLIENT BILLING INFORMATION

BILL TO: See Left

PO#:

ADDRESS:

CITY

STATE:

ZIP:

ATTENTION:

PHONE:

ANALYSIS

DATA TURNAROUND INFORMATION

FAX (RUSH) 5 DAYS*

HARDCOPY (DATA PACKAGE): 5 DAYS*

EDD: 5 DAYS*

*TO BE APPROVED BY CHEMTECH

STANDARD HARDCOPY TURNAROUND TIME IS 10 BUSINESS

DATA DELIVERABLE INFORMATION

☐ Level 1 (Results Only) ☐ Level 4 (QC + Full Raw Data)

☐ Level 2 (Results + QC) ☐ NJ Reduced ☐ US EPA CLP

☐ Level 3 (Results + QC) ☐ NYS ASP A ☐ NYS ASP B

+ Raw Data) ☐ Other

☐ EDD FORMAT

1. Cr, Cu, Ni, Zn
2. Chlorine Demand
3. Ammonia

PRESERVATIVES

COMMENTS

← Specify Preservatives

A-HCl D-NaOH

B-HNO3 E-ICE

C-H2SO4 F-OTHER

ALLIANCE
SAMPLE
ID

PROJECT
SAMPLE IDENTIFICATION

SAMPLE
MATRIX

SAMPLE
TYPE

SAMPLE
COLLECTION

COMP

GRAB

DATE

TIME

OF BOTTLES

B

E

C

1

2

3

4

5

6

7

8

9

1.

Water Treatment Discharge

WW

X

5/11/25

10:23

3

X

X

X

2.

3.

4.

5.

6.

7.

8.

9.

10.

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY

ILL-GUW #1

RELINQUISHED BY SAMPLER:

DATE/TIME: 1140

RECEIVED BY:

1. Michael Vaunzi

5/11/25

1. [Signature]

RELINQUISHED BY SAMPLER:

DATE/TIME:

RECEIVED BY:

RELINQUISHED BY SAMPLER:

DATE/TIME: 1250

RECEIVED BY:

3. [Signature]

5/11/25

3. [Signature]

Conditions of bottles or coolers at receipt: ☐ COMPLIANT ☐ NON COMPLIANT ☐ COOLER TEMP 5.3° Adjust from 0°+1

Comments: Flow Rate = please email all

pH = reporting items and

Temperature = invoice to mvaunzi@vcg-llc.com

Metals Group 4 = Cr, Cu, Ni, Zn Smaccarter@vcg-llc.com

Page 1 of 1 CLIENT: ☐ Hand Delivered ☐ Other Shipment Complete

☐ YES ☐ NO