

Final Vol:

Test:

05/01/25

10000

иL



Report of Analysis

Saxton Falls Sand and Gravel Co. Inc. Date Collected: Client:

Project: Date Received: 05/01/25 Stan Hope

Client Sample ID: SMALL-PILE-B SDG No.: Q1936

Q1936-03 Lab Sample ID: Matrix: **SOIL**

SW8082A % Solid: 93.8 Decanted: Analytical Method:

g

PCB Soil Aliquot Vol: uL

Extraction Type: Injection Volume:

Units:

PH: GPC Factor: 1.0

30.05

Prep Method: SW3541B

Sample Wt/Vol:

File ID/Qc Batch: Dilution: Prep Date Date Analyzed Prep Batch ID PO110936.D 05/05/25 08:35 05/05/25 14:40 PB167853

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	4.20	U	4.20	18.1	ug/kg
11104-28-2	Aroclor-1221	4.30	U	4.30	18.1	ug/kg
11141-16-5	Aroclor-1232	4.00	U	4.00	18.1	ug/kg
53469-21-9	Aroclor-1242	4.30	U	4.30	18.1	ug/kg
12672-29-6	Aroclor-1248	6.30	U	6.30	18.1	ug/kg
11097-69-1	Aroclor-1254	3.40	U	3.40	18.1	ug/kg
37324-23-5	Aroclor-1262	5.30	U	5.30	18.1	ug/kg
11100-14-4	Aroclor-1268	3.80	U	3.80	18.1	ug/kg
11096-82-5	Aroclor-1260	3.40	U	3.40	18.1	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	18.7		30 (32) - 150 (144)	93%	SPK: 20
2051-24-3	Decachlorobiphenyl	21.1		30 (32) - 150 (175)	106%	SPK: 20

Comments:

U = Not Detected

LOO = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit