



SAMPLE DATA

A

B

C

Report of Analysis

Client:	Saxton Falls Sand and Gravel Co. Inc.	Date Collected:	05/01/25
Project:	Stan Hope	Date Received:	05/01/25
Client Sample ID:	LARGE-PILE-A	SDG No.:	Q1937
Lab Sample ID:	Q1937-01	Matrix:	SOIL
Analytical Method:	8015D TPH	% Solid:	94.3
Sample Wt/Vol:	30.03	Units:	g
Soil Aliquot Vol:			uL
Extraction Type:		Test:	TPH GC
GPC Factor :		Injection Volume :	
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
FG015786.D	1	05/07/25 09:00	05/07/25 12:47	PB167887

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
PHC	Petroleum Hydrocarbons	9100		407	3000	ug/kg
SURROGATES						
16416-32-3	TETRACOSANE-d50	11.2		37 - 130	56%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Saxton Falls Sand and Gravel Co. Inc.	Date Collected:	05/01/25
Project:	Stan Hope	Date Received:	05/01/25
Client Sample ID:	LARGE-PILE-B	SDG No.:	Q1937
Lab Sample ID:	Q1937-03	Matrix:	SOIL
Analytical Method:	8015D TPH	% Solid:	96.4
Sample Wt/Vol:	30.06	Units:	g
Soil Aliquot Vol:			uL
Extraction Type:		Test:	TPH GC
GPC Factor :		Injection Volume :	
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
FG015787.D	1	05/07/25 09:00	05/07/25 13:16	PB167887

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
PHC	Petroleum Hydrocarbons	8510		398	2930	ug/kg
SURROGATES						
16416-32-3	TETRACOSANE-d50	11.8		37 - 130	59%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Saxton Falls Sand and Gravel Co. Inc.	Date Collected:	05/01/25
Project:	Stan Hope	Date Received:	05/01/25
Client Sample ID:	LARGE-PILE-C	SDG No.:	Q1937
Lab Sample ID:	Q1937-05	Matrix:	SOIL
Analytical Method:	8015D TPH	% Solid:	94.9
Sample Wt/Vol:	30.04	Units:	g
Soil Aliquot Vol:			uL
Extraction Type:		Test:	TPH GC
GPC Factor :		Injection Volume :	
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
FG015788.D	1	05/07/25 09:00	05/07/25 13:45	PB167887

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
PHC	Petroleum Hydrocarbons	7390		404	2980	ug/kg
SURROGATES						
16416-32-3	TETRACOSANE-d50	9.66		37 - 130	48%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Saxton Falls Sand and Gravel Co. Inc.	Date Collected:	05/01/25
Project:	Stan Hope	Date Received:	05/01/25
Client Sample ID:	LARGE-PILE-D	SDG No.:	Q1937
Lab Sample ID:	Q1937-07	Matrix:	SOIL
Analytical Method:	8015D TPH	% Solid:	94.6
Sample Wt/Vol:	30.08	Units:	g
Soil Aliquot Vol:			uL
Extraction Type:		Test:	TPH GC
GPC Factor :		Injection Volume :	
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
FG015789.D	1	05/07/25 09:00	05/07/25 14:14	PB167887

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
PHC	Petroleum Hydrocarbons	11200		405	2990	ug/kg
SURROGATES						
16416-32-3	TETRACOSANE-d50	11.1		37 - 130	55%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Saxton Falls Sand and Gravel Co. Inc.	Date Collected:	05/01/25
Project:	Stan Hope	Date Received:	05/01/25
Client Sample ID:	LARGE-PILE-E	SDG No.:	Q1937
Lab Sample ID:	Q1937-09	Matrix:	SOIL
Analytical Method:	8015D TPH	% Solid:	92.3
Sample Wt/Vol:	30.03	Units:	g
Soil Aliquot Vol:			uL
Extraction Type:		Test:	TPH GC
GPC Factor :		Injection Volume :	
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
FG015790.D	1	05/07/25 09:00	05/07/25 14:44	PB167887

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
PHC	Petroleum Hydrocarbons	11500		416	3070	ug/kg
SURROGATES						
16416-32-3	TETRACOSANE-d50	9.44		37 - 130	47%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Saxton Falls Sand and Gravel Co. Inc.	Date Collected:	05/01/25
Project:	Stan Hope	Date Received:	05/01/25
Client Sample ID:	LARGE-PILE-F	SDG No.:	Q1937
Lab Sample ID:	Q1937-11	Matrix:	SOIL
Analytical Method:	8015D TPH	% Solid:	89.7
Sample Wt/Vol:	30.01	Units:	g
Soil Aliquot Vol:			uL
Extraction Type:		Test:	TPH GC
GPC Factor :		Injection Volume :	
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
FG015791.D	1	05/07/25 09:00	05/07/25 15:13	PB167887

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
PHC	Petroleum Hydrocarbons	23000		428	3160	ug/kg
SURROGATES						
16416-32-3	TETRACOSANE-d50	10.6		37 - 130	53%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

LAB CHRONICLE

OrderID:	Q1937	OrderDate:	5/1/2025 2:03:00 PM
Client:	Saxton Falls Sand and Gravel Co. Inc.	Project:	Stan Hope
Contact:	Rich Schindelar	Location:	L41,VOA Ref. #2 Soil

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q1937-01	LARGE-PILE-A	SOIL			05/01/25			05/01/25
			PCB	8082A		05/05/25	05/05/25	
			Pesticide-TCL	8081B		05/05/25	05/05/25	
			TPH GC	8015D		05/07/25	05/07/25	
Q1937-02	LARGE-PILE-A	Solid			05/01/25			05/01/25
			EPH_NF	NJEPH		05/05/25	05/05/25	
Q1937-03	LARGE-PILE-B	SOIL			05/01/25			05/01/25
			PCB	8082A		05/05/25	05/05/25	
			Pesticide-TCL	8081B		05/05/25	05/05/25	
			TPH GC	8015D		05/07/25	05/07/25	
Q1937-04	LARGE-PILE-B	Solid			05/01/25			05/01/25
			EPH_NF	NJEPH		05/05/25	05/05/25	
Q1937-05	LARGE-PILE-C	SOIL			05/01/25			05/01/25
			PCB	8082A		05/05/25	05/05/25	
			Pesticide-TCL	8081B		05/05/25	05/05/25	
			TPH GC	8015D		05/07/25	05/07/25	
Q1937-06	LARGE-PILE-C	Solid			05/01/25			05/01/25
			EPH_NF	NJEPH		05/05/25	05/05/25	
Q1937-07	LARGE-PILE-D	SOIL			05/01/25			05/01/25
			PCB	8082A		05/05/25	05/05/25	
			Pesticide-TCL	8081B		05/05/25	05/05/25	
			TPH GC	8015D		05/07/25	05/07/25	
Q1937-08	LARGE-PILE-D	Solid			05/01/25			05/01/25
			EPH_NF	NJEPH		05/05/25	05/05/25	
Q1937-09	LARGE-PILE-E	SOIL			05/01/25			05/01/25

LAB CHRONICLE

Q1937-10	LARGE-PILE-E	Solid	PCB	8082A	05/05/25	05/05/25	05/01/25	05/01/25
			Pesticide-TCL	8081B	05/05/25	05/05/25		
			TPH GC	8015D	05/07/25	05/07/25		
Q1937-11	LARGE-PILE-F	SOIL	EPH_NF	NJEPH	05/05/25	05/05/25	05/01/25	05/01/25
			PCB	8082A	05/05/25	05/05/25		
			Pesticide-TCL	8081B	05/05/25	05/05/25		
Q1937-12	LARGE-PILE-F	Solid	TPH GC	8015D	05/07/25	05/07/25	05/01/25	05/01/25
			EPH_NF	NJEPH	05/05/25	05/05/25		