

Report of Analysis

Client:	Saxton Falls Sand and Gravel Co. Inc.		Date Collected:	05/01/25	
Project:	Stan Hope		Date Received:	05/01/25	
Client Sample ID:	LARGE-PILE-D		SDG No.:	Q1937	
Lab Sample ID:	Q1937-08		Matrix:	SOIL	
Analytical Method:	SW8260		% Solid:	93.9	
Sample Wt/Vol:	7.13	Units: g	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY022139.D	1		05/02/25 19:09	VY050225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
75-71-8	Dichlorodifluoromethane	0.85	U	0.85	3.70	ug/Kg
74-87-3	Chloromethane	0.85	U	0.85	3.70	ug/Kg
75-01-4	Vinyl Chloride	0.59	U	0.59	3.70	ug/Kg
74-83-9	Bromomethane	0.80	U	0.80	3.70	ug/Kg
75-00-3	Chloroethane	0.94	U	0.94	3.70	ug/Kg
75-69-4	Trichlorofluoromethane	0.90	U	0.90	3.70	ug/Kg
76-13-1	1,1,2-Trichlorotrifluoroethane	0.79	U	0.79	3.70	ug/Kg
75-35-4	1,1-Dichloroethene	0.75	U	0.75	3.70	ug/Kg
67-64-1	Acetone	3.50	U	3.50	18.7	ug/Kg
75-15-0	Carbon Disulfide	0.79	U	0.79	3.70	ug/Kg
1634-04-4	Methyl tert-butyl Ether	0.55	U	0.55	3.70	ug/Kg
79-20-9	Methyl Acetate	1.20	U	1.20	3.70	ug/Kg
75-09-2	Methylene Chloride	2.60	U	2.60	7.50	ug/Kg
156-60-5	trans-1,2-Dichloroethene	0.64	U	0.64	3.70	ug/Kg
75-34-3	1,1-Dichloroethane	0.60	U	0.60	3.70	ug/Kg
110-82-7	Cyclohexane	0.59	U	0.59	3.70	ug/Kg
78-93-3	2-Butanone	4.90	U	4.90	18.7	ug/Kg
56-23-5	Carbon Tetrachloride	0.72	U	0.72	3.70	ug/Kg
156-59-2	cis-1,2-Dichloroethene	0.56	U	0.56	3.70	ug/Kg
74-97-5	Bromochloromethane	0.86	U	0.86	3.70	ug/Kg
67-66-3	Chloroform	0.63	U	0.63	3.70	ug/Kg
71-55-6	1,1,1-Trichloroethane	0.69	U	0.69	3.70	ug/Kg
108-87-2	Methylcyclohexane	0.68	U	0.68	3.70	ug/Kg
71-43-2	Benzene	0.59	U	0.59	3.70	ug/Kg
107-06-2	1,2-Dichloroethane	0.59	U	0.59	3.70	ug/Kg
79-01-6	Trichloroethene	0.60	U	0.60	3.70	ug/Kg
78-87-5	1,2-Dichloropropane	0.68	U	0.68	3.70	ug/Kg
75-27-4	Bromodichloromethane	0.58	U	0.58	3.70	ug/Kg
108-10-1	4-Methyl-2-Pentanone	2.70	U	2.70	18.7	ug/Kg
108-88-3	Toluene	0.58	U	0.58	3.70	ug/Kg

Report of Analysis

Client:	Saxton Falls Sand and Gravel Co. Inc.	Date Collected:	05/01/25
Project:	Stan Hope	Date Received:	05/01/25
Client Sample ID:	LARGE-PILE-D	SDG No.:	Q1937
Lab Sample ID:	Q1937-08	Matrix:	SOIL
Analytical Method:	SW8260	% Solid:	93.9
Sample Wt/Vol:	7.13 Units: g	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY022139.D	1		05/02/25 19:09	VY050225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
10061-02-6	t-1,3-Dichloropropene	0.49	U	0.49	3.70	ug/Kg
10061-01-5	cis-1,3-Dichloropropene	0.46	U	0.46	3.70	ug/Kg
79-00-5	1,1,2-Trichloroethane	0.69	U	0.69	3.70	ug/Kg
591-78-6	2-Hexanone	2.80	U	2.80	18.7	ug/Kg
124-48-1	Dibromochloromethane	0.65	U	0.65	3.70	ug/Kg
106-93-4	1,2-Dibromoethane	0.66	U	0.66	3.70	ug/Kg
127-18-4	Tetrachloroethene	0.78	U	0.78	3.70	ug/Kg
108-90-7	Chlorobenzene	0.68	U	0.68	3.70	ug/Kg
100-41-4	Ethyl Benzene	0.50	U	0.50	3.70	ug/Kg
179601-23-1	m/p-Xylenes	0.93	U	0.93	7.50	ug/Kg
95-47-6	o-Xylene	0.61	U	0.61	3.70	ug/Kg
100-42-5	Styrene	0.53	U	0.53	3.70	ug/Kg
75-25-2	Bromoform	0.64	U	0.64	3.70	ug/Kg
98-82-8	Isopropylbenzene	0.58	U	0.58	3.70	ug/Kg
79-34-5	1,1,2,2-Tetrachloroethane	0.90	U	0.90	3.70	ug/Kg
541-73-1	1,3-Dichlorobenzene	1.30	U	1.30	3.70	ug/Kg
106-46-7	1,4-Dichlorobenzene	1.20	U	1.20	3.70	ug/Kg
95-50-1	1,2-Dichlorobenzene	1.10	U	1.10	3.70	ug/Kg
96-12-8	1,2-Dibromo-3-Chloropropane	1.40	U	1.40	3.70	ug/Kg
120-82-1	1,2,4-Trichlorobenzene	2.20	U	2.20	3.70	ug/Kg
87-61-6	1,2,3-Trichlorobenzene	2.40	U	2.40	3.70	ug/Kg
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	52.8		70 (63) - 130 (155)	106%	SPK: 50
1868-53-7	Dibromofluoromethane	49.1		70 (70) - 130 (134)	98%	SPK: 50
2037-26-5	Toluene-d8	48.0		70 (74) - 130 (123)	96%	SPK: 50
460-00-4	4-Bromofluorobenzene	39.7		70 (38) - 130 (136)	79%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	354000	7.707			
540-36-3	1,4-Difluorobenzene	663000	8.609			
3114-55-4	Chlorobenzene-d5	574000	11.414			
3855-82-1	1,4-Dichlorobenzene-d4	211000	13.346			

Report of Analysis

Client:	Saxton Falls Sand and Gravel Co. Inc.	Date Collected:	05/01/25
Project:	Stan Hope	Date Received:	05/01/25
Client Sample ID:	LARGE-PILE-D	SDG No.:	Q1937
Lab Sample ID:	Q1937-08	Matrix:	SOIL
Analytical Method:	SW8260	% Solid:	93.9
Sample Wt/Vol:	7.13 Units: g	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY022139.D	1		05/02/25 19:09	VY050225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products