

Report of Analysis

Client:	Chemtech Consulting Group		Date Collected:	
Project:	Weekly Storage Blanks		Date Received:	
Client Sample ID:	VN0505WBSD01		SDG No.:	Q1942
Lab Sample ID:	VN0505WBSD01		Matrix:	Water
Analytical Method:	SW8260		% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:		uL	Test:	VOC- Chemtech Full
GC Column:	RXI-624	ID : 0.25	Level :	LOW
Prep Method :				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN086482.D	1		05/05/25 13:36	VN050525

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	19.4		0.22	1.00	ug/L
74-87-3	Chloromethane	18.3		0.32	1.00	ug/L
75-01-4	Vinyl Chloride	18.8		0.26	1.00	ug/L
141-78-6	Ethyl Acetate	19.9		0.31	1.00	ug/L
74-83-9	Bromomethane	24.9		1.40	5.00	ug/L
75-00-3	Chloroethane	18.9		0.47	1.00	ug/L
75-69-4	Trichlorofluoromethane	19.8		0.33	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	20.2		0.25	1.00	ug/L
75-65-0	Tert butyl alcohol	98.1		5.50	25.0	ug/L
75-35-4	1,1-Dichloroethene	18.9		0.23	1.00	ug/L
107-02-8	Acrolein	90.4		7.10	25.0	ug/L
107-13-1	Acrylonitrile	99.8		0.83	5.00	ug/L
67-64-1	Acetone	100		1.50	5.00	ug/L
75-15-0	Carbon Disulfide	17.7		0.21	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	20.4		0.16	1.00	ug/L
79-20-9	Methyl Acetate	18.1		0.27	1.00	ug/L
75-09-2	Methylene Chloride	20.8		0.28	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	20.0		0.23	1.00	ug/L
108-05-4	Vinyl Acetate	98.4		0.66	5.00	ug/L
75-34-3	1,1-Dichloroethane	19.7		0.23	1.00	ug/L
110-82-7	Cyclohexane	17.7		1.50	5.00	ug/L
78-93-3	2-Butanone	96.5		0.98	5.00	ug/L
56-23-5	Carbon Tetrachloride	21.0		0.25	1.00	ug/L
594-20-7	2,2-Dichloropropane	19.0		0.21	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	20.3		0.19	1.00	ug/L
74-97-5	Bromochloromethane	19.0		0.22	1.00	ug/L
67-66-3	Chloroform	20.8		0.25	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	20.2		0.20	1.00	ug/L
108-87-2	Methylcyclohexane	18.7		0.16	1.00	ug/L
563-58-6	1,1-Dichloropropene	19.5		0.15	1.00	ug/L

Report of Analysis

Client:	Chemtech Consulting Group	Date Collected:	
Project:	Weekly Storage Blanks	Date Received:	
Client Sample ID:	VN0505WBSD01	SDG No.:	Q1942
Lab Sample ID:	VN0505WBSD01	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC- Chemtech Full
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN086482.D	1		05/05/25 13:36	VN050525

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
71-43-2	Benzene	19.9		0.15	1.00	ug/L
107-06-2	1,2-Dichloroethane	21.7		0.22	1.00	ug/L
79-01-6	Trichloroethene	21.0		0.090	1.00	ug/L
78-87-5	1,2-Dichloropropane	20.1		0.20	1.00	ug/L
74-95-3	Dibromomethane	22.9		0.25	1.00	ug/L
75-27-4	Bromodichloromethane	21.2		0.22	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	99.6		0.68	5.00	ug/L
108-88-3	Toluene	20.6		0.14	1.00	ug/L
10061-02-6	t-1,3-Dichloropropene	20.5		0.17	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	19.7		0.16	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	21.9		0.21	1.00	ug/L
142-28-9	1,3-Dichloropropane	21.7		0.19	1.00	ug/L
110-75-8	2-Chloroethyl Vinyl ether	83.1		0.30	5.00	ug/L
591-78-6	2-Hexanone	99.1		0.89	5.00	ug/L
124-48-1	Dibromochloromethane	22.0		0.18	1.00	ug/L
106-93-4	1,2-Dibromoethane	22.1		0.15	1.00	ug/L
127-18-4	Tetrachloroethene	21.1		0.23	1.00	ug/L
108-90-7	Chlorobenzene	20.9		0.12	1.00	ug/L
630-20-6	1,1,1,2-Tetrachloroethane	21.2		0.19	1.00	ug/L
67-72-1	Hexachloroethane	19.1		0.32	0	ug/L
100-41-4	Ethyl Benzene	19.9		0.13	1.00	ug/L
179601-23-1	m/p-Xylenes	40.7		0.24	2.00	ug/L
95-47-6	o-Xylene	20.1		0.12	1.00	ug/L
100-42-5	Styrene	20.7		0.15	1.00	ug/L
75-25-2	Bromoform	21.4		0.19	1.00	ug/L
98-82-8	Isopropylbenzene	19.7		0.12	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	21.3		0.26	1.00	ug/L
96-18-4	1,2,3-Trichloropropane	20.1		0.35	1.00	ug/L
108-86-1	Bromobenzene	21.6		0.24	1.00	ug/L
103-65-1	n-propylbenzene	19.6		0.13	1.00	ug/L
95-49-8	2-Chlorotoluene	19.7		0.14	1.00	ug/L

Report of Analysis

Client:	Chemtech Consulting Group		Date Collected:	
Project:	Weekly Storage Blanks		Date Received:	
Client Sample ID:	VN0505WBSD01		SDG No.:	Q1942
Lab Sample ID:	VN0505WBSD01		Matrix:	Water
Analytical Method:	SW8260		% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:		uL	Test:	VOC- Chemtech Full
GC Column:	RXI-624	ID : 0.25	Level :	LOW
Prep Method :				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN086482.D	1		05/05/25 13:36	VN050525

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
108-67-8	1,3,5-Trimethylbenzene	19.9		0.15	1.00	ug/L
106-43-4	4-Chlorotoluene	20.0		0.13	1.00	ug/L
98-06-6	tert-Butylbenzene	19.3		0.14	1.00	ug/L
95-63-6	1,2,4-Trimethylbenzene	20.1		0.14	1.00	ug/L
135-98-8	sec-Butylbenzene	19.8		0.13	1.00	ug/L
99-87-6	p-Isopropyltoluene	19.9		0.13	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	21.3		0.16	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	20.9		0.19	1.00	ug/L
104-51-8	n-Butylbenzene	19.1		0.15	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	20.7		0.16	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	18.9		0.53	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	19.5		0.20	1.00	ug/L
87-68-3	Hexachlorobutadiene	19.9		0.30	1.00	ug/L
91-20-3	Naphthalene	18.9		0.20	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	19.6		0.20	1.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	52.6		74 - 125	105%	SPK: 50
1868-53-7	Dibromofluoromethane	58.7		75 - 124	117%	SPK: 50
2037-26-5	Toluene-d8	49.5		86 - 113	99%	SPK: 50
460-00-4	4-Bromofluorobenzene	48.7		77 - 121	97%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	157000	8.224			
540-36-3	1,4-Difluorobenzene	293000	9.1			
3114-55-4	Chlorobenzene-d5	267000	11.865			
3855-82-1	1,4-Dichlorobenzene-d4	123000	13.788			

Report of Analysis

Client:	Chemtech Consulting Group		Date Collected:	
Project:	Weekly Storage Blanks		Date Received:	
Client Sample ID:	VN0505WBSD01		SDG No.:	Q1942
Lab Sample ID:	VN0505WBSD01		Matrix:	Water
Analytical Method:	SW8260		% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:		uL	Test:	VOC- Chemtech Full
GC Column:	RXI-624	ID : 0.25	Level :	LOW
Prep Method :				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN086482.D	1		05/05/25 13:36	VN050525

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products