

SOP ID : M420.1 & 9065-Phenolics-13

SDG No : N/A

Start Digest Date: 05/05/2025 Time : 12:45 Temp : 150 °C

Matrix : SOIL

End Digest Date: 05/05/2025 Time : 13:45 Temp : 158 °C

Pipette ID : WC

Balance ID : WC SC-7

Hood ID : HOOD#2

Digestion tube ID : M5595

Block Thermometer ID : WC CYANIDE

Block ID : WC-DIST-BLOCK-1

Filter paper ID : N/A

Prep Technician Signature: RM

Weigh By : RM

pH Meter ID : N/A

Supervisor Signature: 12

Standard Name	MLS USED	STD REF. # FROM LOG
LCSS	1.0ML	W112726
PBS003	50.0ML	W3112
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
pH Paper 0-14	N/A	W3140
CONC H2SO4	N/A	M6041
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Extraction Conformance/Non-Conformance Comments:

Due to limited volume DUP, MS and MSD were not performed.

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
05/05/2025 13:55	RM cwc	RM cwc
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	Initial Weight (g)	Final Vol (ml)	pH	Sulfide	Oxidizing	Nitrate/ Nitrite	Comment	Prep Pos
PB167846BL	PBS846	1.00	50	N/A	N/A	N/A	N/A	N/A	N/A
PB167846BS	LCS846	1.00	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1944-01	MELTED-RUBBER-SAMPLE	0.50	50	N/A	N/A	N/A	N/A	N/A	N/A