

Metals
- 3b -
PREPARATION BLANK SUMMARY

Client: G Environmental

SDG No.: Q1945

Instrument: CV1

Sample ID	Analyte	Result (ug/L)	Acceptance Limit	Conc Qual	CRQL ug/L	M	Analysis Date	Analysis Time	Run
PB167866BL		WATER		Batch Number:	PB167866		Prep Date:	05/05/2025	
	Mercury	0.20	<0.20	U	0.20	CV	05/05/2025	12:52	LB135662

Metals
- 3b -
PREPARATION BLANK SUMMARY

Client: G Environmental

SDG No.: Q1945

Instrument: P4

Sample ID	Analyte	Result (ug/L)	Acceptance Limit	Conc Qual	CRQL ug/L	M	Analysis Date	Analysis Time	Run
PB167858BL	WATER			Batch Number:	PB167858		Prep Date:	05/05/2025	
	Aluminum	50.0	<50.0	U	50.0	P	05/05/2025	18:22	LB135674
	Antimony	25.0	<25.0	U	25.0	P	05/05/2025	18:22	LB135674
	Arsenic	10.0	<10.0	U	10.0	P	05/05/2025	18:22	LB135674
	Barium	50.0	<50.0	U	50.0	P	05/05/2025	18:22	LB135674
	Beryllium	3.00	<3.00	U	3.00	P	05/05/2025	18:22	LB135674
	Cadmium	3.00	<3.00	U	3.00	P	05/05/2025	18:22	LB135674
	Calcium	1000	<1000	U	1000	P	05/05/2025	18:22	LB135674
	Chromium	5.00	<5.00	U	5.00	P	05/05/2025	18:22	LB135674
	Cobalt	15.0	<15.0	U	15.0	P	05/05/2025	18:22	LB135674
	Copper	10.0	<10.0	U	10.0	P	05/05/2025	18:22	LB135674
	Iron	50.0	<50.0	U	50.0	P	05/05/2025	18:22	LB135674
	Lead	6.00	<6.00	U	6.00	P	05/05/2025	18:22	LB135674
	Magnesium	1000	<1000	U	1000	P	05/05/2025	18:22	LB135674
	Manganese	10.0	<10.0	U	10.0	P	05/05/2025	18:22	LB135674
	Nickel	20.0	<20.0	U	20.0	P	05/05/2025	18:22	LB135674
	Potassium	1000	<1000	U	1000	P	05/05/2025	18:22	LB135674
	Selenium	10.0	<10.0	U	10.0	P	05/05/2025	18:22	LB135674
	Silver	5.00	<5.00	U	5.00	P	05/05/2025	18:22	LB135674
	Sodium	1000	<1000	U	1000	P	05/05/2025	18:22	LB135674
	Thallium	20.0	<20.0	U	20.0	P	05/05/2025	18:22	LB135674
	Vanadium	20.0	<20.0	U	20.0	P	05/05/2025	18:22	LB135674
	Zinc	20.0	<20.0	U	20.0	P	05/05/2025	18:22	LB135674