

Report of Analysis

Client:	PSEG	Date Collected:	05/02/25
Project:	PSEG Bound Brook	Date Received:	05/02/25
Client Sample ID:	BB-CONCRETE	SDG No.:	Q1946
Lab Sample ID:	Q1946-01	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	100
Sample Wt/Vol:	30.04	Units:	g
Soil Aliquot Vol:			uL
Prep Method :		Final Vol:	2000
		Test:	EPH_NF

Prep Date :	Date Analyzed :	Prep Batch ID
05/05/25 09:05	05/05/25 19:16	PB167855

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units(Dry Weight)	
TARGETS								
Aliphatic C28-C40	Aliphatic C28-C40	3.36		1	1.18	2.00	mg/kg	FE053651.D
Aliphatic C9-C28	Aliphatic C9-C28	0.91	U	1	0.91	3.99	mg/kg	FE053651.D
Total AliphaticEPH	Total AliphaticEPH	3.36	J		2.09	5.99	mg/kg	
Total EPH	Total EPH	3.36	J		2.09	5.99	mg/kg	

* As samples are not fractionated, all aliphatic and aromatic carbon compounds in the C9-C40 carbon range are calculated against the aliphatic calibration curve, and reported as Aliphatic EPH. Therefore, the aliphatic C9-C40 concentration for the sample is reported as the Total EPH.

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	PSEG	Date Collected:	05/02/25
Project:	PSEG Bound Brook	Date Received:	05/02/25
Client Sample ID:	BB-CONCRETE	SDG No.:	Q1946
Lab Sample ID:	Q1946-01	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	100
Sample Wt/Vol:	30.04 Units: g	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH_NF
Prep Method :			

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FE053651.D	1	05/05/25	05/05/25	PB167855

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aliphatic C9-C28	Aliphatic C9-C28	0.000	U	0.91	3.99	mg/kg
Aliphatic C28-C40	Aliphatic C28-C40	3.36		1.18	2.00	mg/kg
SURROGATES						
3383-33-2	1-chlorooctadecane (SURR)	34.0		40 - 140	68%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	33.0		40 - 140	66%	SPK: 50

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q1946-01	Acq On:	05 May 2025 19:16
Client Sample ID:	BB-CONCRETE	Operator:	YP\AJ
Data file:	FE053651.D	Misc:	
Instrument:	FID_E	ALS Vial:	16
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.112	6.755	395139	2.852	300	ug/ml
Aliphatic C12-C16	6.756	10.204	457000	3.223	200	ug/ml
Aliphatic C16-C21	10.205	13.579	433125	2.98	300	ug/ml
Aliphatic C21-C28	13.580	17.249	716316	5.038	400	ug/ml
Aliphatic C28-C40	17.250	22.140	6521083	50.532	600	ug/ml
Aliphatic EPH	3.112	22.140	8522663	64.624		ug/ml
ortho-Terphenyl (SURR)	11.865	11.865	5961825	33.05		ug/ml
1-chlorooctadecane (SURR)	13.310	13.310	4599157	34.02		ug/ml
Aliphatic C9-C28	3.112	17.249	2001580	14.093	1200	ug/ml