

SOP ID : M9012B-Total, Amenable and Reactive Cyanide-20
SDG No : N/A **Start Digest Date:** 05/07/2025 **Time :** 09:00 **Temp :** N/A
Matrix : SOIL **End Digest Date:** 05/07/2025 **Time :** 10:30 **Temp :** N/A
Pipette ID : N/A
Balance ID : WC SC-7
Hood ID : HOOD#1 **Digestion tube ID :** M5595 **Block Thermometer ID :** N/A
Block ID : MC-1,MC-2 **Filter paper ID :** N/A **Prep Technician Signature:** RM
Weigh By : RM **pH Meter ID :** N/A **Supervisor Signature:** JZ

Standard Name	MLS USED	STD REF. # FROM LOG
PBS003	50.0ML	W3112
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
0.25N NaOH	50.0ML	WP111294
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

LAB SAMPLE ID	CLIENT SAMPLE ID	Comment

Extraction Conformance/Non-Conformance Comments:

N/A

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
05/07/2025 10:40	RM (WC)	RM (WC)
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	Initial Weight (g)	Final Vol (ml)	pH	Sulfide	Oxidizing	Nitrate/ Nitrite	Comment	Prep Pos
PB167874BL	PBS874	5.00	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1955-01	LAW-25-0066	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1956-05	COMP1	5.02	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1956-05DUP	COMP1DUP	5.06	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1960-03	72-11933	5.06	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1964-04	MH-LL	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1966-03	SILICA-GEL	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1968-04	MH-M	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1968-08	MH-M	5.06	50	N/A	N/A	N/A	N/A	N/A	N/A