

Analysis Method: 9034

ANALYST: rubina

Parameter: Reactive Sulfide

SUPERVISOR REVIEW BY: Iwona

Run Number: LB135697

Constant: 16000

Normality1: 0.025

Normality2: 0.025

Reagent/Standard	Lot/Log #
SODIUM THIOSULFATE, 0.025N, 4LITRE	W3105
IODINE SOLUTION .025N 1L	W3114
Starch Solution, 4L	W3149

Seq	Lab ID	True Value (mg/l)	DF	Initial Weight (g)	Final Volume (ml)	T1 (ml)	T2 Initial	T2 Final	T2 Diff. (ml)	T1 - T2 Diff (mL)	Value Corrected With Blank	Result (ppm)	Anal Date	Anal Time
1	PB167881BL		1	5.00	50	2.00	0.00	1.92	1.92	0.08	0.00	0.00	05/07/2025	12:00
2	Q1955-01		1	5.06	50	2.00	0.00	1.84	1.84	0.16	0.08	6.32	05/07/2025	12:03
3	Q1956-05		1	5.04	50	2.00	0.00	1.90	1.90	0.10	0.02	1.59	05/07/2025	12:06
4	Q1956-05DUP		1	5.06	50	2.00	0.00	1.90	1.90	0.10	0.02	1.58	05/07/2025	12:09
5	Q1960-03		1	5.06	50	2.00	0.00	1.84	1.84	0.16	0.08	6.32	05/07/2025	12:12
6	Q1964-04		1	5.04	50	2.00	0.00	1.86	1.86	0.14	0.06	4.76	05/07/2025	12:15
7	Q1966-03		1	5.01	50	2.00	0.00	1.88	1.88	0.12	0.04	3.19	05/07/2025	12:17
8	Q1968-04		1	5.05	50	2.00	0.00	1.86	1.86	0.14	0.06	4.75	05/07/2025	12:19
9	Q1968-08		1	5.02	50	2.00	0.00	1.88	1.88	0.12	0.04	3.19	05/07/2025	12:22

T1 = Titrant1

T2 = Titrant2

T2 Diff = T2 Final - T2 Initial

Value Corrected With Blank = ((T1 - T2 Diff) - Blank Correction(BL))

Result = ((T1 * Normality1) - ((T1 - Value Corrected With Blank) * Normality2)) * Constant / Initial Volume