

## Report of Analysis

Client:	CDM Smith	Date Collected:	05/01/25
Project:	Bergen Point Fueling System	Date Received:	05/02/25
Client Sample ID:	SB1-3-4	SDG No.:	Q1956
Lab Sample ID:	Q1956-01	Matrix:	SOIL
Analytical Method:	8015D DRO	% Solid:	89
Sample Wt/Vol:	30.06	Units:	g
Soil Aliquot Vol:			uL
Extraction Type:		Test:	Diesel Range Organics
GPC Factor :		Injection Volume :	
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
FG015826.D	1	05/13/25 10:05	05/13/25 17:22	PB167975

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
<b>TARGETS</b>						
DRO	DRO	1510	J	190	1870	ug/kg
<b>SURROGATES</b>						
16416-32-3	Tetracosane-d50	17.4		37 - 130	87%	SPK: 20

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit