

DATA PACKAGE

GENERAL CHEMISTRY

PROJECT NAME: JOINT BASE MCGUIRE DIX LAKEHURST JBMDL - DOD

WESTON SOLUTIONS

1400 Weston Way

PO Box 2653

West Chester, PA - 19380

Phone No: 610-701-7400

ORDER ID: Q1957

ATTENTION: Kent Alexander







Table Of Contents for Q1957

1) Signature Page						
2) Case Narrative	4					
2.1) Genchem- Case Narrative	4					
3) Qualifier Page	5					
4) QA Checklist	6					
5) Genchem Data	7					
6) Shipping Document	20					
6.1) CHAIN OF CUSTODY	21					
6.2) Lab Certificate	22					

Q1957 **2 of 22**



Cover Page

Order ID: Q1957

Project ID: Joint Base McGuire Dix Lakehurst JBMDL - DoD

Client: Weston Solutions

Lab Sample Number	Client Sample Number
Q1957-01	AT090P-SD05-050125-00
Q1957-02	AT090P-SD03-050125-00
Q1957-03	AT090P-SD04-050125-00

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature :		
Signature .	 Date:	5/15/2025

NYDOH CERTIFICATION NO - 11376 NJDEP CERTIFICATION NO - 20012

Q1957 3 of 22



CASE NARRATIVE

Weston Solutions

Project Name: Joint Base McGuire Dix Lakehurst JBMDL - DoD

Project # N/A Order ID # Q1957 Test Name: TOC

A. Number of Samples and Date of Receipt:

3 Solid samples were received on 05/05/2025.

B. Parameters:

According to the Chain of Custody document, the following analyses were requested: TOC. This data package contains results for TOC.

C. Analytical Techniques:

The analysis of TOC was based on method Lloyd Kahn.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Blank Spike met requirements for all samples.

The Duplicate analysis met criteria for all samples.

The Matrix Spike analysis met criteria for all samples.

The Matrix Spike Duplicate analysis met criteria for all samples.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

E. Additional Comments:

Lab has used least representable sample weight for the samples Q1957-01, Q1957-02 and Q1957-03 for TOC analysis. Therefore Lab has reported the TOC result with "OR" qualifier.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature	;			

Q1957 4 of 22



DATA REPORTING QUALIFIERS- INORGANIC

For reporting results, the following "Results Qualifiers" are used:

- J Indicates the reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL), but greater than or equal to the Instrument Detection Limit (IDL).
- U Indicates the analyte was analyzed for, but not detected.
- ND Indicates the analyte was analyzed for, but not detected
- E Indicates the reported value is estimated because of the presence of interference
- M Indicates Duplicate injection precision not met.
- N Indicates the spiked sample recovery is not within control limits.
- S Indicates the reported value was determined by the Method of Standard Addition (MSA).
- * Indicates that the duplicate analysis is not within control limits.
- + Indicates the correlation coefficient for the MSA is less than 0.995.
- D Indicates the reported value is from a secondary analysis with a dilution factor. The original analysis exceeded the calibration range.
- M Method qualifiers
 - **"P"** for ICP instrument
 - "PM" for ICP when Microwave Digestion is used
 - "CV" for Manual Cold Vapor AA
 - "AV" for automated Cold Vapor AA
 - "CA" for MIDI-Distillation Spectrophotometric "AS" for Semi –Automated Spectrophotometric
 - "C" for Manual Spectrophotometric
 - **"T"** for Titrimetric
 - "NR" for analyte not required to be analyzed
- OR Indicates the analyte's concentration exceeds the calibrated range of the
 - instrument for that specific analysis.
- Q Indicates the LCS did not meet the control limits requirements
- H Sample Analysis Out Of Hold Time



APPENDIX A

QA REVIEW GENERAL DOCUMENTATION

Project #: Q1957

	Completed
For thorough review, the report must have the following:	
GENERAL:	
Are all original paperwork present (chain of custody, record of communication, airbill, sample management lab chronicle, login page)	<u> </u>
Check chain-of-custody for proper relinquish/return of samples	<u> </u>
Is the chain of custody signed and complete	<u> </u>
Check internal chain-of-custody for proper relinquish/return of samples /sample extracts	' ' ' ' ' ' '
Collect information for each project id from server. Were all requirements followed	<u> </u>
COVER PAGE:	
Do numbers of samples correspond to the number of samples in the Chain of Custody on login page	<u> </u>
Do lab numbers and client Ids on cover page agree with the Chain of Custody	<u> </u>
CHAIN OF CUSTODY:	
Do requested analyses on Chain of Custody agree with form I results	<u> </u>
Do requested analyses on Chain of Custody agree with the log-in page	<u> </u>
Were the correct method log-in for analysis according to the Analytical Request and Chain of Castody	<u> </u>
Were the samples received within hold time	<u> </u>
Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle	<u> </u>
ANALYTICAL:	
Was method requirement followed?	<u> </u>
Was client requirement followed?	<u> </u>
Does the case narrative summarize all QC failure?	' ' ' ' ' '
All runlogs and manual integration are reviewed for requirements	<u> </u>
All manual calculations and /or hand notations verified	<u> </u>

QA Review Signature: SOHIL JODHANI Date: 05/15/2025

Q1957 6 of 22



В

C

LAB CHRONICLE

OrderID: Q1957

Client: Weston Solutions

Contact: Kent Alexander

OrderDate: 5/5/2025 10:39:00 AM

Project: Joint Base McGuire Dix Lakehurst JBMDL - DoD

Location: L51

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q1957-01	AT090P-SD05-050125 -00	SOIL			05/01/25 08:10			05/05/25
			TOC	Lloyd Kahn	55.15		05/13/25 11:39	
Q1957-02	AT090P-SD03-050125 -00	SOIL			05/01/25 08:30			05/05/25
			TOC	Lloyd Kahn			05/13/25 12:07	
Q1957-03	AT090P-SD04-050125 -00	SOIL			05/01/25 08:55			05/05/25
			TOC	Lloyd Kahn	23.00		05/13/25 12:28	

Q1957 **7 of 22**



A

C

SAMPLE DATA

Q1957 8 of 22

SOIL



Q1957-01

Lab Sample ID:

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Matrix:

Report of Analysis

Client: Weston Solutions Date Collected: 05/01/25 08:10

Project: Joint Base McGuire Dix Lakehurst JBMDL - DoD Date Received: 05/05/25

Client Sample ID: AT090P-SD05-050125-00 SDG No.: Q1957

% Solid: 20

Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units(Dry Weight) Prep Date	Date Ana.	Ana Met.
TOC	57300	OR	1	43.4	50.0	250	mg/Kg	05/13/25 11:39	Lloyd Kahn

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Q1957

SOIL

Matrix:



Q1957-02

Lab Sample ID:

284 Sheffield Street, Mountainside, New Jersey 07092, Phone: 908 789 8900, Fax: 908 789 8922

Report of Analysis

Client: Weston Solutions Date Collected: 05/01/25 08:30

Project: Joint Base McGuire Dix Lakehurst JBMDL - DoD Date Received: 05/05/25

Client Sample ID: AT090P-SD03-050125-00 SDG No.: Q1957

% Solid: 25.6

Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units(Dry Weight) Prep Date	Date Ana.	Ana Met.
TOC	39400	OR	1	43.4	50.0	250	mg/Kg	05/13/25 12:07	Lloyd Kahn

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Q1957

SOIL

Matrix:



Lab Sample ID:

Fax: 908 789 8922

Q1957-03

Report of Analysis

Client: Weston Solutions Date Collected: 05/01/25 08:55 Project: Joint Base McGuire Dix Lakehurst JBMDL - DoD Date Received: 05/05/25

Client Sample ID: AT090P-SD04-050125-00 SDG No.: Q1957

% Solid: 8.7

Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units(Dry Weight) Prep Date	Date Ana.	Ana Met.
TOC	59200	OR	1	43.4	50.0	250	mg/Kg	05/13/25 12:28	Lloyd Kahn

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Q1957



QC RESULT SUMMARY

5

Α



D



Initial and Continuing Calibration Verification

Client: Weston Solutions SDG No.: Q1957

Project: Joint Base McGuire Dix Lakehurst JBMDL - DoD RunNo.: LB135748

Analyte		Units	Result	True Value	% Recovery	Acceptance Window (%R)	Analysis Date
Sample ID:	ICV1	mg/L	1030	1000	103	90-110	03/14/2025
Sample ID:	CCV1	mg/L	1070	1000	107	90-110	05/13/2025
Sample ID:	CCV2	mg/L	943	1000	94	90-110	05/13/2025
Sample ID:	CCV3	mg/L	950	1000	95	90-110	05/13/2025

Q1957 **13 of 22**



В

E



Initial and Continuing Calibration Blank Summary

Client:	Weston Solutions	SDG No.:	Q1957
Project:	Joint Base McGuire Dix Lakehurst JBMDL - DoD	RunNo.:	LB135748

Analyte		Units	Result	Acceptance Limits	Conc Qual	MDL	RDL	Analysis Date
Sample ID:	ICB1	mg/L	< 125.0000	125.0000	Ū	32.1	250	03/14/2025
Sample ID:	CCB1	mg/L	< 125.0000	125.0000	Ū	32.1	250	05/13/2025
Sample ID:	CCB2	mg/L	< 125.0000	125.0000	Ū	32.1	250	05/13/2025
Sample ID:	CCB3	mg/L	< 125.0000	125.0000	U	32.1	250	05/13/2025

Q1957 **14 of 22**



В



Preparation Blank Summary

Client: Weston Solutions SDG No.: Q1957

Project: Joint Base McGuire Dix Lakehurst JBMDL - DoD

Analyte	Units	Result	Acceptance Limits	Conc Qual	MDL	RDL	Analysis Date
Sample ID:	LB135748BLS mg/Kg	< 125.0000	125.0000	U	43.4	250	05/13/2025

Q1957 **15 of 22**



Fax: 908 789 8922

Matrix Spike Summary

Client: Weston Solutions SDG No.: Q1957

Project: Joint Base McGuire Dix Lakehurst JBMDL - DoD Sample ID: Q1958-03

Client ID: SS050P-SD30-050225-00MS Percent Solids for Spike Sample: 79.1

		Acceptance	Spiked	Conc.	Sample	Conc.	Spike	Dilution	%		Analysis
Analyte	Units	Limit %R	Result	Qualifier	Result	Qualifier	Added	Factor	Rec	Qual	Date
TOC	mg/Kg	75-125	4880		3840		1000	1	104		05/13/2025

5

A



Q1957 **16 of 22**



Matrix Spike Summary

Client: Weston Solutions SDG No.: Q1957

Project: Joint Base McGuire Dix Lakehurst JBMDL - DoD Sample ID: Q1958-03

Client ID: SS050P-SD30-050225-00MSD Percent Solids for Spike Sample: 79.1

		Acceptance	Spiked	Conc.	Sample	Conc.	Spike	Dilution	%		Analysis
Analyte	Units	Limit %R	Result	Qualifier	Result	Qualifier	Added	Factor	Rec	Qual	Date
TOC	mg/Kg	75-125	5010		3840		1000	1	117		05/13/2025

J

А







Fax: 908 789 8922

Duplicate Sample Summary

Client: Weston Solutions SDG No.: Q1957

Project: Joint Base McGuire Dix Lakehurst JBMDL - DoD **Sample ID:** Q1958-03

Client ID: SS050P-SD30-050225-00MSD Percent Solids for Spike Sample: 79.1

		Acceptance	Sample	Conc.	Duplicate	Conc.	Dilution	RPD/		Analysis	
Analyte	Units	Limit	Result	Qualifier	Result	Qualifier	Factor	AD	Qual	Date	_
тос	mg/Kg	+/-20	4880		5010		1	3		05/13/2025	_

5

.



Q1957 **18 of 22**



Laboratory Control Sample Summary

Client: Weston Solutions SDG No.: Q1957

Project: Joint Base McGuire Dix Lakehurst JBMDL - DoD Run No.: LB135748

Analyte		Units	True Value		Conc. Qualifier	% Recovery	Dilution Factor	Acceptance Limit %R	Analysis Date
Sample ID	LB135748BSS								
TOC		mg/Kg	1000	1050		105	1	90-110	05/13/2025

Q1957 **19 of 22**











SHIPPING DOCUMENTS

Q1957 **20 of 22**

Westo	n COC ID	
LK_Chemtech	_20250502_	1124

Chain of Custody Record/Lab Work Request

				01957
Page	1	of	1	W/L-5) LUCELIN

Client:	Weston Sc	lutions, Inc	
Project Manager:	Bob M	cGlade	
Street Address:	1400 Weston Way	City:	West Chester
Phone:	610-701-3133	ST, ZIP:	PA, 19038
e-mail:	r.mcglade@wes	tonsolutio	ons.com
Sampled By:	Katie F	Rembert	

Lab Use Only		
Temperature of cooler when received (°C)		
COC Tape was present and unbroken on outer package?	Y	N
Samples received in good condition?	Y	N
Labels indicate properly preserved?	Y	N
Received within holding times?	Y	N
Discrepancies between sample labels and COC record?	Y	N

Project Name:	Joint Base McG	uire-Dix	(-Lakeh	urst	Pro	oject P	OC:		Kent A	lexande	r		
PO Number	011	1638			Phone:			720-474-4500					
W.O. #:	03886.	555.00	11		POC e-mail: ke		kent.a	lexande	r@westo	onsolutio	ns.con		
Lab:	Che	mtech			L	ab PO	D:	Jordan Hedvat (908) 728-3144					
TAT (days):		14			La	b Pho	ne:						
Lab Address:		2	84 Shef	field St.	St. Mountainside, NJ 07092								
Analyses	Requested:	TOC (Lloyd Kahn)											
	Container Type:	Glass	Jar										
	Container Size:	8 oz											

	Matrix Codes
	SB - Soil
	SS - Soil
	SE - Sediment
	SO - Solid
	SL - Sludge
	GW - Groundwater
ĺ	W - Water
	A - Air
	DS - Drum Solids
	DL - Drum Liquids
	L - EP/TCLP Leachate
	WI - Wipe
	X - Other
	F - Fish
Spe	ecial Instructions/Comments

10.0	reparicies between sumple labele and occined.							_									1 4			
						Preservative:	Ice to 6C											ı	- Fish	
#	Sample ID	G/C	Matrix	MS/MSD	Date Collected	Time Collected											Special Instructions/Comments			
1	AT090P-SD05-050125-00	G	SD	no	5/1/2025	<i>9</i> 8:10	1													
2	AT090P-SD03-050125-00	G	SD	no	5/1/2025	8 :30	1													
3	AT090P-SD04-050125-00	G	SD	no	5/1/2025	8:55	1													
4																				
5																				
6																				
7																				
8																				
9																				
10																				
11																				
12																				

	Shipping Airbill Number:							Cooler Number:		of	
	Relinquished By	plate,	Time	Received By	Date	3.2 Time		Additiona	l Commer	nts	
Ø		5/2/25	1346	(Ax)	515/25	0700	0				
2,1		7-7-									
3.)											





Laboratory Certification

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488