

Report of Analysis

Client:	PSEG	Date Collected:	05/05/25 09:26
Project:	Metro HQ	Date Received:	05/05/25
Client Sample ID:	72-11933	SDG No.:	Q1960
Lab Sample ID:	Q1960-03	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Corrosivity	7.05	H	1	0	0	pH		05/05/25 15:30	9045D
Ignitability	NO		1	0	0	oC		05/06/25 15:40	1030
Reactive Cyanide	0.011	J	1	0.0083	0.049	mg/Kg	05/07/25 09:00	05/07/25 14:07	9012B
Reactive Sulfide	6.32	J	1	0.20	10.0	mg/Kg	05/07/25 09:00	05/07/25 12:12	9034

Comments: pH result reported at temperature 22.2 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits