

CALIBRATION VERIFICATION SUMMARY

Contract: CAMP02

Lab Code: CHEM Case No.: Q1982 SAS No.: Q1982 SDG NO.: Q1982

GC Column: ZB-MR1 ID: 0.32 (mm) Initi. Calib. Date(s): 04/18/2025 04/18/2025

Client Sample No.: CCAL07 Date Analyzed: 05/13/2025

Lab Sample No.: PSTDCCC050 Data File : PD088524.D Time Analyzed: 16:48

COMPOUND	RT	RT WINDOW		CALC AMOUNT(ng)	NOM AMOUNT(ng)	%D
		FROM	TO			
4,4'-DDD	6.706	6.606	6.806	56.820	50.000	13.6
4,4'-DDE	6.197	6.097	6.297	53.840	50.000	7.7
4,4'-DDT	7.022	6.922	7.122	53.660	50.000	7.3
Aldrin	5.273	5.173	5.373	56.720	50.000	13.4
alpha-BHC	4.001	3.901	4.101	56.520	50.000	13.0
alpha-Chlordane	6.028	5.929	6.129	57.810	50.000	15.6
beta-BHC	4.517	4.416	4.616	55.090	50.000	10.2
Decachlorobiphenyl	9.074	8.975	9.175	49.430	50.000	-1.1
delta-BHC	4.765	4.665	4.865	55.970	50.000	11.9
Dieldrin	6.348	6.249	6.449	56.300	50.000	12.6
Endosulfan I	6.076	5.976	6.176	56.860	50.000	13.7
Endosulfan II	6.787	6.687	6.887	54.150	50.000	8.3
Endosulfan sulfate	7.150	7.050	7.250	54.210	50.000	8.4
Endrin	6.576	6.476	6.676	54.730	50.000	9.5
Endrin aldehyde	6.916	6.816	7.016	52.890	50.000	5.8
Endrin ketone	7.631	7.531	7.731	54.050	50.000	8.1
gamma-BHC (Lindane)	4.332	4.232	4.432	55.700	50.000	11.4
gamma-Chlordane	5.946	5.847	6.047	55.640	50.000	11.3
Heptachlor	4.931	4.831	5.031	56.770	50.000	13.5
Heptachlor epoxide	5.692	5.592	5.792	56.460	50.000	12.9
Methoxychlor	7.494	7.395	7.595	52.400	50.000	4.8
Tetrachloro-m-xylene	3.552	3.452	3.652	53.640	50.000	7.3

CALIBRATION VERIFICATION SUMMARY

Contract: CAMP02

Lab Code: CHEM Case No.: Q1982 SAS No.: Q1982 SDG NO.: Q1982

GC Column: ZB-MR2 ID: 0.32 (mm) Initi. Calib. Date(s): 04/18/2025 04/18/2025

Client Sample No.: CCAL07 Date Analyzed: 05/13/2025

Lab Sample No.: PSTDCCC050 Data File : PD088524.D Time Analyzed: 16:48

COMPOUND	RT	RT WINDOW		CALC AMOUNT(ng)	NOM AMOUNT(ng)	%D
		FROM	TO			
4,4'-DDD	5.932	5.834	6.034	49.430	50.000	-1.1
4,4'-DDE	5.376	5.280	5.480	48.950	50.000	-2.1
4,4'-DDT	6.186	6.088	6.288	48.560	50.000	-2.9
Aldrin	4.369	4.273	4.473	49.770	50.000	-0.5
alpha-BHC	3.395	3.296	3.496	49.860	50.000	-0.3
alpha-Chlordane	5.192	5.094	5.294	48.800	50.000	-2.4
beta-BHC	4.027	3.928	4.128	49.070	50.000	-1.9
Decachlorobiphenyl	8.074	7.977	8.177	43.990	50.000	-12.0
delta-BHC	4.264	4.165	4.365	50.030	50.000	0.1
Dieldrin	5.515	5.417	5.617	49.090	50.000	-1.8
Endosulfan I	5.248	5.151	5.351	42.440	50.000	-15.1
Endosulfan II	6.082	5.984	6.184	48.880	50.000	-2.2
Endosulfan sulfate	6.484	6.386	6.586	47.580	50.000	-4.8
Endrin	5.792	5.693	5.893	48.940	50.000	-2.1
Endrin aldehyde	6.261	6.163	6.363	46.940	50.000	-6.1
Endrin ketone	6.993	6.895	7.095	47.120	50.000	-5.8
gamma-BHC (Lindane)	3.731	3.633	3.833	49.140	50.000	-1.7
gamma-Chlordane	5.128	5.030	5.230	49.070	50.000	-1.9
Heptachlor	4.085	3.986	4.186	49.080	50.000	-1.8
Heptachlor epoxide	4.874	4.777	4.977	49.180	50.000	-1.6
Methoxychlor	6.757	6.659	6.859	47.040	50.000	-5.9
Tetrachloro-m-xylene	2.882	2.783	2.983	48.860	50.000	-2.3