

CALIBRATION VERIFICATION SUMMARY

Contract: CAMP02

Lab Code: CHEM Case No.: Q1982 SAS No.: Q1982 SDG NO.: Q1982

GC Column: ZB-MR1 ID: 0.32 (mm) Initi. Calib. Date(s): 04/18/2025 04/18/2025

Client Sample No.: CCAL09 Date Analyzed: 05/15/2025

Lab Sample No.: PSTDCCC050 Data File : PD088553.D Time Analyzed: 09:32

COMPOUND	RT	RT WINDOW		CALC AMOUNT(ng)	NOM AMOUNT(ng)	%D
		FROM	TO			
4,4'-DDD	6.708	6.606	6.806	56.100	50.000	12.2
4,4'-DDE	6.198	6.097	6.297	53.970	50.000	7.9
4,4'-DDT	7.023	6.922	7.122	53.870	50.000	7.7
Aldrin	5.274	5.173	5.373	56.550	50.000	13.1
alpha-BHC	4.001	3.901	4.101	56.800	50.000	13.6
alpha-Chlordane	6.030	5.929	6.129	56.180	50.000	12.4
beta-BHC	4.517	4.416	4.616	55.040	50.000	10.1
Decachlorobiphenyl	9.077	8.975	9.175	49.760	50.000	-0.5
delta-BHC	4.766	4.665	4.865	55.930	50.000	11.9
Dieldrin	6.350	6.249	6.449	56.050	50.000	12.1
Endosulfan I	6.077	5.976	6.176	55.920	50.000	11.8
Endosulfan II	6.788	6.687	6.887	54.320	50.000	8.6
Endosulfan sulfate	7.152	7.050	7.250	54.310	50.000	8.6
Endrin	6.577	6.476	6.676	53.380	50.000	6.8
Endrin aldehyde	6.917	6.816	7.016	53.450	50.000	6.9
Endrin ketone	7.633	7.531	7.731	54.580	50.000	9.2
gamma-BHC (Lindane)	4.332	4.232	4.432	55.710	50.000	11.4
gamma-Chlordane	5.949	5.847	6.047	56.700	50.000	13.4
Heptachlor	4.932	4.831	5.031	56.990	50.000	14.0
Heptachlor epoxide	5.693	5.592	5.792	55.460	50.000	10.9
Methoxychlor	7.495	7.395	7.595	51.810	50.000	3.6
Tetrachloro-m-xylene	3.552	3.452	3.652	54.060	50.000	8.1

CALIBRATION VERIFICATION SUMMARY

Contract: CAMP02

Lab Code: CHEM Case No.: Q1982 SAS No.: Q1982 SDG NO.: Q1982

GC Column: ZB-MR2 ID: 0.32 (mm) Initi. Calib. Date(s): 04/18/2025 04/18/2025

Client Sample No.: CCAL09 Date Analyzed: 05/15/2025

Lab Sample No.: PSTDCCC050 Data File : PD088553.D Time Analyzed: 09:32

COMPOUND	RT	RT WINDOW		CALC AMOUNT(ng)	NOM AMOUNT(ng)	%D
		FROM	TO			
4,4'-DDD	5.932	5.834	6.034	48.680	50.000	-2.6
4,4'-DDE	5.378	5.280	5.480	48.920	50.000	-2.2
4,4'-DDT	6.186	6.088	6.288	47.730	50.000	-4.5
Aldrin	4.371	4.273	4.473	49.570	50.000	-0.9
alpha-BHC	3.395	3.296	3.496	49.270	50.000	-1.5
alpha-Chlordane	5.193	5.094	5.294	48.190	50.000	-3.6
beta-BHC	4.027	3.928	4.128	48.880	50.000	-2.2
Decachlorobiphenyl	8.075	7.977	8.177	43.850	50.000	-12.3
delta-BHC	4.264	4.165	4.365	49.000	50.000	-2.0
Dieldrin	5.515	5.417	5.617	48.480	50.000	-3.0
Endosulfan I	5.249	5.151	5.351	47.220	50.000	-5.6
Endosulfan II	6.083	5.984	6.184	47.670	50.000	-4.7
Endosulfan sulfate	6.485	6.386	6.586	47.060	50.000	-5.9
Endrin	5.792	5.693	5.893	46.640	50.000	-6.7
Endrin aldehyde	6.261	6.163	6.363	46.820	50.000	-6.4
Endrin ketone	6.994	6.895	7.095	47.950	50.000	-4.1
gamma-BHC (Lindane)	3.731	3.633	3.833	48.430	50.000	-3.1
gamma-Chlordane	5.128	5.030	5.230	48.350	50.000	-3.3
Heptachlor	4.085	3.986	4.186	48.250	50.000	-3.5
Heptachlor epoxide	4.875	4.777	4.977	48.440	50.000	-3.1
Methoxychlor	6.757	6.659	6.859	45.800	50.000	-8.4
Tetrachloro-m-xylene	2.882	2.783	2.983	48.870	50.000	-2.3