

## Report of Analysis

|                    |                            |                    |               |
|--------------------|----------------------------|--------------------|---------------|
| Client:            | CDM Smith                  | Date Collected:    |               |
| Project:           | South River WM Replacement | Date Received:     |               |
| Client Sample ID:  | PB167959BS                 | SDG No.:           | Q1982         |
| Lab Sample ID:     | PB167959BS                 | Matrix:            | SOIL          |
| Analytical Method: | 8081B                      | % Solid:           | 100           |
| Sample Wt/Vol:     | 30.03                      | Units:             | g             |
| Soil Aliquot Vol:  |                            |                    | uL            |
| Extraction Type:   |                            | Test:              | Pesticide-TCL |
| GPC Factor :       | 1.0                        | Injection Volume : |               |
| Prep Method :      | SW3541B                    |                    |               |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PD088526.D        | 1         | 05/13/25 08:30 | 05/13/25 17:15 | PB167959      |

| CAS Number        | Parameter            | Conc. | Qualifier | MDL      | LOQ / CRQL | Units(Dry Weight) |
|-------------------|----------------------|-------|-----------|----------|------------|-------------------|
| <b>TARGETS</b>    |                      |       |           |          |            |                   |
| 319-84-6          | alpha-BHC            | 17.7  |           | 0.13     | 1.70       | ug/kg             |
| 319-85-7          | beta-BHC             | 17.3  |           | 0.18     | 1.70       | ug/kg             |
| 319-86-8          | delta-BHC            | 18.0  |           | 0.39     | 1.70       | ug/kg             |
| 58-89-9           | gamma-BHC (Lindane)  | 17.5  |           | 0.14     | 1.70       | ug/kg             |
| 76-44-8           | Heptachlor           | 18.0  |           | 0.12     | 1.70       | ug/kg             |
| 309-00-2          | Aldrin               | 18.1  |           | 0.12     | 1.70       | ug/kg             |
| 1024-57-3         | Heptachlor epoxide   | 18.1  |           | 0.19     | 1.70       | ug/kg             |
| 959-98-8          | Endosulfan I         | 18.2  |           | 0.14     | 1.70       | ug/kg             |
| 60-57-1           | Dieldrin             | 18.3  |           | 0.14     | 1.70       | ug/kg             |
| 72-55-9           | 4,4-DDE              | 17.7  |           | 0.14     | 1.70       | ug/kg             |
| 72-20-8           | Endrin               | 17.4  |           | 0.14     | 1.70       | ug/kg             |
| 33213-65-9        | Endosulfan II        | 17.6  |           | 0.29     | 1.70       | ug/kg             |
| 72-54-8           | 4,4-DDD              | 18.5  |           | 0.15     | 1.70       | ug/kg             |
| 1031-07-8         | Endosulfan Sulfate   | 17.9  |           | 0.13     | 1.70       | ug/kg             |
| 50-29-3           | 4,4-DDT              | 17.3  |           | 0.14     | 1.70       | ug/kg             |
| 72-43-5           | Methoxychlor         | 16.6  |           | 0.37     | 1.70       | ug/kg             |
| 53494-70-5        | Endrin ketone        | 18.0  |           | 0.19     | 1.70       | ug/kg             |
| 7421-93-4         | Endrin aldehyde      | 17.8  |           | 0.37     | 1.70       | ug/kg             |
| 5103-71-9         | alpha-Chlordane      | 18.1  |           | 0.12     | 1.70       | ug/kg             |
| 5103-74-2         | gamma-Chlordane      | 18.1  |           | 0.15     | 1.70       | ug/kg             |
| 8001-35-2         | Toxaphene            | 5.40  | U         | 5.40     | 33.0       | ug/kg             |
| <b>SURROGATES</b> |                      |       |           |          |            |                   |
| 2051-24-3         | Decachlorobiphenyl   | 22.7  |           | 20 - 144 | 114%       | SPK: 20           |
| 877-09-8          | Tetrachloro-m-xylene | 21.6  |           | 19 - 148 | 108%       | SPK: 20           |

## Report of Analysis

|                    |                            |          |                    |               |           |
|--------------------|----------------------------|----------|--------------------|---------------|-----------|
| Client:            | CDM Smith                  |          | Date Collected:    |               |           |
| Project:           | South River WM Replacement |          | Date Received:     |               |           |
| Client Sample ID:  | PB167959BS                 |          | SDG No.:           | Q1982         |           |
| Lab Sample ID:     | PB167959BS                 |          | Matrix:            | SOIL          |           |
| Analytical Method: | 8081B                      |          | % Solid:           | 100           | Decanted: |
| Sample Wt/Vol:     | 30.03                      | Units: g | Final Vol:         | 10000         | uL        |
| Soil Aliquot Vol:  |                            | uL       | Test:              | Pesticide-TCL |           |
| Extraction Type:   |                            |          | Injection Volume : |               |           |
| GPC Factor :       | 1.0                        | PH :     |                    |               |           |
| Prep Method :      | SW3541B                    |          |                    |               |           |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PD088526.D        | 1         | 05/13/25 08:30 | 05/13/25 17:15 | PB167959      |

| CAS Number | Parameter | Conc. | Qualifier | MDL | LOQ / CRQL | Units |
|------------|-----------|-------|-----------|-----|------------|-------|
|------------|-----------|-------|-----------|-----|------------|-------|

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit